

Revised

NBSIR 75-641

Performance of Mobile Homes Data Acquisition and Analysis Methodology

J. H. Pielert
W. E. Greene, Jr.
L. F. Skoda
W. G. Street

Office of Housing Technology
Center for Building Technology
Institute for Applied Technology
National Bureau of Standards
Washington, D. C. 20234

February 1975

Interim Report

Prepared for
**Office of Policy Development and Research
Department of Housing and Urban Development
Washington, D. C. 20410**

NBSIR 75- 641

**PERFORMANCE OF MOBILE HOMES
DATA ACQUISITION AND ANALYSIS
METHODOLOGY**

J. H. Pielert
W. E. Greene, Jr.
L. F. Skoda
W. G. Street

Office of Housing Technology
Center for Building Technology
Institute for Applied Technology
National Bureau of Standards
Washington, D. C. 20234

February 1975

Interim Report

Prepared for
Office of Policy Development and Research
Department of Housing and Urban Development
Washington, D. C. 20410



U. S. DEPARTMENT OF COMMERCE, Frederick B. Dent, Secretary
NATIONAL BUREAU OF STANDARDS, Richard W. Roberts, Director

Table of Contents

1.0	<u>Introduction</u>	<u>Page</u>
1.1	Objectives of Project.....	1
1.2	Mobile Home Industry	1
1.3	Mobile Home Standards.....	2
1.4	Mobile Home Regulatory Process.....	2
1.5	Project Approach.....	2
2.0	<u>Data Acquisition Procedures</u>	3
2.1	Introduction	3
2.2	Available Mobile Home Performance Data.....	3
2.2.1	HUD Data (Hurricane Agnes Mobile Homes).....	3
2.2.1.1	HUD Response to Hurricane Agnes Disaster.....	3
2.2.1.2	Data Acquisition Procedures.....	4
2.2.1.3	Sample Selection Criteria.....	4
2.2.2	Privately Owned Mobile Home Data.....	5
2.2.2.1	General	5
2.2.2.2	Data Source Selection Criteria.....	5
2.2.2.3	Data Acquisition Procedures.....	5
2.3	Field Inspection Data.....	6
2.3.1	Selection Criteria.....	6
2.3.1.1	HUD Units.....	6
2.3.1.2	Privately-Owned Units.....	6
2.3.2	Interdisciplinary Team Approach.....	7
2.3.3	Development of Field Inspection Techniques.....	7
2.3.4	Data Recording Techniques.....	8
2.3.4.1	Inspection Form Development.....	8
2.3.4.2	Photographic Documentation.....	8
3.0	<u>Data Analysis Methodology</u>	9
3.1	General.....	9
3.2	Problem Catalogue Development.....	9
3.3	Problem Coding Techniques	10
3.4	Computer Techniques.....	11
3.4.1	Data Verification Programs.....	11
3.4.2	Problem Summation Programs.....	11
3.5	Application of Methodology to Data Bases.....	12

Table of Contents (cont'd)

4.0 <u>Summary Comments</u>	<u>Page</u>
Acknowledgements	13
References	14
Figures	15
Tables	22
 Appendix A - Data Forms	 24
Appendix B - Typical Field Inspection Photographic Documentation	41
Appendix C - Problem Catalog	44
Appendix D - Typical Summation of Performance Data	61
Appendix E - Typical Graphical Presentation of Data by Computer	66

Performance of Mobile Homes
Data Acquisition and Analysis Methodology

by

J. H. Pielert, W. E. Greene, Jr., L. F. Skoda and W. G. Street
Center for Building Technology

Abstract

In a study at the National Bureau of Standards (NBS), funded by the Department of Housing and Urban Development (HUD), methods for inspecting mobile homes to identify performance problems, recording the problems and analyzing the problem data were developed. Maintenance work orders for 2881 mobile homes, a part of 12,500 provided by HUD for emergency housing in the aftermath of Hurricane Agnes, at Wilkes-Barre, Pennsylvania, were reviewed and computer coded by an inter-disciplinary team of engineers. Also, performance data were obtained from State and other Federal agencies for over 967 privately owned mobile homes. A second task was the field inspection of 257 mobile homes to assist in the determination of the causes and consequences of the problems identified in the data acquisition task. Computer techniques were developed to process the data and print out problem summation tables, graphs to establish trends, compile data on obvious problems and ferret out those problems which may not be obvious. This first report documenting the data acquisition and analysis methodology will be followed by a series of reports which will present results and relate them to current standards, the regulatory and insurance processes.

Key Words: Construction; Hurricane Agnes; Housing; Mobile Homes; Mobile Home Parks; Performance data; Regulatory Process; Standards

1.0 INTRODUCTION

1.1 Objectives of Project. Recently, many people and groups have questioned the effectiveness of mobile homes in providing safe, adequate and low-cost shelter. Although life-safety aspects such as fire safety and wind damage receive the most publicity, functional characteristics appear to be of broader concern to mobile home owners. It is recognized that mobile homes are subjected to conditions prior to occupancy, e.g., manufacturing, transportation and siting^{1/} which differ greatly from conventional housing. Because of these unique conditions, mobile homes exhibit performance problems which may not be encountered in other forms of housing. Unfortunately, there is a limited amount of organized documentation of these performance problems, making it difficult to pinpoint what aspect of the mobile home production process (standards, regulatory, manufacturing, transportation or siting) could be at fault. There is also limited data to assist in evaluation of the durability and maintainability aspects of mobile home construction.

To investigate these recognized problems, a project funded by the Office of Policy Development and Research of the Department of Housing and Urban Development (HUD) was structured around the following objectives:

- A. Identification and documentation of significant mobile home performance problems.
- B. Determination of the relationship between the identified performance problems and provisions of:
 - 1. ANSI A119.1 Standard for Mobile Homes.
 - 2. Inspection, Quality Assurance, and Regulatory Processes.
 - 3. Mortgage Insurance Requirements.
- C. Determination of problem areas requiring additional mobile home research.

1.2 Mobile Home Industry. Mobile homes have risen to a position of dominance in housing in the United States representing approximately one-fifth of new housing starts in each of the past five years. The production of mobile homes increased dramatically from 100,000 units in 1960 to around 600,000 units in 1973 (Figure 1). In the under \$20,000 new housing market, mobile homes represented 96% of the houses produced in 1973 which is somewhat higher than the rate for years 1968 to 1972 (Figure 2).

The growth of the mobile home industry has resulted from its ability to produce a product which meets the price requirements for lower income groups during a period of rising costs for all types of housing. Young families and an increasing number of retired persons are creating a demand for lower-cost housing containing the modern amenities. The growth of the industry has also been helped by the willingness of the commercial banking system to extend loans to customers and dealers for the purchase of mobile homes.

The basic dimensions of mobile homes can vary in width from 8 feet to 16 feet and in length up to 70 feet. Flexibility in home configuration can be obtained with units designed with expandable portions, and single wide units designed to form double wides when placed adjacent to one another, or in some cases, triple wides. The width of the units is an important dimension because of its impact on transportation over the highways. The distribution of mobile home shipments for the years 1971, 1972 and 1973 as a function of width is shown in Figure 3. The percentage of shipments of 12-foot wide units has been decreasing somewhat during the period while shipments of 14-foot wides and double wides have increased. The number of 8, 10 and 6-foot wides and expandables^{2/} is a small portion of total shipments. It is anticipated

^{1/} Siting encompasses placement and leveling the mobile home on its foundation, installing steps, skirting and connecting utilities.

^{2/} Units designed with sections which either push-out or swing out from the mobile home at the site.

that 14 and 16 foot wide mobile homes will increase their share of the total market in future years as more states relax highway transport width limits.

1.3 Mobile Home Standards. The mobile home industry is unique within the building industry in that there is a single standard, ANSI A119.1 Standard for Mobile Homes [1] 3/, which covers the major aspects of the mobile home building process, i.e., construction, electrical, plumbing and mechanical. Park considerations are included in ANSI A119.3 Standard for Mobile Home Parks [2]. These standards are developed using the consensus process by ANSI Committee A119 on Mobile Homes and Recreational Vehicles. The committee is sponsored by three industry groups (Mobile Home Manufacturers Association, Trailer Coach Association, and the Recreational Vehicle Institute) and the National Fire Protection Association. Committee membership is drawn from the mobile home, recreational vehicle, and related industries as well as from state and federal governmental organizations, consumer groups, trade associations, insurance industry and other interested groups.

States that have legislated mobile home construction requirements have most frequently adopted ANSI A119.1 as a whole or have used it as a model upon which to base their standards. As of June 1, 1974, 45 states have adopted or are in the process of adopting ANSI A119.1 or portions thereof.

1.4 Mobile Home Regulatory Process. Because of the nature of the product and its manufacturing process, the regulatory process for mobile homes is unique to the housing industry. Enforcement of a mobile home standard is the responsibility of the state in which it is manufactured and generally includes certification that the construction meets the codes requirements and inspection of the product in the factory to insure that the approved design is met.

There are two basic regulatory programs which are used separately or in combination by the states. Some states set up mobile home agencies to enforce regulations while others utilize independent third party organizations to perform such services. A typical combination would be for the states to set up an in-house agency for plan certification while employing a third-party to perform in-plant inspection. A recent National Bureau of Standards publication by Cooke, Tejuja, Dikkers and Zelenka [3] outlines the various programs in use by the 50 states as of early 1974. This report establishes the fact that there is considerable legislative activity at the state level in the mobile home and manufactured building regulatory field.

1.5 Project Approach. In order to address the stated objectives, the project was organized around three basic tasks.

Task 1 - Collection and Analysis of Existing Mobile Homes Performance Data

Collection of data from Federal agencies, State regulatory agencies, and consumer groups to reflect trends and identify functional failures and major problem areas.

Task 2 - Field Inspection of Mobile Homes

Inspection of mobile homes in the field in an attempt to determine the causes and consequences of the performance problems documented in Task 1.

Task 3 - Summarize Data and Develop Conclusions

Synthesize data obtained in Tasks 1 and 2 to fulfill the other objectives of the project. Develop additional source documents in the standards and regulatory areas.

3/ References are listed at end of report.

- A. Regulatory Study - Visit State agencies regulating mobile homes and manufacturers within that state to determine specific effects of the regulatory programs. In addition, visit selected states representing a cross section of typical programs such as state operated programs, third party programs, and combinations of the two used throughout the United States.
- B. ANSI A119.1 Standard for Mobile Evaluation Study - Prepare a document outlining changes in the specific requirements of the ANSI A119.1 Standard from the 1969 edition through the 1972, 1974, and 1975 editions.

2.0 DATA ACQUISITION PROCEDURES

2.1 Introduction. The mobile home data obtained consisted of maintenance records, consumer complaints, on-site inspection reports, etc. and data resulting from NBS field team inspections of mobile homes. Because of the varying nature, location and availability of these data sources, procedures had to be established which would provide a cost-effective and timely means of data retrieval.

In the planning phases of the project, it was anticipated that the major portion of performance data would come from mobile homes used by HUD as emergency housing following the 1972 Hurricane Agnes disaster. Later, when it became evident that these units were all manufactured at approximately the same time and were put into use under emergency conditions, it was decided to seek additional data sources in order to obtain a more representative data base. These added sources included other Federal agencies, state regulatory agencies, consumer groups, and private owners of mobile homes.

2.2 Available Mobile Home Performance Data

2.2.1 HUD Data (Hurricane Agnes Mobile Homes). As a response to Hurricane Agnes, HUD set-up and maintained a records system which allowed an evaluation of the performance of the mobile homes used as temporary housing.

2.2.1.1 HUD Response to Hurricane Agnes Disaster. The Department of Housing and Urban Development purchased approximately 18,000 mobile homes that were used as temporary housing for victims of the Hurricane Agnes disaster which occurred in June, 1972. The largest concentration of these mobile homes was in the Wilkes-Barre, Pennsylvania area where they totaled approximately 12,500 units. The urgent need for mobile homes was such that large quantity purchase contracts were negotiated and awarded in a minimal time period to manufacturers and dealers with the primary requirement being the earliest possible delivery date. Since this immediate need exhausted the local market of mobile homes, manufacturers and dealers from as far south as Florida and as far west as Texas, supplied mobile homes to the disaster relief effort.

The exigencies of time, in many instances, precluded specifying that these mobile homes meet the requirements of standards such as ANSI A119.1 or of the code of the state in which the home was purchased.

The processing procedure for incoming mobile homes in the Wilkes-Barre area was as follows. Three large staging areas were established at convenient locations in the city, namely the Red, White, and Blue staging areas (See Figure 4). Each mobile home that entered the area was delivered to a particular, previously assigned staging area. Upon arrival at the staging area each mobile home was visually inspected to determine if it could be assigned for use immediately or if some repairs were needed as a result of manufacturing omissions or possible transport damage. Repair crews were available to make the mobile homes "field ready" after which the homes were delivered to either private sites or to the various mobile home parks that were being constructed in the area. Field crews were then given the task of blocking and leveling the units, hook-up of all utilities, and installing preconstructed

wooden stairs at the entrance doors and installing skirting on the mobile homes.

As soon as the mobile homes were available for occupancy, families were assigned and moved into them. The occupants then had the use of these units until their pre-disaster dwellings were rehabilitated or until permanent housing became available. Any maintenance or repairs to the mobile homes needed during occupancy was accomplished by HUD repair crews or designated contractors. The occupant simply had to call the HUD Maintenance Office giving his or her name and address along with the HUD number assigned to their mobile home and request the needed repairs. A record of the call was made by filling out a repair work order. These repair orders were then assigned to maintenance crews for disposition. Upon receipt of the order, the maintenance crew would proceed to the mobile home and make the necessary repairs noting the extent of the repair, the time required, and materials used for each ordered repair. This copy of the repair order was then returned to the maintenance office and placed in a file folder that had been established for each mobile home under the HUD identification number. A typical "maintenance work order" is presented in Appendix A, (Exhibit 1). Using this procedure a complete history of all repairs made to each mobile home while occupied or available for occupancy (through park manager initiated maintenance orders) was established.

As permanent housing became available to the initial occupants, the units were either reassigned to new tenants or kept available on a standby basis. As the need for temporary housing declined each empty unit was evaluated by HUD inspectors to a set of criteria established by HUD so that a disposition decision could be made. Typical forms used in this "criteria inspection" are also presented in Appendix A, (Exhibit 2). The disposition options were as follows: refurbish the unit and store it for future disaster use; declare it surplus and place it on the market for transfer to other federal government agencies that expressed a need; or declare the unit unusable and allow it to be salvaged for repair of other units. The option selected generally depended on the dollar outlay required to refurbish the mobile home. A small number of units were sold to the occupants that had resided in them and indicated a desire to purchase. The Kaminski storage area (See Figure 4) was established to accommodate the vacated mobile homes as each of the parks were deactivated and until final disposition of the units could be completed. This storage area was the location of the NBS field team inspection operations described herein.

2.2.1.2 Data Acquisition Procedures. The two major sources of data used in this phase of the project, maintenance and refurbishment data (Appendix A - Exhibits 1 and 2), were brought to NBS on loan from HUD. Only data for approximately 10,000 units of the 12,500 total were included since HUD required that files for all active mobile homes (those still occupied) must remain in Wilkes-Barre.

The other source of data was HUD Finance Department records which could not be taken from Wilkes-Barre. It was necessary to have access to these files since they contained valuable mobile home identification information such as manufacturer, serial number, state and year of manufacture, purchase cost, number of occupants and length of occupancy. A former HUD staff member with experience on the Hurricane Agnes Disaster Team was placed under contract to extract information from these files and also to provide liaison for all NBS Wilkes-Barre activities.

2.2.1.3 Sample Selection Criteria. As previously noted, the files obtained from Wilkes-Barre had a numbering system which uniquely identified each mobile home. The system was based on an eight digit number with the first four digits being the contract number and the last four digits being the number of the mobile home purchased under that contract. For example, the mobile home with the HUD number 3092-0100 represents unit 100 purchased under contract number 3092. The files were ordered consecutively by HUD contract number and by unit number within each contract. The number of mobile homes within a contract varied from one to several hundred.

Since it would not be possible to evaluate data for the entire 10,000 units, a method of selecting a representative sample without bias was devised by the Statistical Engineering Section of the NBS Institute of Basic Standards. This method consisted of randomly selecting 500 units at a time without replacement. A random number table was generated and used

to select a 3000 unit sample (in 500 unit blocks) from the numerically ordered files for detailed evaluation. The sample was deemed to be both manageable and representative of the 10,000 unit population. The vast majority of the problems were gleaned from the maintenance work orders; only about 10% of the problems were provided by the refurbishment data. The maintenance work orders for these 3000 units were separated to facilitate computer coding of the performance problems. Refurbishment data were found for only 1560 of these 3000 units because a large amount of this data had been shipped from Wilkes-Barre with the mobile homes to other storage locations throughout the country.

2.2.2 Privately Owned Mobile Home Data

2.2.2.1 General. Acquisition of performance data on mobile homes from sources other than HUD was a basic requirement of the project. It was felt that these data from privately owned mobile homes were needed to augment the performance data obtained from Wilkes-Barre. Consideration of the two data sources should enhance the general applicability of the overall study results and tend to minimize any variations caused by the differences between Federal government and private procurement and certification procedures.

2.2.2.2 Data Source Selection Criteria. Since the study resources were finite and limited, it was decided early in the planning phase to concentrate on those states with large mobile home populations such as California, Texas, Florida, etc. Using this approach it was possible to gain access to the maximum quantity of mobile home performance data for a minimum expenditure of time and money. It is recognized that this data acquisition method does not render results that are statistically reliable for the total mobile home population of the U.S. On the other hand, the results are generally representative of the performance problems encountered by mobile home users. The performance problems identified in privately owned mobile homes can be useful in ferreting out the major problems and their relation to the mobile home standard (ANSI A119.1) as well as to regulatory procedures.

Initial emphasis concentrated on the state agencies responsible for mobile home regulation and/or administration. Table 1.2.2 from reference [3] was found to be extremely useful as a guide to the location and personnel of the state agencies regulating mobile homes. These agencies varied widely from state-to-state and were attached to building code, consumer affairs, community development, labor or motor vehicle organizations. In addition to the state organizations, other agencies with potential data banks on mobile home performance were contacted. These included Federal agencies such as the Veterans Administration, mobile home owners organizations, privately owned mobile home parks with rental units, and various consumer groups. There was no attempt to interview private mobile home owners on an individual bases.

2.2.2.3 Data Acquisition Procedures. The initial contact with the various potential sources of mobile home performance data was made by a telephone call to the organization. The scope of the project was discussed and a request was made for the organization's cooperation in making data available to NBS. The request included forwarding NBS a sample copy of two or three documented cases of mobile home performance problems from their files along with an estimate of the total number of such cases available. As a follow-up action to the phone call, a letter was transmitted to the individual contacted recapping the phone conversation with a request for sample cases and other information. As a result of the above procedure, responses including sample cases were received from 14 sources as listed in Table 1.

After initial discussions with agencies having data, it became clear that most of these agencies did not have sufficient staff to extract the data needed by NBS from their mobile home files. As a result it was decided to send project field teams to those sources which appeared to have maximum quantities of mobile home performance problems on file. Visit arrangements were coordinated with the selected source and usually a two man team made the visit and retrieved the data. Normal procedure on arrival at the source's office was to review the total mobile home file available, and select a representative sample of cases where the file was too voluminous to copy each docket. For each case selected a copy was made of the owner's initial complaint letter and, when available, the agency follow-up

inspection report. In addition, mobile home identification data were recorded for each case using the form shown in Exhibit 3, Appendix A. Using the above procedure a total of 967 mobile home performance problem cases were obtained as summarized in Table 1.

2.3 Field Inspection Data

2.3.1 Selection Criteria. It became necessary to establish a selection criteria for mobile homes because of the large number available both in the HUD stockpile and in the private sector.

2.3.1.1 HUD Units. Initially it was planned to select units for field inspection at Wilkes-Barre that were included in the 3000 mobile home sample undergoing performance data analysis (Section 2.2.1.3). It became evident very early in the field inspection operations that this type of procedure would not be practical because of the difficulty encountered in locating specific units in the large rapidly changing inventory of mobile homes at Wilkes-Barre. Units were being moved on a 24 hours per day basis in and out of the storage area making it virtually impossible to obtain an accurate current inventory or locate specific units. Additionally, the inventory was down to 2000 units from the initial 12,500 mobile homes used in the disaster effort.

As a result, the procedure adopted was simply to select units at random for field inspection with no attempt at pre-selection (random sampling). There was an attempt to inspect units of as many different manufacturers as possible and to skip duplicate units. A total of 237 units were field inspected at Wilkes-Barre.

While the large concentration of mobile homes in the Wilkes-Barre area as a result of Hurricane Agnes created an excellent opportunity for field inspection of mobile homes, some drawbacks were apparent. All of the units had been manufactured at approximately the same time (1971-1972) and many were transported over unusually long distances and had been sited under emergency conditions. The temporary nature of the mobile home parks and private site placements created problems that would not have been encountered under normal circumstances. The conditions were further complicated by the fact that the occupants were living in mobile homes by necessity and not by choice. Also, the performance data gathered at Wilkes-Barre by the field inspection team represents an atypical condition in that the team was looking for and recorded the most extreme problems encountered.

2.3.1.2 Privately-Owned Units. The peculiar conditions related to acquisition, siting and occupancy of the HUD Agnes mobile homes made it necessary to inspect mobile home usages under more normal conditions. The field study was enlarged to include units from the private sector.

Because of the difficulties of locating and arranging inspection of individually owned mobile homes, sources were sought out which would allow access to a large number of units at a single location. Also, it was desirable to have access to purchase specifications and maintenance records of the homes inspected. Four such sources were located at various locations in the United States.

A privately owned mobile home park in Lexington Park, Maryland, consisting of 25 new single wide (12 foot wide) units which had just been installed and occupied, was inspected. These were duplex rental units and had been purchased to a specification established by the owner and had unique construction characteristics. Each unit was divided into two living areas with separate bath, kitchen and sleeping facilities.

Mobile homes constructed in 1962 and 1965 were inspected at Warren Air Force Base in Cheyenne, Wyoming to obtain data which could be related to durability. These units which are being used as housing for families of construction personnel have been moved eleven times over an average distance of 650 miles each move. The mobile homes were purchased under a specification prepared by the Air Force and have been maintained for the Government by a

private company since purchase.

A private mobile home park containing 200 mobile homes manufactured in 1971 and 1972 was inspected in Montgomery, Alabama. These units were owned by the Alabama Farm Bureau (not state affiliated) and rented to Air Force personnel attending 12 week courses at Maxwell Air Force Base. In addition to inspection of these units, maintenance records for one twelve week occupancy period were obtained along with refurbishment data for the life of each unit.

Five mobile homes being modified under a HUD Grant for use by handicapped students were inspected at St. Andrews College in Laurinburg, North Carolina. These units were obtained by the College from the HUD Agnes stockpile and purchase, maintenance, and refurbishment data for the units were available.

2.3.2 Interdisciplinary Team Approach. The mobile home field inspection team consisted of NBS staff members with expertise in various phases of the building process. The team members had many years of experience in their particular area of the building process and also had some experience in the mobile home field. The team consisted of a structural engineer-project manager and five other members with engineering expertise in the fields of materials, plumbing, heating, electrical, and fire technology.

Prior to initiation of the field inspection task, the team members became familiar with the construction of mobile homes by visiting several mobile home manufacturing plants including one that produced average quality units as well as a plant that produced a superior product. A visit to a manufacturer of mobile home frames and metallic roll roofing was also included in the familiarization program. These plant tours were very instructive and the plant managers extremely helpful and cordial in their efforts to explain the manufacturing processes used for producing mobile homes.

In addition to the plant tours, the Mobile Home Maintenance School established by HUD in Wilkes-Barre for training of repair crews, was visited by the field inspection team. These training courses for maintenance of heating, electrical and plumbing systems were established by HUD to increase efficiency of the repair crews responsible for maintenance of the disaster units.

2.3.3 Development of Field Inspection Techniques. In conjunction with the plant inspections and maintenance school visits additional training was afforded the field inspection team by visits to the Red and White Staging areas at Wilkes-Barre (See Figure 4).

The White Staging Area was the "grave yard" for units that had been damaged beyond repair. These units had been either damaged in transport, during placement at the mobile home parks and private sites, or during occupancy. Several units that had been destroyed by fire were also stored here. These units were being salvaged of all usable parts for repair of other mobile homes. Inspection of these units made it possible to observe structural framing techniques (including roof trusses), plumbing trees, wiring techniques, heat duct assemblies and insulation, and vapor barrier installations. Many units had been damaged so severely that it was not necessary to remove paneling for inspection purposes as large portions of the paneling had already been removed or destroyed.

At the Red Staging Area eighteen mobile homes were set aside for use by the field inspection team. While some of these units had been declared unsuitable for further use by HUD because of damaged or inadequate construction such as short outriggers, aluminum wiring, bent frames, excessive refurbishment costs, etc., most were in good condition. Permission was granted to NBS to perform any type of destructive evaluation on these units that the field inspection team deemed appropriate including complete dismantling of the unit if necessary.

The type of "destructive disassembly" inspection procedures employed included the selective removal of ceiling and wall panels (interior and exterior), flooring and undercarriage weather protection barrier, to observe workmanship, structural framing, insulation, vapor barriers, wiring methods and plumbing trees. Samples of the materials such as cabinet doors,

wall paneling, ceiling materials, electrical and plumbing parts and fixtures were removed and returned to NBS for study.

Since it would not be possible to "destructively" inspect any more of the 2000 units at Wilkes-Barre and at private sites, it was necessary to develop "non-destructive" inspection procedures. Evaluation of the eighteen units indicated that it was difficult to remove and replace interior and exterior paneling easily without damage to the paneling. Also, the plumbing trees and heating distribution systems could not be thoroughly inspected without laboriously removing paneling, flooring, or undercarriage weather protection which would be difficult to replace in a like-new condition. The roofing system including metallic membrane, truss construction, insulation, vapor barrier and finished ceiling is unitized. The minimum possible non-destructive method of evaluation would require the removal of the furnace vent stack in order to inspect the immediate area of its penetration through the roof. This vent stack would then have to be replaced and resealed from outside the roof to eliminate water leakage potential.

Consequently, the "non-destructive" inspection procedure used for the vast majority of mobile homes became a visual inspection without the removal of permanent construction. Partition construction could be observed in unfinished closets, water heater compartments and furnace enclosures. Plumbing inspections had to be confined to the hot water heater compartment, under kitchen and bathroom sinks or at washer hookups. Heating system evaluation was confined to the furnace compartment and by removal of floor registers. The electrical distribution system could be evaluated at the load center and by removal of switch plates and duplex outlet covers.

2.3.4 Data Recording Techniques. The data recording techniques used in the field inspection effort were both written and visual. Inspection forms were filled out on each mobile home inspected. These forms included identification, structural, plumbing, heating and electrical information. A photographic record was also made of each unit that included any unusual conditions encountered or failures that were evident. These inspection forms and photographs along with the maintenance and refurbishment data then formed the data base for evaluation of the individual mobile homes examined during the field inspection effort.

2.3.4.1 Inspection Form Development. Since "destructive" inspection was precluded, except for the few units described earlier, a "non-destructive" or visual inspection procedure was developed to record all available information.

A four step approach to the development of the inspection forms for mobile homes was followed. First, each member of the inspection team prepared a list of all information within his particular field of expertise that would be advantageous to know in evaluating the performance of the mobile home. The second step was to list all information that could possibly be observed in an actual non-destructive visual inspection based on the experiences gained in the destructive evaluation experiment. The third step was to collate these two lists with the ANSI A119.1 standard and thereby establish what could be observed as standard variances. The fourth step was to develop an inspection form sheet for each discipline that would evaluate these standard requirements with the available information in a simple check list type format. A typical set of inspection form sheets used is included in Appendix A, (Exhibit 4).

Since an objective of the project is the evaluation of ANSI A119.1 Standard for Mobile Homes, the data retrieved on the data forms is related directly to specific sections of the standard (1974 edition), where possible.

2.3.4.2 Photographic Documentation. To augment the inspection form data and to provide a cross check for future evaluation, a photographic record of each mobile home inspection was made. The first photograph taken was of the front of the mobile home that clearly identified the unit by its unique identification number. Each succeeding photograph taken was of that particular unit and included code violations, component or system failures and any other unusual conditions related to performance that existed on the interior and exterior of the unit. Typical photographic documentation for a mobile home

is shown in Appendix B.

3.0 DATA ANALYSIS METHODOLOGY

3.1 General. An initial project task was to develop a methodology for data analysis which could be used to evaluate the vast amount of mobile home performance data acquired from the various sources. Because of this large quantity of data, it was apparent that computer techniques should be used. It was necessary to develop a coding system whereby a reviewer could record the problems to form a data base for analysis. The data analysis system developed consists of a Problem Catalog which lists a broad range of performance problems, coding techniques to record the problems and computer programs to organize and process the data. In developing this system the following guidelines were followed:

1. The data analysis system should be easily understood and capable of being used with a minimum possibility of error.
2. Data analysis system should be readily expandable and not sensitive to change.
3. Data analysis system should be easy to check.

3.2 Problem Catalog Development. The Problem Catalog contained in Appendix C is composed of two major sections: (1) Mobile Home Identification Data, and (2) Performance Problem List.

The Identification Data Section provides a method of recording information describing characteristics of each mobile home such as manufacturer, state and year of manufacture, serial number, seal or seals of approving agencies, dimensions, construction characteristics, etc.

The Performance Problem List is organized into three subsections which permits categorizing of the mobile home performance problems encountered. (Figure 5):

- A. Problems Related to ANSI A119.1 Standard for Mobile Homes
- B. Routine Maintenance Problems
- C. Appliance and Equipment Problems

The Performance Problem List was developed through a process of evolution; as new problems appeared in the performance data new items were added to the list. The ANSI Standard A119.1 subsection represents virtually the entire 1974 edition of the Standard (NFPA No. 501B-1973), with coding symbols being assigned for appropriate paragraphs. In the case of the Electrical (Part E), Plumbing (Part C), and Heating (Part D) sections of the standard the paragraph numbers and key words in the catalog appear in sequential order, just as they do in the standard. Construction (Part B) differs in that the catalog is organized around major construction components, such as roof, floor, walls and doors etc. Therefore, some paragraph numbers which pertain to several components are repeated and are not necessarily in sequence.

It became apparent in the early stages of data analysis that many of the problems encountered in the Wilkes-Barre files could only be related to ANSI A119.1 in a very general way. While most of the maintenance work orders identified the type and location of problem and stated the manner in which it was corrected, some were lacking in necessary detail. For example, a water leak may have been recorded without any indication as to where in the mobile home it occurred or what was done as a repair. It should be pointed out that much of these data were recorded under emergency conditions with no thought that they would be later used in this project.

In view of these shortcomings, and because of the need to preserve the detail of the problems recorded, it was decided to create a Routine Maintenance Subsection and an Appliance and Equipment Subsection which would be separate from the ANSI A119.1 section. If there

was not sufficient information to record a problem under an ANSI A119.1 heading it was placed in one of these other subsections. These two subsections of the catalog were also developed in an evolutionary manner. The initial organization was established by a consensus judgement of the project staff, a pilot survey of the maintenance records for about fifty Wilkes-Barre mobile homes and a review of Wilkes-Barre mobile home performance problems produced in a separate study conducted by the HUD Office of Policy Research and Development. When a previously unreported problem occurred, a new coding symbol was added to the appropriate section, continually increasing its coverage.

The Routine Maintenance Subsection was organized under the same general headings as the ANSI A119.1 Subsection; i.e. construction, plumbing, heating, and electrical. The Appliance and Equipment Subsection was grouped by appliance; i.e. furnace, range, hot water heater, refrigerator, exhaust fan and smoke detector. Since components of each appliance are listed, it is possible to record as high a degree of detail as the data permitted. Furniture problems and the occurrence of a fire in a mobile home were recorded under a category separate from the three subsections.

A problem level concept is employed to organize and assist in the evaluation of the data. These levels are used for organizational purposes only; they do not indicate or imply the degree of importance of the problems. Figure 5 illustrates problem levels 1, 2 and 3 and Figure 6 isolates ANSI A119.1 (Construction) to illustrate levels 2 through 7. The number in the extreme right hand column of the Problem Catalog in Appendix C indicates the problem level for each item.

3.3 Problem Coding Techniques. The development of the Problem Catalog and coding techniques were interdependent in that they were evolved concurrently. The design of the coding techniques were influenced by the project schedule, flexibility of adding new items to the Problem Catalog, available facilities for preparation of input data and the minimization of computer coding errors. The latter could be most readily accomplished by a coding form which could be read electronically, producing a magnetic tape for computer input. This would eliminate, of course, the human error inherent in the conventional method of preparing computer input data by keypunching computer cards. Two systems are currently available wherein it is possible to transcribe data from coding forms directly to magnetic tape. One, the Film Optical Sensing Device for Input to Computers (FOSDIC) system, is well developed and has been used by the Bureau of the Census for many years; the second, the Optical Character Recognition (OCR) system, is limited for handprinted alpha-numeric characters. Although the FOSDIC and OCR systems are attractive from the point of view of minimizing keypunching errors, they do not satisfy any of the other criteria. Both systems would take at least three months to develop and have the forms printed; once the forms were printed, it would be very difficult to make additions or effect changes. Additionally, both systems can only be serviced at a limited number of facilities. In view of the above, it was decided to use the conventional approach of filling out coding sheets and keypunching cards for computer input.

The coding technique selected for use in conjunction with the Problem Catalog is designed to minimize errors in filling out computer coding sheets. The standard computer card is separated into eight fields of ten spaces each as shown on Figure 7. The first field is used to identify the mobile home; H 3092-0100 in the case shown refers to HUD unit 3092-0100. Each source of data has a unique identification letter in the first space of this field. Identification data, other than mobile home number, and problem data are recorded in fields 2 through 8.

There is an alpha-numeric coding symbol in the Problem Catalog for each problem or piece of identification information which is entered by a reviewer on a computer coding sheet (Figure 7), using contiguous fields (i.e. there should be no blank fields between the first and last entry). While the coding symbols in the ANSI A119.1 subsection are tabulated exactly as shown, the numeric part of each coding symbol in the Routine Maintenance and Appliance and Equipment subsections can be either: 1. (adjust), 2. (repair), or 3. (replace) depending on the type of problem (Appendix C). For example, the repair of a kitchen faucet assembly would be recorded as NPKA2., while the replacement of the same component would be NPKA3. Entries in field 2 through 8 can be made in any order and if more than one card is

required, the identification number would be repeated in field 1 of succeeding cards. The order of the cards in the assembled deck is unimportant since they can always be sorted by identification number in field 1.

As an example of the coding technique consider the following problems and the resulting code entries on Figure 7.

Problem	Section of Problem Catalog	Code	Page
1. Rain leak through vent pipe in bathroom	ANSI A119.1	RLMP2.	47
2. Replace Glass in Window	Routine Maintenance	NCWR3.	57
3. Replace Furnace Blower Limit Switch	Appliance and Equipment	AFLS3.	59

The personnel who reviewed the files and filled out the data sheets were all engineers or highly skilled technicians. The field inspection team formed the nucleus of the file review team. All the technical disciplines required to effectively review the files were represented on this team. The team worked as a group, so that everyone would benefit from discussions concerning the proper coding symbols for the problems found in the files. Also, as new coding symbols were needed, they could be readily formulated and distributed to the team.

3.4 Computer Techniques. Because of the vast amount of collected mobile home performance data (approximately 32,000 reported problems), computer techniques were used for sorting, combining blocks of data and other data processing needs. The system selected for coding performance problems readily lends itself to this because each element of data has a unique permutation of alphanumeric characters. Prior to manipulating the data, once it was in the computer, an accuracy check of the data was made to eliminate coding form entry and keypunch errors. Several programs were written to process the data and printout out tables and plots once the data had been verified.

3.4.1 Data Verification Programs. Since keypunching of cards was the most error prone step in the recording of problems, a computer program was written to printout all coding symbols which were not in the Problem Catalog. The incorrect coding symbols on the printout were checked against the coding form and corrected if possible. This checking procedure reduced the coding symbol discard rate to less than 1 percent of the over 30,000 problems recorded.

A particular checking problem occurred in recording performance data for the 3000 unit HUD sample described in Section 2.2.1.3. This sample was selected from 10,000 files shipped from Wilkes-Barre to NBS. The 3000 unit numbers selected for analysis were transcribed onto computer coding sheets and keypunched to provide a check list for data input to the computer. The corresponding files were located and reviewed by the data analysis team. Because of human errors inherent in the manual processing of Wilkes-Barre files, it was not possible to locate files for approximately 4% of the 3000 units in the sample which resulted in a final total of 2881 units for the sample.

3.4.2 Problem Summation Programs and Graphical Presentations. Data processing programs were developed to establish trends, compile data on obvious problems, and ferret out those

problem areas which may not be obvious.

The most important of these is a program which prints out summations of problems relative to the levels within the Problem Catalog. This program processes a given data base and instructs the computer to print out summations and percentages for levels of problem refinement (Appendix D).

Once the data bases were established, computer programs were developed to print tables, graphs and histograms to assist in the evaluation of the data. These included tables relating data such as; (1) year of manufacture versus number of units in the data file, (2) width versus number of units in the data file, (3) state of manufacture versus the number of units in the data file, (4) seal of approving agency versus problems versus number of units in the data file. These tables are illustrated in Appendix E along with a typical computer plot developed for seal of approving agency versus average number of problems per mobile home. These preliminary data are for illustrative purposes only and not for analysis. This indicates the potential of the computer techniques which will be fully utilized in specific aspects of data analysis as required in later reports.

3.5 Application of Methodology to Various Data Bases. The application of the Problem Catalog and data processing techniques has been discussed for the HUD Hurricane Agnes mobile home data (Section 2.2.1). The privately owned mobile home data (Section 2.2.2) were handled in exactly the same manner except it was not necessary to select a small sample of units from a large data base. Reported problems for all 967 mobile homes were included in the data base.

The forms completed during the field inspection of mobile homes, photographic documentation, and available maintenance and refurbishment data which were available constituted the data base for the field inspection task (Section 2.3). These data were coded by the Field Inspection Team using the format of the Problem Catalog.

The three data bases, HUD Agnes data, private data, and field inspection data were maintained separately in computer storage files permitting any type of analysis deemed desirable by the project staff. Analysis could proceed separately within each data file or selective combinations of data could be made.

4.0 SUMMARY COMMENTS

This report is part of a HUD funded project to identify and document significant mobile home performance problems and to relate them to possible inadequacies in the mobile home standard, regulatory processes or to insurability aspects of concern to HUD. The data acquisition and analysis methodology documented herein shows a unique approach used to solve a complex problem of data retrieval and analysis.

The results and conclusions of the project tasks outlined in Section 1.5 of this report will be developed in future reports planned for this project.

Acknowledgement

The authors are indebted to many persons for contributions and guidance that made this report possible. Special thanks are given to NBS staff members who participated in the regulatory and field inspection activity and provided invaluable assistance in the data reduction effort discussed in this report. Staff members from the Center for Building Technology included R. Beausoliel, T. Ray, and W. Niessing. E. Budnick and J. Scott of the Center for Fire Research provided expertise in Fire Protection Engineering and J. Peebles of Plant Division was responsible for the electrical discipline. M. Vogt of Technical Analysis Division prepared the computer programs used for data analysis. J. Finnan and T. Porter, working under outside contracts, provided valuable support to important project tasks.

The outstanding cooperation of John Gibson, Director of the Office of Emergency Preparedness (OEP) of the Department of Housing and Urban Development and his staff, both in Washington, D. C. and at Wilkes-Barre, Pennsylvania, contributed significantly to the success of this project. Mr. James McCollom of HUD, Office of Policy Development and Research provided valuable liaison between NBS staff and OEP operations personnel.

References

1. ANSI A119.1 "Standard for Mobile Homes", National Fire Protection Association, Boston, Massachusetts.
2. ANSI A119.3 "Standard for Mobile Home Parks", National Fire Protection Association, Boston, Massachusetts.
3. NBS Technical Note 853 "State Building Regulatory Programs for Mobile Homes and Manufactured Buildings - a Summary" by Cooke, Tejiya, Dikkers.




FIGURE I - MOBILE HOME SHIPMENTS & RETAIL SALES




FIGURE 2 - THE UNDER \$ 20,000 NEW HOME MARKET

**DISTRIBUTION OF SHIPMENTS TO U.S. DEALERS BY
HOME WIDTH OR TYPE FOR
CALENDAR YEAR 1971, 1972, 1973**




FIGURE 3 - WIDTH OR TYPE OF MOBILE HOME




Figure 5 - Organization of Problem Catalog (Levels 1, 2 and 3)




Figure 6 - Organization of Problem Catalog (Levels 3 through 7)

Name _____
Telephone NO. _____
Date: _____

MOBILE HOMES DATA
CODING FORM

HUD NO.										ALPHANUMERIC CODING																																																																															
FIELD 1										FIELD 2										FIELD 3										FIELD 4										FIELD 5										FIELD 6										FIELD 7										FIELD 8																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80										
H	3	0	9	2	-	0	1	P	O	R	L	M	P	2	.					N	C	W	R	3	.					A	F	L	S	3	.																																																						

Figure 7 - Mobile Home Data Coding Form

Table 1

Mobile Home Performance Problem Data Sources

Source and Location	Visit to Source Agency	Approximate Number of Mobile Home Cases Potentially Available (early 1974)	Number of Mobile Home Cases Obtained
<u>Texas</u> - Dept. of Labor and Standards - Mobile Home Div. - (Austin)	Yes	257	171
<u>California</u> - Dept. of Housing and Community Development - Div. of Codes and Standards - (Sacramento)	Yes	3,000	162
<u>Arizona</u> - Division of Building Codes - (Phoenix)	No	273	1
<u>Florida</u> - Dept. of Highway Safety and Motor Vehicles - (Tallahassee)	Yes	1,400	142
<u>Virginia</u> - Dept. of Agriculture and Commerce - Office of Consumer Affairs - (Richmond)	Yes	300	32
<u>Georgia</u> - Office of Comptroller General - State Fire Marshall - (Atlanta)	No	300	-
<u>Louisiana</u> - Office of the Governor - Office of Consumer Protection - (Baton Rouge)	No	700	3

Table 1 (con't)

Source and Location	Visit to Source Agency	Approximate Number of Mobile Home Cases Potentially Available (early 1974)	Number of Mobile Home Cases Obtained
<u>Washington</u> - Dept. of Labor and Industries - Mobile Home, Commercial Coach and Recreational Vehicle Section - (Seattle)	Yes	300	152
<u>Veterans Administration Office</u> - (Jacksonville, Florida)	Yes	250	47
<u>Veterans Administration Regional Office</u> - (Montgomery, Alabama)	Yes	125	40
<u>Veterans Administration Center</u> - (Jackson, Mississippi)	No	123	1
<u>Alabama Farm Bureau</u> - (Montgomery, Alabama)	Yes	200	199
<u>American Mobilehome Association</u> - (Lakewood, Colorado)	No	10	8
<u>Minnesota</u> - Dept. of Administration - Building Code Division - (St. Paul)	No	25	9

Appendix A - Data Forms

- Exhibit 1 - HUD Maintenance Work Order Form
- Exhibit 2 - Criteria Inspection Form
- Exhibit 3 - Private Data Retrieval Form
- Exhibit 4 - Field Inspection Forms

HUD WORK ORDER

(1) WORK ORDER NO. ☐ **Nº 200087**(2) DATE ☐ ☐ ☐ ☐ ☐ ☐ (3) TIME ☐ ☐ ☐ ☐ ☐ ☐(4) H.U.D. No. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐(or) ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

(7) TENANT

(Last) (First) (Telephone No.)

(8) LOCATION (Street or Pad No.)

(City / Township or Park Site)

(9) OK TO ENTER ☐

(Signature / Approval)

(10)

(Prepared By)

(11)

(Tenant Will Be Home / Time / Date)

(12) WORK TO BE DONE

(13) ORIGINATOR CODE ☐(14) E ☐ DUPLICATE W.O.

(15) ASSIGNED TO

(16) DATE

Mo. Day Yr.

(17) TIME

Min.

(18) MAINTENANCE EMPLOYEE NUMBER

(Last 4 Digits of Social Security Number)

(19) WORK DONE (BE BRIEF)

(20) HOURS WORKED

(THIS LINE FOR OFFICE USE ONLY)

(21) DATE COMPLETED

Mo. Day Yr.

(22) TIME COMPLETED

Min.

(23) MATERIALS USED

(24) SIGNATURE

(Tenant)

(25) DATE

CHARGES:

(28) MANHOURL \$ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐(29) MATERIAL \$ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

CHARGE TO CONTRACTOR

(30) ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

FOR OFFICE USE ONLY

(26) WORK DONE CODE ☐

(27) CHARGE TO: (Recommendation)

- MAINTENANCE ☐ 1
 MANUFACTURER ☐ 2
 SET UP CONTRACTOR ☐ 3
 SITE DEVELOPER ☐ 4
 SUPPLIER ☐ 5
 NO CHARGE ☐ 6
☐ 7
☐ 8
☐ 9

COPY DISTRIBUTION:

4. GOLDENROD - AFTER WORK COMPLETED - TO MANAGER
 3. PINK - AFTER EDIT - TO KEY PUNCH THEN M / H FILES
 2. YELLOW - AFTER COSTING - TO FINANCE
 1. WHITE - AFTER COSTING - TO KEY PUNCH THEN M / H FILES

(31)

PROCESSED BY

SERIAL NUMBER INSPECTION

Name _____

Degree _____

Address or
Pad Number _____

Zone _____

Box Size _____

HUD
Number _____

O. A. L. _____

Serial
Number _____

Accepted _____

Bedrooms _____

Rejected _____

Mfr. _____

Hold _____

Mod. _____

Sales _____

Notes: _____

Signature: _____

Date: _____

Tail Lights Installed by Inspector: Yes No

WB-118-QC

Serial
Number

ID NO. _____
 SERIAL NO. _____
 MFGR. _____

CRITERIA	REF.
----------	------

- I. |Deluxe features limiting transportability not present..... 3.2.9

27

2/21/73

4/23/73

10/30/73

Rev. A

Rev. B

MOBILE HOME DISPOSITION CHECK LISTLEVEL II (CON'T)

HUD NO. _____
 MFGR. _____
 SERIAL NO. _____

CRITERIA
 REF.

- S. Wheels:
1. Tires in good condition..... 3.3.19
 2. Rims in good condition..... 3.3.19
 3. All wheel lugs secure..... 3.3.19
- T. Springs in good condition, including attaching bolts and shackles..... 3.3.20
- U. Axles
1. Axles have 2" minimum upward camber..... 3.3.21
 2. Minimum two axles per mobile home..... 3.3.21
 3. All axles have dust caps..... 3.3.21

ACCEPTABLE	UNACCEPTABLE	REPAIR	REPLACE	TIME COST

INSPECTOR'S NAME, PRODUCTION

DATE

COMMENTS:

[] ADDITIONAL COMMENTS ON REVERSE

* Time and material cost

LEVEL III

HUD NO. _____
MFGR. _____
SERIAL NO. _____

- A. Kitchen/Dining area: 3.4.1
1. Sink.....
 2. Dinette table.....
 3. Chairs (6).....
 4. Refrigerator, minimum (12) cubic feet.....
 5. Cooking range, 4 burner, with oven.....
 6. Lighted range hood.....
 7. Exhaust Fan.....
 8. Light fixture and shade globe.....
 9. Drapes and rods for each window.....
- B. Living Room: 3.4.2
1. Couch or sofa bed capable of sleeping (1) person...
 2. Armchair.....
 3. One (1) end table.....
 4. One (1) coffee table.....
 5. Table or hanging lamp with shade globe.....
 6. Drapes and rods for each window.....
- C. Bathroom: 3.4.3
1. Commode.....
 2. Commode top and seat.....
 3. Tub/shower and shower curtain.....
 4. Lavatory.....
 5. Medicine cabinet.....
 6. Mirror.....
 7. Light fixture and shade globe.....
- D. Bedroom #1: 3.4.4
1. Bed, w/metal frame or legs (screwed to metal corner plate), box spring and mattress.....
 2. Storage chest, built-in or free standing.....
 3. Light fixture and shade globes.....
 4. Drapes and rods for each window.....
- E. Bedroom #2: 3.4.4
1. Bed, w/metal frame or legs (screwed to metal corner plate), box spring and mattress.....
 2. Storage chest, built-in or free standing.....
 3. Light fixture and shade globes.....
 4. Drapes and rods for each window.....

[illegible]

COMMENTS:

☐ ADDITIONAL COMMENTS ON REVERSE

10/30/73 Rev. B

MOBILE HOME DISPOSITION CHECK LIST

LEVEL III (CON'T)

SERIAL NO. _____

REF.

F. Bedroom #3:

4. Drapes and rods for each window.....

|G. Miscellaneous:

18. Hall light and switch (if applicable).....

COMMENTS:

1. DIRECTOR'S NAME

DATE _____

☐ ADDITIONAL COMMENTS ON REVERSE

* Time and material cost

MOBILE HOME PROBLEM DATA SHEET

Data Source: _____

Source Docket No.: _____

MH Manufacturer: _____

Model: _____ Year: _____ Serial No. _____

Seals Attached (MHMA, TCA, SENHI, State, or Other): _____

Length: _____ Width: _____ No. Bedrooms: _____

Location: _____

Problems Reported in Source Document Dated: _____

Figure 1 - Sample of Data Sheet Used for Recording Mobile Home Coach
Identification Information

HUD No. _____
 Date of Inspection _____

Construction Data

Length _____ Feet
 Width _____ Feet

Manufacturer _____
 Model _____
 Serial Number _____
 Year _____

Seals	Number
_____	_____
_____	_____
_____	_____

1. Under Frame

Number of Axles _____
 Type of Outrigger _____

_____ 2 Member
 _____ C Member
 _____ Open Web Joist
 _____ Other
 _____ Feet
 _____ Feet
 _____ Inches

Outrigger Spacing _____
 Long Beam Spacing _____
 Long Beam Depth _____

Metal Under Frame Damage _____
 Moisture Barrier Damage _____
 Hurricane Straps _____
 Number _____

Yes No Picture

_____ _____ _____
 _____ _____ _____

2. Wall Framing

Exterior Wall _____
 Interior Wall _____

Not Seen Framing Type

_____ _____

3. Floor Framing

Not Seen _____
 Framing Type _____

4. Roof System

Type of Truss _____
 _____ Bowstring
 _____ Peaked
 _____ Other (Identify) _____

Not Seen _____





Roof Construction (Check)
 _____ Ceiling Material
 _____ Vapor Barrier
 _____ Insulation
 _____ Roof Truss
 _____ Insulation
 _____ Vapor Barrier
 _____ Metal Covering

5. Flame Spread

Ceiling _____
 _____ Gypsum Bb.
 _____ Veg. Fiberbd.

Kitchen Cabinet _____
 _____ Wood
 _____ Pressed Wood
 _____ Plastic

Paneling _____
 _____ Fire Rated
 _____ Not F.R.
 _____ Flame Spread



6. General

	Yes	No	Picture
Rusted Exterior Fasteners	_____	_____	_____
Interior Rain Leaks	_____	_____	_____
Emergency Egress Window	_____	_____	_____
Good _____ (No obstructions)			
Bad _____ (Obstructions)			

Comments:

HUD No. _____
 Date of Inspection _____

Electrical Data

1. Distribution Panel Box (Part E-9 - 10)

Ampere Rating: 50 - 60 - 100 - 125 - 150
 10.9 Located in rear third of home: Yes _____ No _____
 9.2 Minimum 24 in. from floor: Yes _____ No _____
 9.3 Minimum 6 in. clear space in front: Yes _____ No _____
 9 Fastened to: _____ Paneling _____ Stud Framing _____
 _____ Other (indicate) _____

2. Type of Wire: _____ Copper _____ Aluminum _____ Cu Clad Aluminum _____

3. Branch Circuits (Part E-7)

4-15 Amp. Circuits: Yes _____ No _____
 2-20 Amp. Circuits: Yes _____ No _____

4. Receptacle Outlets Required (Part E-6)

	Yes	No
Receptacles Approved for wire used:		
6.1 Maximum 12 foot spacing:	_____	_____
6.1a. Counter tops in kitchen:	_____	_____
6.1b. Adjacent to refrigerator and range:	_____	_____
6.1c. Built-in vanities:	_____	_____
6.1d. Counter tops under all cabinets:	_____	_____
6.2 Within/adjacent shower/tub space:	_____	_____

Outside Fixture: Yes _____ No _____ Weathertight: Yes _____ No _____

5. Wiring Methods (part E-11)

	Yes	No	Not Seen
11.3 Nonmet. cable with nonmet. boxes:	_____	_____	_____
11.4 Outlet boxes flush with surface:	_____	_____	_____
11.5 Boxes securely fastened:	_____	_____	_____
11.6 Continued sheath between boxes:	_____	_____	_____
11.7 Cable thru studs protected:	_____	_____	_____
11.9 Cable supported within 12" boxes, etc.:	_____	_____	_____
11.10 Support nonmet. cable 8":	_____	_____	_____

Lighting Fixture (Part E-20)

Ceiling fixture securely fastened: Yes _____ No _____

6. Hot Water Heater Enclosure

A. Accessibility: Good _____ Bad _____
 _____ Interior _____ Exterior _____

B. Enclosure Construction

_____ Unfinished (backside of paneling, exposed studs)
 _____ Paneled - Thickness _____
 _____ Gypsum Wallboard - Thickness _____
 _____ Insulation - Foil backed _____

Cable across HWH door: Yes _____ No _____

Exhibit 4

7. Range

8. Refrigerator

Name Brand _____ Name Brand _____
Model No. _____ Model No. _____
Fuel _____ L.P.G. _____ Natural _____ Elec. _____
Clearances: _____ Overhead Distance to Cabinets _____
Exhaust Hood (Yes or No) _____
Charring of adjacent cabinets: Yes _____
No _____

Comments:

1. Hearing System

Name Brand _____
Model No. _____
Fuel Type _____ Gas _____ Oil _____ Electric _____
 _____ LP _____
 _____ Natural _____
Input Capacity _____ BTU
Output Capacity _____ BTU

Unfinished (backside of paneling, exposed studs)
 Paneled - Thickness _____
 Gypsum Wallboard - Thickness _____
 Insulation - Foil backed _____

Certificate: Yes _____ No _____
Where: _____ Furnace Company
_____ Electric Panel
_____ Others

	Yes	No
Wall thermostat		
3 ft. or more from furnace		
Floor register w/dampers		
Smooth riser connection		
(5.1.1.1) Combust. intake rodent proof		
(6.4.2b) Drafthood aligned & secured		
Pipe material and size		
Fitting material		

	Furnace		HWH		Dryer		AC	
A.	Information on clearances, input, etc., attached to appliance (6.6.1)	Yes No	Yes No	Yes No	Yes No	Yes No	Yes No	
B.	Type of fuel marked on each fuel burning appliance (6.6.2)	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	
C.	Appliance accessible for inspection, repair, replace- ment w/o removing construc- tion (6.7)	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	

Exhibit 4

3. LP - Natural Gas Piping

	Yes	No
(5.1.10.1) Supply location on "A" frame 18" from roadside	_____	_____
(5.1.11) Metal tag at gas supply con.	_____	_____
(5.1.12) Alum. connectors used outdoors	_____	_____
(5.1.16) Gas piping used for electric ground	_____	_____
(5.1.18) Adequate pipe hangers & supports	_____	_____

4. Outside Venting

	Yes	No	No Roof Inspection
Furnace vent roof jack	_____	_____	_____
Secured	_____	_____	_____
RWH drafthood aligned/secured	_____	_____	_____
Roof jack secured	_____	_____	_____
Vent terminating under mobile home	_____	_____	_____
3 ft. or more from air intake	_____	_____	_____
Cooking Appl. vent within 10 ft.	_____	_____	_____
Wall	_____	_____	_____
Ceiling	_____	_____	_____
Attic vents	_____	_____	_____
Eaves	_____	_____	_____
Roof	_____	_____	_____
Roof jack secured	_____	_____	_____

Comments:

HUD No _____
Date of Inspection _____

Plumbing Data

1. Approved Materials (Table C-1 Appendix C)

	<u>Yes</u>	<u>No</u>	<u>Not Labeled</u>	<u>Not Seen</u>
DWV Piping	_____	_____	_____	_____
Water Piping	_____	_____	_____	_____
Valves	_____	_____	_____	_____
Water Closet	_____	_____	_____	_____
Lavatory	_____	_____	_____	_____
Bath Tub	_____	_____	_____	_____
Kitchen Sink	_____	_____	_____	_____

2. Plumbing Facilities

	<u>Yes</u>	<u>No</u>	<u>Missing</u>
At Least One Water Closet	_____	_____	_____
At Least One Lavatory	_____	_____	_____
At Least One Kitchen Sink	_____	_____	_____
Adequate Washer Drain	_____	_____	_____
Adequate Washer Water Supply	_____	_____	_____
Accessible Facilities	_____	_____	_____

3. Water Distribution (Part C-11)

	<u>Yes</u>	<u>No</u>	<u>Not Seen</u>
Minimum Size Piping (11.1.1)	_____	_____	_____
Proper Water Connection Location (11.2.1)	_____	_____	_____
Cap and Chain	_____	_____	_____
Tagged	_____	_____	_____
Minimum Size	_____	_____	_____
Backflow Protection (11.2.2.1)	_____	_____	_____
Adequate air gaps (11.2.3)	_____	_____	_____
Anti-siphon Ball Cock (11.2.6)	_____	_____	_____
Dishwasher (11.2.4)	_____	_____	_____
Clothes Washer (11.2.4)	_____	_____	_____

Types of Piping Materials

Copper _____ Location _____
Galv. Street _____ Location _____
Plastic _____ Location _____

Indication of External Corrosion Yes _____ No _____
Indication of Frozen Water Piping Yes _____ No _____

4. Hot Water Heater (11.3)

Gas _____ Interior Access _____
Electric _____ Exterior Access _____
Not Accessible _____
Missing _____

	<u>Yes</u>	<u>No</u>	<u>Not Seen</u>
Labeled Heater	_____	_____	_____
Valve(s) T&P Relief (11.3.1.1)	_____	_____	_____
Approved & Listed T&P Valves (11.3.1.1)	_____	_____	_____
Proper Location T&P Valves (11.3.1.2)	_____	_____	_____
Proper Location Relief Valve Drain (11.3.1.3)	_____	_____	_____
Threatened End (11.3.1.3)	_____	_____	_____
Terminated in floor	_____	_____	_____

5. Drainage System (Part C-12)

	<u>Yes</u>	<u>No</u>	<u>Not Seen</u>
Drain Outlets	_____	_____	_____
Drain Outlets	_____	_____	_____
Proper Location (12.2.1)	_____	_____	_____
Proper Clearance (12.2.2)	_____	_____	_____
Hose Coupler (12.2.3)	_____	_____	_____
Cap and Chain (12.3.3)	_____	_____	_____
Min. Outlet Size (12.3.3.3)	_____	_____	_____
Proper Trap Arm Length (12.5.3)	_____	_____	_____
Adequate Traps (8.1)	_____	_____	_____
Clean Outs (8.2)	_____	_____	_____
Trap Arm Grade (8.1.9.1)	_____	_____	_____

Exhibit 4

	<u>Yes</u>	<u>No</u>	<u>Not Seen</u>
Removability of Traps (8.1.9.4)	_____	_____	_____
Access to Bathtub Slip Joint	_____	_____	_____
Connection and Trap (9.1.4)	_____	_____	_____
Dishwasher Drain Air Gap (9.2.3)	_____	_____	_____
Clothes Washer (9.2.4)			
Proper Drain (9.2.4.1)	_____	_____	_____
Standpipe Dimensions (9.2.4.2)	_____	_____	_____
Trap for Standpipe (9.2.4.2)	_____	_____	_____
Vented Standpipe Trap (9.2.4.2)	_____	_____	_____
Accessible Standpipe (9.2.4.7)	_____	_____	_____
Type of DWV Piping Materials			
<u>ABS</u>			
<u>PVC</u>			
6. <u>Vents and Venting (Part C-13)</u>			
	<u>Yes</u>	<u>No</u>	<u>Not Seen</u>
Main Vent Through Roof (13.3.1)	_____	_____	_____
Individual Vents (13.3.2)	_____	_____	_____
Individual Vent Valves	_____	_____	_____
Vent Grade (13.4)	_____	_____	_____
Adequate Horizontal Vents	_____	_____	_____
Adequate Vent Term (13.5)	_____	_____	_____
Water Tight Flashing (13.5.2)	_____	_____	_____
Removable Vent Caps (13.5.2)	_____	_____	_____
7. <u>Protective Requirements (Part C-5.2)</u>			
	<u>Yes</u>	<u>No</u>	<u>Not Seen</u>
Protection of Piping/Weather	_____	_____	_____
Protection of Piping/Road Damage	_____	_____	_____
Rodent Resistance	_____	_____	_____

Comments:

Appendix B

Typical Field Inspection Photographic Documentation




Figure 1 - Front of Mobile Home



Figure 2 - Light Fixture in Area of Water Damage
Pulled Loose from Ceiling



Figure 3 - Electrical Wiring Passing Through Stud Unprotected



Figure 4 - Hurricane Strap in Exposed Roof and Wall Construction

Appendix C
Problem Catalogue

Mobile Home Identification Data

ISEN	IDENTIFICATION OF MOBILE HOME
XXXXX-XXXX.	HOUSING AND URBAN DEVELOPMENT (HUD) NUMBER
XXXX.	PRIVATE SECTOR IDENTIFICATION NUMBER
SOURXX.	SOURCE OF INFORMATION
MANUXX.	NAME OF MANUFACTURER
STATX.	STATE WHERE MOBILE HOME WAS MANUFACTURED
CITYXX.	CITY/TOWN WHERE MOBILE HOME WAS MANUFACTURED
MODELXX.	ENTER THE CODE FOR THE MODEL NAME
SEALXX.	NAME OF THE AGENCY ISSUING THE ATTACHED SEAL
YEARXX.	YEAR OF MANUFACTURE
PLN1XX.	ENTER THE LAST 5 CHARACTERS OF THE MODEL NUMBER
SER1XXXXX.	ENTER THE LAST 5 CHARACTERS OF THE SERIAL NUMBER
SEALXXXXX.	ENTER THE LAST 5 CHARACTERS OF THE SEAL NUMBER -
MTNXXXXX.	MTNAGE TO MILKES-BARRE
CHAPXXXX.	FREIGHT CHARGES TO MILKES-BARRE
COSTXXXXX.	COST OF MOBILE HOME, ENTER WHOLE DOLLARS
WGHTXXXX.	WEIGHT OF MOBILE HOME, ENTER POUNDS.
	DIMENSIONS OF MOBILE HOME
LENXX.	LENGTH OF MOBILE HOME IN FEET
WIDXX.	WIDTH OF MOBILE HOME IN FEET
WID1	DOUBLE WIDE UNIT
HIGHXX.	HEIGHT OF MOBILE HOME IN FEET
	BEDROOMS
EDRXX.	TOTAL NUMBER OF BEDROOMS
EDR1.	NUMBER AT REAR OF UNIT
EDR2.	NUMBER AT FRONT OF UNIT.
	BATHROOMS
BATHX.	TOTAL NUMBER IN UNIT (INCLUDE 1/2 BATHS)
BATH1.	NUMBER AT REAR OF UNIT
BATH2.	NUMBER AT FRONT OF UNIT
EXF1.	BATHROOM HAS AN EXHAUST FAN
EXF2.	BATHROOM DOES NOT HAVE AN EXHAUST FAN
	EXTERIOR ENTRANCE DOORS
ED1X.	TOTAL NUMBER OF DOORS
EDR1X.	NUMBER ON RIGHT SIDE
EDL1X.	NUMBER ON LEFT SIDE
EDR2X.	NUMBER AT THE REAR
EDF2X.	NUMBER AT THE FRONT
EDS1X.	NUMBER OF STORM DOORS
	ROOF
REAR1.	ARCHED, METAL
REAR2.	ARCHED, SHINGLE
REAR3.	PEAKED, METAL
REAR4.	PEAKED, SHINGLE
	UNDERFRAME
AXLE1.	1 AXLE
AXLE2.	2 AXLES
AXLE3.	3 AXLES
AXLE4.	4 AXLES
	DEPTH OF LONG BEAM IN INCHES
DB1M1.	0-6 IN.
DB1M2.	6-10 IN.
DB1M3.	9-12 IN.
DB1M4.	12-14 IN.
DB1M5.	14-16 IN.

Mobile Home Identification Data

	SPACING OF LONG BEAM TIM BEETS
SLRM1.	3 FT.
SLRM2.	4) 7 FT.
SLRM3.	6) 4 FT.
SLRM4.	8) 12 FT.
SLRM5.	10) 12 FT.
SLRM6.	12) 14 FT.
SLRM7.	N 14 FT.
	TYPE OF FRAME
FRAM1.	BEAM AND OUTRIGGER FRAME
FRAM2.	PERIMETER FRAME
	HURRICANE STRAPS
HRST1.	NO. OF HURRICANE STRAPS
HRST2.	TWO HURRICANE STRAPS
HRST3.	THREE HURRICANE STRAPS
HRST4.	FOUR HURRICANE STRAPS
HRST5.	FIVE HURRICANE STRAPS
HRST6.	SIX HURRICANE STRAPS
	TYPE OF ELECTRICAL WIRING
ELWT1.	COPPER
ELWT2.	ALUMINUM
ELWT3.	COPPER CLAD ALUMINUM
	ELECTRICAL SERVICE
ELSR1.	50 AMPS OR LESS AMPS
ELSR2.	100 AMPS X 50) 100 AMPS
ELSR3.	150 AMPS X 100) 150 AMPS
ELSR4.	200 AMPS X 150) 200 AMPS
	PLUMBING & WATER SYSTEM PIPING
PWSP1.	METAL SUPPLY
PWSP2.	PLASTIC SUPPLY
PWSP3.	METAL DVM
PWSP4.	PLASTIC DVM
	HEATING SYSTEM
HSFH1.	GAS FUELED (NATURAL GAS + LPG)
HSFH2.	OIL FUELED
HSFH3.	ELECTRIC
	HOT WATER HEATER
HWAH1.	GAS FUELED
HWAH2.	ELECTRIC
	AIR CONDITIONING
ACOH1.	GAS FUELED
ACOH2.	ELECTRIC

Performance Problem List

CODE		DESCRIPTION	LEVEL
ANST	ANST STANDARD A119.1		2
CONS	PART B	CONSTRUCTION	3
ROOF	R6/P7	ROOF SYSTEM	4
RLCC	R6.4	LOAD CARRY CAPACITY	5
RDEL	R6.4	DECKING	6
RTRS	R6.4	ROOF TRUSS	6
RTRS1.	R6.4	TENSION MEMBER FAILURE	7
RTRS2.	R6.4	COMPRESSION MEMBER FAILURE	7
RTRS3.	R6.4	WEB MEMBER FAILURE	7
RTRS4.		ROOF TRUSS CUT FOR ROOF JACK	7
CEIL		CEILING	6
RDEF	R6.10	DEFLECTION	5
RDEF1.	R6.10	DECKING	6
RDEF2.	R6.10	ROOF TRUSS	6
SDEF3.	R6.10	CEILING	6
RESS	R6.5	FASTENING OF STRUCTURAL SYSTEMS	5
RESS1.	R6.5	TRUSS CONSTRUCTION	6
RESS2.	R6.5	TRUSS-TO-WALL CONSTRUCTION	6
RESS3.	R6.5	ROOFING TO TRUSS ATTACHMENT	6
RESS4.	R6.5	CEILING TO TRUSS ATTACHMENT	6
RESS5.	R6.5	DOUBLE WIDE MISALIGNMENT	6
RESS6.	R6.5	TIP OUT MISALIGNMENT	6
RLMP	R7.1	RAIL LEAK - WATER RESISTANCE MEM. PENET.	5
RLMP	R7.1	MEMBRANE PENETRATION	6
RLMP1.	R7.1	AT MEMBRANE JOINT WITHIN FIELD OF R	7
RLMP2.	R7.1	AT VENT PIPE PLUMBING	7
RLMP3.	R7.1	AT VENT PIPE FLASHING	7
RLMP4.	R7.1	AT DOUBLE WIDE JOINT	7
RLMP5.	R7.1	AT TIP OUT JOINT	7
RJFI	R7.1	INTERSECTION OF ROOF AND EXTERIOR WALL	6
RDUR		DURABILITY	5
RDUR1.		MEMBRANE	6
RDUR2.		CAULKING	6
RIES	R7.3	INTERIOR FLAME SPREAD - CEILING	5
RIES	R7.4	RODENT RESISTANCE	5
RLS	R7.5	HEAT LOSS	5
RLS1.	R7.5	INSULATION	6
RLS2.	R7.5	AIR INFILTRATION	6
RDEC	R7.6	METALLIC ROOF BONDING/EXTERIOR COVERINGS	5
RCNR	R7.2	CONDENSATION RESISTANCE	5
RCNR1.	R7.2	VAPOR BARRIER IN CEILING	6
RCNR2.	R7.2	CEILING VENTILATED	6
FLOP	R6/R7	FLOOR SYSTEMS	4
FLCC	R6.9	LOAD CARRYING CAPACITY	5
FLCC1.	R6.9	DECKING	6
FLCC2.	R6.9	FLOOR JOISTS	6
FDEF	R6.10	DEFLECTION	5
FDEF1.	R6.10	DECKING	6
FDEF2.	R6.10	FLOOR JOISTS	6
F DUR		DURABILITY	5
F DUR1.		FLOOR COVERING	6
F DUR2.		FLOOR COVERING TO DECKING	6
F DUR3.		DECKING	6
F ASS	R6.5	FASTENING OF STRUCTURAL SYSTEMS	5
F ASS1.	R6.5	DECKING TO FLOOR JOISTS	6
F ASS2.	R6.5	FLOOR SYSTEM TO METAL FRAME	6

FASS3.	PA.5	FLOOR SYSTEM TO EXTERIOR WALLS	6
FASS4.		WEATHER BARRIER	6
FLWR	B7.1	WEATHER RESISTANCE	5
FLWR1.	B7.1	UNDERNEATH OF FLOOR SYSTEM	6
FLIF	B7.2	INTERIOR FLAME SPREAD-FLOOR COVERING	5
FLIF1.		HOT WATER HEATER COMPARTMENT DOOR	6
FLRF		ROOFT RESISTANCE	5
FLRI	B7.5	HEAT LOSS	5
FLRI1.	B7.5	INSULATION	6
FLRI2.	B7.5	AIR INFILTRATION	6
FLRM	PA.9.1	DRILLING/NOTCHING OF STRUCTURAL MEMBERS	5
INT*	PA/B7	PARTITION WALLS	4
INCC	PA.7	LOAD CARRYING CAPACITY	5
INCC1.	PA.7	PANELING	6
INCC2.	PA.7	WALL FRAMING	6
INSS	PA.5	FASTENING OF STRUCTURAL SYSTEMS	5
INSS1.	PA.5	PANELING TO WALL FRAMING	6
INSS2.	PA.5	WALL TO ROOF SYSTEM	6
INSS3.	PA.5	WALL TO FLOOR SYSTEM	6
INSS4.	PA.5	DOOR FRAMING	6
INSS5.	PA.5	PARTITION TO EXTERIOR WALL	6
INDR		DURABILITY OF PANELING	5
INFS	B7.3	INTERIOR FLAME SPREAD - PANELING	5
INDN	PA.6.1	DRILLING/NOTCHING OF STRUCTURAL MEMBERS	5
EXT*	PA/B7	EXTERIOR WALLS	4
EXCC	PA.6	LOAD CARRYING CAPACITY	5
EXCC1.	PA.6	EXTERIOR COVERING	6
EXCC2.	PA.6	WALL FRAMING	6
EXCC3.	PA.6	INTERIOR COVERING	6
EXSS	PA.5/6.6	FASTENING OF STRUCTURAL SYSTEMS	5
EXSS1.	PA.5/6.6	EXTERIOR COVERING TO WALL FRAMING	6
EXSS2.	PA.5/6.6	INTERIOR COVERING TO WALL FRAMING	6
EXSS3.	PA.5/6.6	WALL TO ROOF	6
EXSS4.	PA.5/6.6	WALL TO FLOOR	6
EXSS5.	PA.5/6.6	WALL TO WALL	6
EXR	B7.1	WEATHER RESISTANCE - RAIN LEAKS	5
EXR1.	B7.1	PENETRATION OF EXTERIOR COVERING	6
EXR2.	B7.1	WINDOWS	6
EXR3.	B7.1	DOORS	6
EXR4.	B7.1	INTERSECTION OF WALL AND ROOF	6
EXR5.	B7.1	INTERSECTION OF WALL AND FLOOR	6
EXDR	B7.1	DURABILITY	5
EXDR1.	B7.1	EXTERIOR COVERING	6
EXDR2.	B7.1	INTERIOR COVERING	6
EXDR3.	B7.1	CAULKING	6
EXDR4.	B7.1	EXTERIOR FASTENERS	6
EXDR5.	B7.1	INTERIOR FASTENERS	6
EXFS	B7.3	INTERIOR FLAME SPREAD - INTERIOR COVERING	5
EXHI	B7.5	HEAT LOSS	5
EXHI1.	B7.5	INSULATION	6
EXHI2.	B7.5	AIR INSULATION	6
EXRM	B7.6	METALLIC ROOF BONDING/EXTERIOR COVERINGS	5
EXCR	B7.2	CONDENSATION RESISTANCE	5
EXCR1.	B7.2	VAPOR BARRIER IN CEILING	6
EXCR2.	B7.2	NO VAPOR BARRIER IN CEILING	6
WIND*	PA/B7/BA	WINDOWS	4
WWRP	B7.1/BR.5	WEATHER RESISTANCE - WATER LEAK	5
ANCR	B7.2/BR.5	CONDENSATION RESISTANCE	5

PMH	07.5/0.5	HEAT LOSS - AIR INFILTRATION	5
PMCC	04.3	LOAD CARRYING CAPACITY - RACKING	5
PMCS7	00.3.1	SIZE	5
PMGL	00.3.1	GLAZING	5
PMDB		DURABILITY	5
PMDB	00.1.2	BATHROOM	5
DEXT	06/07/09	DOORS EXTERIOR	4
DEFR	07.1	WEATHER RESISTANCE - WATER LEAK	5
DEHL	07.5	HEAT LOSS - AIR INFILTRATION	5
DELC	04.3	LOAD CARRYING CAPACITY - RACKING	5
DES7	00.3.1	SIZE	5
DENI	00.3.1	NUMBER AND LOCATION	5
DEDI		DURABILITY	5
DMT	00.1.2/3	DOOR INTERIOR	4
DILU	00.3.2/3	LOCKS, HARDWARE	5
DIDU		DURABILITY	5
FWED	09.1	FIRE WARNING EQUIPMENT	4
FWED1.	09.1	LISTED DETECTOR	5
FWED2.	09.1	TRouble SIGNAL	5
FWED3.	09.1	LOCATION	5
TION	06.5.1	TIEDOWNS	4
TION1.	06.5.1.4	WEATHER RESISTANCE	5
TION2.	06.5.1	LOAD CAPACITY	5
TION3.	06.5.2	SPACING	5
SREQ	00.4	SPECIAL REQUIREMENTS	4
SREQ1.	00.4.1	MINIMUM AREAS	5
SREQ2.	00.4.2	MINIMUM WIDTH	5
SREQ3.	00.4.3	TOILET COMPARTMENT	5
SREQ4.	00.4.4	HALLWAYS	5
TRAN	0-APP.	TRANSIT CONSIDERATIONS	4
TRAN1.	0.1	A FRAME ASSEMBLY	5
TRAN12.		LONGITUDINAL MEMBERS	6
TRAN13.		TRANSVERSE MEMBERS	6
TRAN2.	0.2	COUPLING MECHANISM	5
TRAN3.	0.3	ROLLING GEAR ASSEMBLY	5
TRAN4.	0.4	SPRING/SPRING HANGERS	5
TRAN5.	0.5	AXLES	5
TRAN6.	0.6	HUBS AND BEARINGS	5
TRAN7.	0.7	WHEELS/RIMS	5
TRAN8.	0.8	TIRES	5
TRAN9.	0.9	BRAKES	5
TRAN10.	0.9.1	MAXIMUM STOPPING DISTANCE	6
TRAN11.	3.10	LOW VOLTAGE WIRING	5
PLUM	PART C	PLUMBING	3
PEAP	05.1.4	PROHIBITED FITTINGS AND PRACTICES	4
PEAP1.	05.1.4.1	DRAINAGE/VENT PIPING - DRILLED OR TAPED	5
PEAP2.	05.1.4.2	VENT PIPES NOT AS DRAIN PIPES	5
PEAP3.	05.1.4.3	OBSTRUCTIVE FITTINGS, CONNECTIONS, ETC	5
PEAP4.	05.1.4.4	MATERIAL IMPERFECTIONS (CONCEALED)	5
PEAP5.	05.1.4.5	IMPROPER LOCATION OF PIPE, FIXTURE/EQUIP	5
PEAP6.	05.1.4.6	GALVANIZED PIPE BENT OR WELDED	5
ATDF	05.1.5	ALIGN OF FITTINGS/DIRECTION OF FLOW	4
PREP	05.2	PROTECTIVE REQUIREMENT	4
PREP1.	05.2.1	CUTTING STRUCTURAL MEMBERS	5
PREP2.	05.2.2	EXPOSED PIPING	5
PREP3.	05.2.3	ROAD DAMAGE	5
PREP4.	05.2.4	FREEZING	5
PREP5.	05.2.5	RODENT RESISTANCE	5

JCT	C7.1	<u>JOINTS + CONNECTIONS/TIGHT FGAS, LATER</u>	4
JCT11.	C7.1.1	ASSEMBLING PIPE	5
JCT12.	C7.1.2	THREADED JOINTS	5
JCT13.	C7.1.3	SOLDERED JOINTS	5
JCT14.	C7.1.4	PLASTIC PIPE, FITTING AND JOINTS	5
JCT15.	C7.1.5	UNION JOINTS	5
JCT16.	C7.1.6	FLARED	5
JCT17.	C7.1.7	CAST IRON SOIL PIPE JOINTS	5
TRAP	C8	<u>TRAPS AND CLEANOUTS</u>	4
TRAP	C8.1	<u>TRAPS</u>	5
TRAP1.	C8.1.1	TRAPS REQUIRED	6
TRAP2.	C8.1.2	DUAL FIXTURES	6
TRAP3.	C8.1.3	PROHIBITED TRAPS	6
TRAP4.	C8.1.4	MATERIALS AND DESIGNS	6
TRAP5.	C8.1.5	TRAP SEAT	6
TRAP6.	C8.1.6	SIZE	6
TRAP7.	C8.1.7	LOCATION	6
TRAP8.	C8.1.8	LENGTH OF TAILPIECE	6
TRAP9.	C8.1.9	INSTALLATION	6
TRAP91.	C8.1.9.1	GRADE OF TRAP ARM	7
TRAP92.	C8.1.9.2	TRAP ARM OFFSET	7
TRAP93.	C8.1.9.3	CONCEALED P TRAPS	7
TRAP94.	C8.1.9.4	REMOVABILITY OF TRAPS	7
CLOT	C8.2	<u>CLEANOUT OPENINGS</u>	5
LOC	C8.2.1	<u>LOCATION OF CLEANOUT FITTINGS</u>	6
LOC1.	C8.2.1.1	WHEN INSTALLED	7
LOC2.	C8.2.1.2	WHERE INSTALLED	7
LOC3.	C8.2.1.3	USE OF CLEANING TOOL	7
ACTC	C8.2.2	<u>ACCESS TO CLEANOUTS</u>	6
CMAT	C8.2.3	<u>MATERIAL</u>	6
CDIS	C8.2.4	<u>DESIGN</u>	6
PLFA	C9	<u>PLUMBING FIXTURES</u>	4
PEGR	C9.1	<u>GENERAL REQUIREMENT</u>	5
PEGR1.	C9.1.1	QUALITY OF FIXTURES	6
PEGR2.	C9.1.2	STRAINERS	6
PEGR3.	C9.1.3	FIXTURE CONNECTION	6
PEGR4.	C9.1.4	CONCEALED CONNECTIONS	6
PEGR5.	C9.1.5	DIRECTIONAL FITTING	6
PFIX	C9.2	<u>FIXTURES</u>	5
TOIL	C9.2.1	<u>TOILETS</u>	6
TOIL1.	C9.2.1.1	TOILET DESIGN	7
TOIL2.	C9.2.1.2	TOILET FLUSHING DEVICES	7
TOIL3.	C9.2.1.3	OVERFLOW PIPES - FLUSH TANKS	7
TOIL4.	C9.2.1.4	PROHIBITED TOILETS	7
TOIL5.	C9.2.1.5	FLOOR CONNECTION	7
TOIL6.	C9.2.1.6	WATER CLOSET	7
SHPS	C9.2.2	<u>SHOWER STALLS</u>	6
SHPS1.	C9.2.2.1	SHOWER STALL CONSTRUCTION	7
SHPS2.	C9.2.2.2	WATERTIGHTNESS OF JOINT AT DRAIN	7
SHPS3.	C9.2.2.3	WATERTIGHTNESS OF SHOWER/ENCL	7
SHPS4.	C9.2.2.4	PREFABRICATED PLUMBING FIXTURES	7
WASH	C9.2.3	<u>DISHWASHING MACHINES</u>	6
WASH1.	C9.2.3.1	CONNECTION TO DRAIN	7
WASH2.	C9.2.3.2	PROHIBITED CONNECTIONS OF DRAIN	7
WACO	C9.2.4	<u>CLOTHES WASHING MACHINE</u>	6
WACO1.	C9.2.4.1	DRAIN	7
WACO2.	C9.2.4.2	STANDPIPE SPECIFICATIONS	7
WACO3.	C9.2.4.3	PROHIBITED CONNECTIONS OF DRAIN	7

TOPF	C9.3	INSTALLATION OF PLUMBING FIXTURES	5
TOPF1.	C9.3.1	ACCESS	6
TOPF2.	C9.3.2	ALIGNMENT	6
TOPF3.	C9.3.3	BRACKETS	6
PHAS	C10	HANGERS AND SUPPORTS	4
PHAS1.	C10.1	STRAINS AND STRESS DURING/AFTER INSTAL	5
PHAS2.	C10.2	PIPING SUPPORTS/INTERVALS	5
PHAS3.	C10.3	HANGERS AND ANCHORS	5
PHAS31.	C10.3.1	STRENGTH REQUIREMENTS	6
PHAS32.	C10.3.2	ATTACHMENT TO STRUCTURE	6
WDTM	C11	WATER DISTRIBUTION SYSTEM	4
WSPL	C11.1	WATER SUPPLY	5
WSPL1.	C11.1.1	SUPPLY PIPING SIZE	6
WSPL2.	C11.1.2	HOT WATER SUPPLY	6
WOSC	C11.2	WATER OUTLETS AND SUPPLY CONNECTIONS	5
WOSC1.	C11.2.1	WATER CONNECTION PIPE SIZE, LOCATION	6
WOSC2.	C11.2.2	PROHIBITED CONNECTIONS	6
WOSC21.	C11.2.2.1	INSTALLATION SHALL PREVENT BACKFLOW	7
WOSC22.	C11.2.2.2	NO CONNECTION TO DRAINAGE OR VENT	7
WOSC3.	C11.2.3	RIM OUTLETS - SPACING ABOVE FLOOD LEVEL	6
WOSC4.	C11.2.4	APPLIANCE CONNECTIONS/PROTECT BY AIR GAP	6
WOSC5.	C11.2.5	FLUSHMETER VALVES/MANUAL FLUSH VALVE	6
WOSC6.	C11.2.6	FLUSH TANK	6
WHSO	C11.3	WATER HEATER SAFETY DEVICES	5
WHRV	C11.3.1	RELIEF VALVES	6
WHRV1.	C11.3.1.1	TEMPERATURE AND PRESSURE RELIEF VALVES	7
WHRV2.	C11.3.1.2	PRESSURE AND TEMPERATURE LIMITS OF VALVE	7
WHRV3.	C11.3.1.3	RELIEF VALVE DRAIN	7
WHRV31.		IMPROPER LOCATION	8
WHRV32.		THREADED END	8
WHRV33.		TERMINATES IN FLOOR	8
WHRV34.		UNDERSIZE PIPE	8
WHRV35.		TERMINATES ABOVE FLOOR	8
WHTR	C11.3.2	WATER HEATERS	6
WHTR1.	C11.3.2.1	TAPPING FOR PRES/TEMP RELIEF VALVE	7
WMHL	C11.4	MATERIALS	5
WMHL1.		CORROSION OF DISSIMILAR METALS	6
WMHL2.		CORROSION OF PIPE	6
PMAT	C11.4.1	PIPING MATERIAL (IRON, STEEL, COPPER, PLASTIC)	6
PMAT1.	C11.4.1.1	PLASTIC PIPING	7
FMAT	C11.4.2	FITTINGS (CHANGES IN DIRECTION SIZE, MAT)	6
FMAT1.	C11.4.2.1	FITTINGS FOR SCREW PIPING	7
FMAT2.	C11.4.2.2	FITTINGS FOR COPPER TUBING	7
XMAT	C11.4.3	PROHIBITED MATERIAL	6
PINS	C11.5	INSTALLATION OF PIPING	5
PINS1.	C11.5.1	WORKMANSHIP	6
PINS2.	C11.5.2	SCREW PIPE	6
PINS3.	C11.5.3	SCOLDER FITTINGS JOINTS IN COPPER TUBE	6
PINS4.	C11.5.4	FLARED FITTINGS - USE OF FLARING TOOL	6
PINS5.	C11.5.5	PLASTIC PIPE AND FITTINGS	6
PSWS	C11.6	SIZE OF WATER SUPPLY PIPING	5
PSWS1.	C11.6.1	MINIMUM SIZE [TABLE C-3]	6
PSWS2.	C11.6.2	SIZING PROCEDURE	6
PSWS21.	C11.6.2.1	SIZE OF BRANCH [REFER TO TABLE C-3]	7
PSWS22.	C11.6.2.2	WATER HEATER AND FOOD WASTE DISPOSAL	7
LVAL	C11.7	LINE VALVES (CROSS SECTIONAL AREA)	5
DSYS	C12	DRAINAGE SYSTEM	4
DSML	C12.1	MATERIALS	5

DSML1.	C12.1.1	PIPE	6
DSML2.	C12.1.2	FITTINGS	6
DSML21.	C12.1.2.1	FITTINGS FOR SCREW PIPE MATERIALS	7
DSML22.	C12.1.2.2	FITTINGS FOR COPPER TUBING MATERIALS	7
DSML23.	C12.1.2.3	SOCKET FITTINGS FOR PLASTIC PIPE	7
DSML24.	C12.1.2.4	JOINING COPPER TUBING TO THREADED PIPE	7
DSML25.		EFFECTIVE FITTING	7
DOUT	C12.2	DRAIN OUTLETS	5
DOUT1.	C12.2.1	LOCATION OF DRAIN	6
DOUT2.	C12.2.2	CLEARANCE FROM DRAIN OUTLET	6
DOUT3.	C12.2.3	HOSE COUPLERS AND CAPS	6
DOUT31.	C12.2.3.1	OUTLET DISCONNECT TYPE	7
DOUT32.	C12.2.3.2	SIZE COMPARED TO PIPING, WATER-TIGHT CAP	7
DOUT33.	C12.2.3.3	MINIMUM DIAMETER - DRAIN CONNECTION	7
DOUT4.	C12.2.4	PREASSEMBLY OF DRAIN LINES	6
DECN	C12.3	FIXTURE CONNECTION	5
DECN1.	C12.3.1	TOILET CONNECTION	6
DPS7	C12.4	SIZE OF DRAINAGE PIPE	5
DPS71.	C12.4.1	FIXTURE LOAD	6
DPS711.	C12.4.1.1	MIN PIPE DIA - 1-1/2" 1 TO 3 FIX	7
DPS712.	C12.4.1.2	MIN PIPE DIA - 2" 4 OR MORE FIX	7
DPS713.	C12.4.1.3	3" MIN DIA PIPE FOR TOILETS	7
DSHV	C12.5	SET-VENTED DRAINAGE SYSTEM	5
DSHV1.	C12.5.1	HORIZONTAL PIPING	6
DSHV2.	C12.5.2	SIZE - PIPING AND NUMBER OF FIXTURES	6
DSHV3.	C12.5.3	LENGTH OF TRAP ARM TABLE C-37	6
DSHF	C12.6	OFFSETS AND BRANCH FITTINGS	5
DSHF1.	C12.6.1	CHANGES IN DIRECTION - FITTING TYPES	6
DSHF2.	C12.6.2	HORIZONTAL TO VERTICAL	6
DSHF3.	C12.6.3	HORIZONTAL TO HORIZONTAL	6
DSGP	C12.7	GRADE OF HORIZONTAL DRAINAGE PIPING	5
VAHV	C13	VENTS AND VENTING	4
VVGL	C13.1	GENERAL - SYPHONAGE AND BACK PRESSURE	5
VMAT	C13.2	MATERIALS	5
VMAT1.	C13.2.1	PIPE	6
VMAT2.	C13.2.2	FITTINGS	6
VMAT21.	C13.2.2.1	FITTINGS FOR SCREW PIPE	7
VMAT22.	C13.2.2.2	FITTINGS FOR COPPER TUBING	7
VMAT23.	C13.2.2.3	FITTINGS FOR PLASTIC PIPE	7
VMAT24.	C13.2.2.4	ADAPTERS (COPPER TUBING TO THREADED PIPE)	7
VMAT25.	C13.2.2.5	LISTED RECTANGULAR TUBING CAN BE USED	7
VVSP	C13.3	SIZE OF VENT PIPING	5
VVSP1.	C13.3.1	MAIN VENT- MINIMUM DIAMETER OF PIPING	6
VVSP2.	C13.3.2	INDIVIDUAL VENTS	6
VVSP3.	C13.3.3	COMMON VENT	6
VVSP4.	C13.3.4	INTERSECTING VENTS	6
VVSP5.	C13.3.5	DISTANCE OF FIXTURE TRAP FROM VENT	6
VVGC	C13.4	GRADE AND CONNECTIONS	5
VVGC1.	C13.4.1	HORIZONTAL VENTS	6
VVGC2.	C13.4.2	GRADE	6
VVTI	C13.5	VENT TERMINAL	5
VVTI1.	C13.5.1	ROOF EXTENSION	6
VVTI2.	C13.5.2	FLASHING	6
VVTI3.	C13.5.3	VENT CAPS	6
HEAT	PART 5	HEATING SYSTEM	3
ULPS	05.2.5	LP GAS SAFETY DEVICES	4
URPY	05	PIPING SYSTEM	4
UGPS	05.1	GAS PIPING SYSTEMS	5

UG00	05.1.1	GENERAL	6
UG001.	05.1.1.1	ROBUST RESISTANCE	7
UG00	05.1.2	MATERIALS - USED/REPAIRED DEFECTS	6
UG001.	05.1.2.1	STEEL OR BROWN-IRON PIPE	7
UG002.	05.1.2.2	FITTINGS FOR GAS PIPING	7
UG003.	05.1.2.3	COPPER TUBING	7
UG004.	05.1.2.4	STEEL TUBING	7
UG005.		CORROSION OF METALS	7
UG00	05.1.3	PIPING DESIGN - LP GAS/NATURAL GAS	6
UG001.	05.1.3.1	CROSS OVER FOR GAS PIPING	7
UG07	05.1.4	GAS PIPE SIZING (TABLE D-2, PG 71)	6
UG09	05.1.5	JOINTS FOR GAS PIPE	6
UG10	05.1.6	JOINTS FOR TUBING	6
UG10	05.1.7	PIPE JOINT COMPOUND - SCREW JOINTS	6
UG07	05.1.8	CONCEALED TUBING INSIDE WALLS, FLOOR	6
UG04	05.1.9	CONCEALED JOINTS	6
UG15	05.1.10	LOCATION OF GAS SUPPLY CONNECTION	6
UG151.	05.1.10.1	LP-GAS SYSTEMS	7
UG152.	05.1.10.2	CONVERSION LP-GAS AND NATURAL GAS	7
UG10	05.1.11	IDENTIFICATION OF GAS SUPPLY CONNECTION	6
UG00	05.1.12	GAS SUPPLY CONNECTORS	6
UG001.	05.1.12.1	LP-GAS	7
UG00	05.1.13	APPLIANCE CONNECTION	6
UG001.		FLEXIBLE CONNECTOR/SHARP RADIUS - END	7
UG002.		FLEXIBLE CONNECTOR THRU UNDERSIDE OF UNIT	7
UG05	05.1.14	VALVES - SHUTTER LISTED TYPE	6
UG10	05.1.15	GAS INLET GAS	6
UG00	05.1.16	ELECTRICAL GROUND	6
UG00	05.1.17	PIPE COUPLINGS AND UNIONS	6
UG05	05.1.18	HANGERS AND SUPPORTS	6
UG10	05.1.19	TESTING FOR LEAKAGE	6
UG101.	05.1.19.1	BEFORE APPLIANCES ARE CONNECTED	7
UG102.	05.1.19.2	AFTER APPLIANCES ARE CONNECTED	7
UG00	05.2	OIL PIPING SYSTEM	5
UG00	05.2.1	GENERAL	6
UG00	05.2.2	MATERIAL - NO USED AND/OR REPAIRED MAT	6
UG001.	05.2.2.1	STEEL OR BROWN-IRON PIPE	7
UG002.	05.2.2.2	FITTINGS FOR OIL PIPING	7
UG003.	05.2.2.3	COPPER TUBING	7
UG004.	05.2.2.4	STEEL TUBING	7
UG00	05.2.3	SIZE OF OIL PIPING	6
UG00	05.2.4	JOINTS FOR OIL PIPING	6
UG00	05.2.5	JOINTS FOR TUBING	6
UG00	05.2.6	PIPE JOINT COMPOUND	6
UG00	05.2.7	COUPLINGS	6
UG00	05.2.8	GRADE OF PIPING	6
UG00	05.2.9	STEAD HANGERS	6
UG00	05.2.10	TESTING FOR LEAKAGE	6
UG00	06	APPLIANCES	4
UG00	06.1	GENERAL - LISTED	5
UG00	06.1.1	VENTED TYPE	6
UG00	06.1.2	CONVERSION FROM ONE FUEL TO ANOTHER	6
UG00	06.2	CLOTHES DRYER	5
UG00	06.2.1	EXHAUST	6
UG00	06.2.2	PROHIBITED DUCT CONNECTION	6
UG00	06.2.3	EXHAUST DUCT NOT BENEATH MOBILE HOME	6
UG00	06.2.4	PROHIBITED CONNECTORS IN DUCT	6
UG00	06.3	INSTALLATION OF APPLIANCES	5

HAIH	06.3.1	LISTING AND INSTRUCTIONS	6
HAIN1.		MIS-LOCATION OF FURNACE THERMOSTAT	6
HAIN2.	06.3.2	SEPARATION OF COMBUSTION SYSTEM	6
HAIN3.	06.3.3	NEGATIVE PRESSURE CREATED BY AIR	6
HAINP1.	06.3.3.1	AIR CIRCULATING FAN OPERATION	7
HAINP2.	06.3.3.2	LOCATION OF AIR INLETS AND OUTLETS	7
HAVA	06.4	VENTING, VENTILATION AND COMBUSTION AIR	5
HAVE	06.4.1	VENTING SYSTEM	6
HAVE1.	06.4.1	SYSTEM LISTED AS PART OF APPLIANCE	7
HAVE2.	06.4.1	SYSTEM CONSISTING OF LISTED COMPON	7
HAVE3.	06.4.1	JOINTS OF VENT SYSTEM SECURE	7
HAVE31.		FURNACE	8
HAVE32.		HOT WATER HEATER	8
HAVE4.	06.4.2	VENTING SHALL NOT TERMINATE UNDER	7
HAVE5.	06.4.3	VENTING SYSTEM TERMINATION	7
HAVE6.	06.4.4	VENTILATION OF KITCHEN	7
HAID	06.5	INSTRUCTION	5
HAKY	06.6	MARKING	5
HAKK1.	06.6.1	FURNACE CLEARANCES AND OPERATIONS	6
HAKK2.	06.6.1	HOT WATER HEATER CLEARANCES AND OPERATIONS	6
HAKK3.	06.6.1	DRYER CLEARANCES AND OPERATIONS	6
HAKK4.	06.6.1	AIR CONDITIONER CLEARANCES AND OPERATIONS	6
HAFL1.	06.6.2	TYPE OF FUEL MARKING	6
HAFL11.	06.6.2	FURNACE	6
HAFL12.	06.6.2	HOT WATER HEATER	6
HAFL13.	06.6.2	DRYER	6
HAFL14.	06.6.2	AIR CONDITIONER	6
HAAC	06.7	ACCESSIBILITY - INSPECTION, SERVICE, ETC	5
HAAC1.	06.7	FURNACE-DOOR ACCESS	6
HAAC2.	06.7	HOT WATER HEATER-DOOR ACCESS	6
HAAC3.	06.7	DRYER-DOOR ACCESS	6
HAAC4.	06.7	AIR CONDITIONER-DOOR ACCESS	6
HAEN	06.8	LOCATION - RELATIVE TO COMBUSTIBLES	5
HACL	06.9	CLEARANCES	5
HACA	06.10	CIRCULATING AIR SYSTEM	5
HACS	06.10.1	SUPPLY SYSTEM	6
HACS1.	06.10.1.1	DUCT MATERIAL	7
HACS2.	06.10.1.2	SIZING OF DUCT	7
HACS3.	06.10.1.3	AIR TIGHTNESS OF SUPPLY DUCT SYSTEM	7
HARA	06.10.2	RETURN AIR SYSTEM	6
HARA1.	06.10.2.1	RETURN AIR OPENINGS	7
HARA2.	06.10.2.2	DUCT MATERIALS	7
HARA21.	06.10.2.2.1	CLASS 0 OR CLASS 1 AIR DUCTS	8
HARA22.	06.10.2.2.2	FLAME SPREAD NOT MORE THAN 200	8
HARA23.	06.10.2.2.3	INTERIOR OF COMBUSTIBLE MATERIAL	8
HARA3.	06.10.2.3	SIZING	7
HARA4.	06.10.2.4	PERMANENT UNCLOSEABLE OPENINGS	7
HASJ	06.10.3	JOINTS AND SEAMS	6
HASU	06.10.4	SUPPORTS	6
HARG	06.10.5	REGISTERS	6
HARG1.	06.10.5.1	FLAMMABILITY REQMTS FOR PLASTIC	7
HARG2.	06.10.5.2	STRUCTURAL REQUIREMENTS	7
HARG3.	06.10.5	RISER MISSING OR DAMAGED	7
HARG4.	06.10.5	DIRT, FLOOR COVERING AND DUCT	7
HARG5.	06.10.5	AIR BLOCKAGE	7
HARG6.	06.10.5	DUCT TURN RISER	7
ELFC	PART F	ELECTRICAL	3
FRXY	F5.0	RECEPTACLE OUTLETS REQUIRED	4

EXY1.	E5.1	LISTED AND APPROVED	5
EXY11.	E5.1	ALUMINUM/COPPER DEVICES	6
EXY2.	E5.2	APPLIANCE ACCESSIBILITY	5
EXEC	E6	<u>RECEPTACLE OUTLETS REQUIRED</u>	4
EPL1	E6.1	LOCATION ON WALLS	5
EPL11.		COUNTER TOPS IN KITCHENS	6
EPL12.		ADJACENT TO APPLIANCES	6
EPL13.		COUNTER TOP SPACES FOR BUILT-IN	6
EPL14.		COUNTER TOP SPACES UNDER WALL-CABINETS	6
EXSP	E6.2	LOCATIONS IN SHOWER OR BATHUB SPACES	5
EXCB	E7	<u>BRANCH CIRCUITS REQUIRED</u>	4
EXCB1.	E7.1.1	LIGHTING	5
EXCB2.	E7.1.2	PORTABLE APPLIANCES	5
EXCB3.	E7.1.3	GENERAL APPLIANCES	5
EXCB11.		FIXED APPLIANCES/CIRCUIT WITH L/0	6
EXCB12.		FIXED APPLIANCES/CIRCUIT WITHOUT L/0	6
EXCB13.		SINGLE PORTABLE APPLIANCE	6
EXCB14.		RANGE BRANCH CIRCUIT	6
EXCB15.		WHEN LAUNDRY FACILITIES PROVIDED	6
EXIS	E8	<u>DISCONNECTING MEANS AND BRANCH CIRCUITS</u>	4
EXOB	E9.1	OVERCURRENT PROTECTION DEVICE	5
EXIF	E9.2	LOCATION ABOVE FLOOR	5
EXOS	E9.3	WORKING SPACE	5
EXBT	E9.4	RATING, TYPE, GROUNDING	5
EXNY	E9.5	MARKINGS	5
EXET	E9.6	FUSE TYPES	5
EXNE	E9.7	NEC ARTICLE 210	5
EXOB	E9.8	OVERCURRENT PROTECTION	5
EXBP	E9.9	RECEPTACLE PROTECTION	5
EXCB	E9.10	CIRCUIT BREAKER PROTECTION	5
EXOS	E10	POWER SUPPLY	4
EXCB	E10.4	CLAMP AT DISTRIBUTION PANEL KNOCKOUT	5
EXEF	E10.9	ENTRANCE OF FEEDER ASSEMBLY TO HOME	5
EXOB	E11	<u>WIRING METHODS</u>	4
EXIC	E11.1	TUBING, CONDUIT, CABLE TERMINATION	5
EXNC	E11.2	RIGID METAL CONDUIT	5
EXNM	E11.3	NON-METALLIC OUTLET BOXES	5
EXAL	E11.4	OUTLET BOX LOCATION	5
EXEF	E11.5	FASTENING BOXES, FITTINGS, CABINETS	5
EXCS	E11.6	CONTINUITY OF CABLE SHEATH	5
EXLP	E11.6	LOOSE CONNECTIONS	5
EXPS	E11.7	PASSING OF CABLE THROUGH STUDS	5
EXBR	E11.8	CABLE BEND RADIUS	5
EXSN	E11.9	CABLE SUPPORT	5
EXSM	E11.10	CABLE SUPPORT - NON-METALLIC OUTLET	5
EXCS	E11.11	CABLE PRACTICES - APPLIANCES	5
EXBR	E11.12	CABLE PROTECTION	5
EXND	E12	<u>UNDER CHASIS WIRING</u>	4
EXEF	E12.1	PROTECTION OF EXPOSED WIRING	5
EXCT	E12.2	CONDUCTOR TYPES	5
EXPL	E13	<u>SWITCHES AND RECEPTACLE PLATES</u>	4
EXSG	E13.1	SWITCH GROUNDING	5
EXMT	E13.2	METALLIC FACEPLATE THICKNESS	5
EXLF	E13.3	LISTED FACEPLATES	5
EXMG	E13.4	METALLIC FACEPLATE GROUNDINGS	5
EXOB	E14	<u>CONDUCTORS IN OUTLET BOXES</u>	4
EXOS	E14.1	OUTLET BOX SIZE	5
EXEC	E14.2	FREE CONDUCTOR LENGTH	5

EP01	E14	POLARIZATION	4
EP6C	E14.1	GROUNDING CIRCUIT CONDUCTOR	5
EP0U	E14.2	OTHER USE - WHITE CONDUCTOR OF CABLE	5
EP6P	E16.3	GROUNDING CONDUCTOR COLOR	5
ETC2	E17	CONNECTION TO TERMINALS AND SPLICES	4
ETC9	E17.1	CONNECTION OF CONDUCTORS TO TERMINAL	5
ETSJ	E17.2	SPLICING AND JOINING OF CONDUCTORS	5
ES4L	E18	WALL SWITCHES	4
ES4P	E18.1	SWITCH RATINGS	5
ES4P1.		LIGHTING CIRCUITS	6
ES4P2.		MOTORS OR OTHER LOADS	6
EP20	E19	RECEPTACLE OUTLETS	4
EP1P	E19.1	INSTALLATION IN ACCORDANCE	5
EP0P	E20	LIGHTING FIXTURES	4
EX6P	E20.1	GENERAL	5
EX6P1.	E20.1.1	COMBUSTIBLE WALL OR CEILING FINISH	6
EX6P2.	E20.1.2	USE OF PENDANT-TYPE FIXTURES	6
EX6L	E20.2	RECESSED LIGHTING FIXTURE	5
EX6L1.	E20.2.1	INSULATION FOR CONDUCTORS	6
EX6L2.	E20.2.2	CIRCUIT CONDUCTORS AT HIGH TEMP	6
EX6L3.	E20.2.3	CONDUCTORS RUN DIRECTLY TO FIXTURE	6
EX6L4.	E20.2.4	TAP CONNECTION CONDUCTORS	6
FA6L	E20.3	FLUORESCENT LIGHTING FIXTURES	5
FA6P	E20.4	SHOWER FIXTURES	5
FA6P1.	E20.4.1	LOCATED OVER BATHTUB IN SHOWER STALL	6
FA6P2.	E20.4.2	FIXTURE AND FAN SWITCH LOCATION	6
EN4A	E22	OUTDOOR OUTLETS, FIXTURES, AIR-COOLING	4
EP7P	E22.1	TYPE OF OUTDOOR FIXTURES AND EQUIPMENT	5
EP6C	E22.2	OUTDOOR AC OR HEATING RECEPTACLE - TAG	5
EG6P	E23	GROUNDING AND BONDING	4
EG6P	E23.1	SERVICE GROUNDING	5
EG6P1.	E23.1.1	GROUNDING WIRE CONNECTION	6
EG6P2.	E23.1.2	GROUNDING OF DISTRIBUTION PANEL	6
EG6P3.	E23.1.3	GROUNDING BUS TERMINALS	6
EN1P	E23.2	INSULATED NEUTRAL	5
EN1P1.	E23.2.1	INSULATION OF GROUNDING CIRCUIT	6
EN1P2.	E23.2.2	GROUNDING RANGES AND DRYERS	6
E16P	E23.3	INTERIOR GROUNDING - ELECTRICAL	5
E16P1.	E23.3.1	GROUNDING OF EXPOSED METAL PARTS	6
E16P2.	E23.3.2	GROUNDING OF ELECTRICAL EQUIPMENT	6
E16P21.	E23.3.2.1	SECURING TO GROUNDING STRIP METAL	7
E16P22.	E23.3.2.2	METALLIC RACEWAY TO METALLIC O/H	7
E16P23.	E23.3.2.3	CONDUCTORS AND A METALLIC BOX	7
E16P24.	E23.3.2.4	CONDUCTORS/WH-METALLIC BOX	7
E16P25.	E23.3.2.5	GROUNDING AT LIGHT FIXTURE	7
E16P26.	E23.3.2.6	NON-METALLIC SHEATHED CABLE	7
E16P27.	E23.3.2.7	GROUNDING FIXTURE TO METALLIC RACEWAY	7
E16P3.	E23.3.3	MULTIPLE GROUNDING CONDUCTORS	6
E16P4.	E23.3.4	GROUNDING CORD CONNECTED APPLIANCES	6
E16P	E23.4	GROUNDING OF NONCURRENT - CARRYING METAL	5
E16P1.	E23.4.1	EXPOSED NONCURRENT - CARRYING METAL	6
E16P2.	E23.4.2	TYPE OF GROUNDING TERMINALS	6
E16P3.	E23.4.3.	GROUNDING OF METALLIC PIPES/DUCTS	6
EM6P	E25	ELECTRICAL MARKING	4
EM6P	E25.1	MAIN CIRCUIT BREAKER	5
EM6P	E25.2	MAXIMUM FUSE SIZE	5
EM6P	E25.3	METAL NAME PLATE	5
TRANS		Routine Maintenance	2

Routine Maintenance

NCON	<u>CONSTRUCTION</u>	3
NCR1	BLOCKING	4
NCRF	LEVELING	5
NCRD	BACKING OF DOORS	5
NCHH	HOT WATER HEATER COMPARTMENT	4
NCHT	INSULATION	5
NCHD	COMPARTMENT DOOR	"
NCSH	SKIRTING	4
NCSF	EXTERIOR STAIRS	4
NCTD	TIE DOWN STRAPS LOOSE, ETC	4
NCMG	SITE GRADIENT	4
NCHD	WINDOWS	4
NCHP	REGLAZED	5
NCHH	HARDWARE	5
NCHF	IMPROPER FIT	5
NCHT	STORM	5
NCHS	SCREENS	5
NCHD	EXTERIOR DOORS	4
NCHP	REGLAZED	5
NCHD	CANOPY	5
NCHH	HARDWARE	5
NCHF	IMPROPER FIT	5
NCHS	SCREENS	5
NCHP	FROZEN	5
NCHT	STORM	5
NCHD	PARTITIONS DOORS	4
NCHP	IMPROPER FIT	5
NCHH	HARDWARE	5
NCHT	FLOOR	4
NCHV	HEATING DUCT VENT	5
NPLH	<u>PLUMBING</u>	3
NPEX	<u>FIXTURES</u>	4
NPET	TOILETS	5
NPTF	FLUSHING DEVICES	6
NPKY1.	DRAIN	6
NPKY2.	DRAIN LEAK	6
NPKY3.	DRAIN FROZEN	6
NPTW	WAX SEAL	6
NPKY	CLOGGED DRAIN	6
NPTT	FLUSH TANK	6
NPTA	TOILET SEAT	6
NPTP	TANK TOP	6
NPTK	TOILET FLANGE FITTING	6
NPTS	WATER SUPPLY CONNECTION	6
NPKS	KITCHEN SINK	5
NPKF	FLANGE SEAL	6
NPKD1.	DRAIN	6
NPKD2.	DRAIN LEAK	6
NPKD3.	DRAIN FROZEN	6
NPKC	CLOGGED DRAIN	6
NPKA	FAUCET ASSEMBLY	6
NPRS	LAVATORIES	5
NPRF	FLANGE SEAL	6
NPRD1.	DRAIN	6
NPRD2.	DRAIN LEAK	6
NPRD3.	DRAIN FROZEN	6
NPRC	CLOGGED DRAIN	6
NPRA	FAUCET ASSEMBLY	6

HP00	BATHING WITH SHOWERHEAD	5
HP01	CAPTURING	6
HP01.1	DRAIN	6
HP02	DRAIN LEAK	6
HP03	DRAIN FROZEN	6
HP04	CLOGGED DRAIN	6
HP05	Faucet Assembly	6
HP15	Water Supply Piping	4
HP1	Interior	5
HP1A	Frozen	6
HP1F	Exterior	5
HP1H	Frozen	6
HP2	Feed	4
HP3	Washing Machine	4
HP3S	Water Supply	5
HP3D	DRAIN	5
HP3A	DISH WASHER	4
HP3S	WATER SUPPLY	5
HP3X	EXTERIOR DRAINAGE, WATER HEATER	4
HP3R	PRESSURE REGULATOR	4
HP1G	HEATING	3
HP1G	GAS SUPPLY PIPING	4
HP1D	OIL SUPPLY PIPING	4
HP1F	FROZEN	5
HP1G	GAS PRESSURE REGULATOR	4
HP1S	INSTALLED SPACE HEATERS	4
HP1J	ROOF JACK	4
HELC	<u>ELECTRICAL</u>	3
HEDP	DISTRIBUTION PANEL BOARD	4
HEDE	FUSES	5
HEBT	FUSIST	5
HECP	CIRCUIT BREAKERS	5
HEPC	RECEPTICAL OUTLETS	4
HEPI	INTERIOR	5
HEPF	FACELATE	6
HEPD	OUT DOOR	5
HEHT	HEAT TAPE	6
HELF	LIGHT FIXTURE	6
HESH	SWITCHES	4
HESE	FACELATE	5
HEIF	INTERIOR LIGHTING FIXTURES	4
HEIN	NOT SECURELY ATTACHED	5
HEPD	POWER POLE/LIFELINE	4
HESP	SERVICE	4
HEGP	EXTERNAL GROUNDING	4
HEPC	BRANCH CIRCUIT MALFUNCTION	4
HEFE	EXTERIOR LIGHT FIXTURE	4
APED	<u>MECHANICAL/ELECTRICAL APPLIANCES - EQUIPMENT</u>	2
APHA	<u>FURNACE, HOT AIR, GAS OR OIL</u>	3
APHI	PILOT/ELECTRONIC IGNITION	4
APPI.1	FLIGHT PILOT	5
APBT	CALL THERMOSTAT	4
APTA	TRANSFORMER	5
APCL	CONTROLS	4
APBU	SUPPLY	5
APTC	THERMOCOUPLE	6
APCV	CONTROLS VALVE	6
APCR	RESET BUTTON	6

AFCA	CAP CELLS	6
AFCE	ELECTRODE	6
AFCH	BLOWER	5
AFCS	LIMIT SWITCH	6
AFCH	RESET BUTTON	6
AFCH	INTERNAL WIRING	5
AFCS	ON/OFF EMERGENCY SWITCH	6
AFCH	BURNER ASSEMBLY	4
AFCH	BLOWER ASSEMBLY	4
AFCH	BELT DRIVE	5
AFCH	BEARINGS	5
AFCH	BLOWER MOTOR	4
AFCH	BEARINGS	5
AFCH	MOTOR MOUNT	5
AFCH	FUEL GUN	4
AFCH	PUMP	5
AFCH	PUMP MOTOR	5
AFCH	NOZZLE / ORIFICE	5
AFCH	WRONG INITIALLY INSTALLED	6
AFCH	OIL LEAK	5
AFCH	GAS LEAK	5
AFCH	FURNACE DOORS	4
AFCH	GAS REGULATOR	4
AFCH	FUEL SUPPLY CONNECTION	4
AFCH	FILTER	4
AFCH	<u>ELECTRIC BASEBOARD HEATING UNITS</u>	3
AFCH	<u>HEATING ELEMENT</u>	4
AFCH	THERMOSTAT	4
AFCH	TRANSFORMER	5
AFCH	CONTROLS	4
AFCH	THERMOCOUPLES	5
AFCH	<u>RANGE - GAS/ELECTRIC</u>	3
AFCH	<u>PILOT</u>	4
AFCH	RELIGHT PILOT	5
AFCH	CONTROLS	4
AFCH	THERMOSTAT	5
AFCH	SURFACE BURNER	5
AFCH	OVEN BURNER	5
AFCH	TIMER	5
AFCH	BURNER	4
AFCH	OVEN	5
AFCH	SURFACE	5
AFCH	HARDWARE	4
AFCH	OVEN DOORS	5
AFCH	HINGES	5
AFCH	DRAWS	5
AFCH	KNOBS	5
AFCH	GAS LEAK	4
AFCH	INTERNAL WIRING	4
AFCH	<u>HOT WATER HEATERS</u>	3
AFCH	<u>GAS HOT WATER HEATER</u>	4
AFCH	PILOT	5
AFCH	RELIGHT PILOT	6
AFCH	BURNER	5
AFCH	NOZZLE/ORIFICE	6
AFCH	REGULATOR	6
AFCH	LEAK	6
AFCH	TANK	5

ANTI	LEAK	6
APRG	PRESSURE REGULATOR	5
APRV	PRESSURE RELIEF VALVE	5
APAV	ANTI-SIPHON VALVE	5
APCL	CONTROLS	5
APCR	BURNER	6
APCR	RESET BUTTON	6
AHCT	THERMOSTAT	6
AHEL	ELECTRIC HOT WATER HEATER	4
AHEH	HEAT ELEMENT	5
AUTK	TANK	5
ANTE	LEAK	6
AHER	PRESSURE REGULATOR	5
AHER	PRESSURE RELIEF VALVE	5
AHES	ANTI-SIPHON VALVE	5
AHEC	CONTROLS	5
AHEE	HEATING ELEMENT	6
AHEH	RESET BUTTON	6
AHEN	THERMOSTAT	6
ACRE	<u>REFRIGERATOR</u>	3
ACRC	COMPRESSOR	4
ACRM	COMPRESSOR MOTOR	4
ACRR	REFRIGERANT SYSTEM	4
ACRZ	FREEZER COILS	5
ACRI	REFRIGERATOR COILS	5
ACRT	TUBING	5
ACRH	RECHARGE	5
ACRG	GASKETING (DOORS)	4
ACRL	CONTROLS	4
ACRD	DEFROST TIMER	5
ACRS	SWITCHES	5
ACRA	FAN	5
ACRH	FAN	4
ASDE	<u>SMOKE DETECTOR</u>	3
AEFY	<u>EXHAUST FAN</u>	3
FURN	<u>FURNITURE</u>	2
OCCH	OCCUPIED	2
UNOC	UNOCCUPIED	2
HAOF	USED AS OFFICE	2
FIRE	FIRE IN MOBILE HOME	2

Appendix D

Typical Summation of Performance Data

FIRST LEVEL SUMMATION:
TOTAL NUMBER OF PROBLEMS

Percentages of Second
Level Problems

Total Number of Problems
NO. 3528

Number of Problems at the Second Level

Percentage of First Level
Problems

Number of Homes with
problems

SECOND AND THIRD LEVEL SUMMATIONS:

ANSI	ANSI STANDARD	NO.	21ST	HOMES	%HOMES	LEVEL
ANSI	ANSI STANDARD A119.1	(0) 2120	60.1	246	95.7	2
CONS	PART B CONSTRUCTION	(0) 730	34.4	235	91.4	3
PLUM	PART C PLUMBING	(0) 701	33.1	208	80.9	3
HEAT	PART D HEATING SYSTEM	(0) 409	15.3	168	65.4	3
ELEC	PART E ELECTRICAL	(0) 280	13.2	142	55.3	3
NANS	ROUTINE MAINTENANCE	(0) 934	2.5	69	65.8	2
NCON	CONSTRUCTION	(0) 550	5.9	43	55.6	3
NPLM	PLUMBING	(1) 176	5.1	94	36.6	3
NHTG	HEATING	(1) 144	4.4	44	13.2	3
NELC	ELECTRICAL	(1) 144	4.4	44	28.8	3
APFO	MECHANICAL/ELECTRICAL APPLIANCES EQUIPMENT	(0) 106	10.6	106	41.2	2
AFPA	FURNACE-HOT AIR, GAS OR OIL	(1) 181	48.4	77	30.0	3
AFEB	ELECTRIC BASEBOARD HEATERS	(1) 1	.3	1	.4	3
ARGE	RANGE - GAS/ELECTRIC	(1) 72	19.3	36	14.0	3
ARHM	HOT WATER HEATERS	(2) 82	21.9	52	20.2	3
ACRF	REFRIGERATOR	(1) 10	2.7	9	3.5	3
ASDE	SMOKE DETECTOR	(1) 3	.8	3	1.2	3
AEXX	EXHAUST FAN	(1) 25	6.7	14	5.4	3
FURN	FURNITURE	100	2.8	53	20.6	2

FIRE	NO.	%	LEVEL
FIRE IN MOBILE HOME	10	3.9	2

TOTAL NUMBER OF MOBILE HOMES REVIEWED = 257

FOURTH LEVEL SUMMATION:

NO. 33RD 32ND 31ST HOMES \$HOMES LEVEL

 * ANSI STANDARD A119.1 (01 2120 60.1 246 95.7 2 *

CONS	PART B	CONSTRUCTION	(01	730	34.4	20.7	235	91.4	3
ROOF	B6/87	ROOF SYSTEM	(01	184	25.2	8.7	5.2	112	43.6
FLOOR	B6/87	FLOOR SYSTEMS	(01	75	10.3	3.5	2.1	60	23.3
INTW	B6/87	PARTITION WALLS	(01	120	16.4	5.7	3.4	100	38.9
EXTW	B6/87	EXTERIOR WALLS	(01	237	32.5	11.2	6.7	173	67.3
WNOW	B6/87/B8	WINDOWS	(01	12	1.6	.6	.3	10	3.9
OEXT	B6/87/B8	DOORS EXTERIOR	(01	16	2.2	.8	.5	15	5.8
DINT	B8.3-2/3	DOOR INTERIOR	(01	0	.0	.0	.0	0	.0
FWE0	B9.1	FIRE WARNING EQUIPMENT	(01	0	.0	.0	.0	0	.0
TIDN	B6.5.1	TIEDOWNS	(01	3	.4	.1	.1	3	1.2
SREQ	B8.4	SPECIAL REQUIREMENTS	(01	0	.0	.0	.0	0	.0
TRAN	B-APP.	TRANSIT CONSIDERATIONS	(01	83	11.4	3.5	2.4	5	20.6
PLUM	PART C	PLUMBING	(01	70	133.1	33.9	208	80.9	3
PFAP	C5-1-4	PROHIBITED FITTINGS AND PRACTICES	(01	0	.0	.1	1	3	1.2
ATDF	C5-1.5	ALIGN OF FITTINGS/DIRECTION OF FLOW	(01	0	.0	.0	.0	0	.0
PREO	C5-2	PROTECTIVE REQUIREMENT	(01	50	7.1	4.1	1.1	45	17.5
JCTI	C7-1	JOINTS + CONNECTIONS/TIGHT	(01	05	15.0	0.0	3.0	58	22.6
TANC	C8	TRAPS AND CLEANOUTS	(01	1	.1	.0	.0	1	.4
PFIA	C9	PLUMBING FIXTURES	(01	33	20.4	6.7	4.1	76	29.6
PHAS	C10	HANGERS AND SUPPORTS	(01	2	.3	.1	.1	2	.8
WDTN	C11	WATER DISTRIBUTION SYSTEMS	(01	218	31.1	10.3	6.2	156	60.7
DSYS	C12	DRAINAGE SYSTEMS	(01	152	21.7	7.2	4.3	84	32.7
VANY	C13	VENTS AND VENTILATION	(01	27	3.9	1.3	.8	23	8.9
HEAT	PART D	HEATING SYSTEM	(01	409	19.3	11.6	168	65.4	3
HLPG	D4-2.5	LP GAS SAFETY DEVICES	(01	1	.2	.0	.0	1	.4
HPSV	D5	PIPING SYSTEM	(01	210	51.3	9.9	6.0	117	45.5
HAPL	D6	APPLIANCES	(01	198	48.4	9.3	5.6	133	51.8
ELEC	PART E	ELECTRICAL	(01	280	13.2	7.9	142	55.3	3
ERXY	E5-0	MATERIALS AND EQUIPMENT	(01	19	6.8	.9	.5	19	7.4
EREC	E6	RECEPTACLE OUTLETS REQUIRED	(01	36	12.9	1.7	1.0	28	10.9
EBCR	E7	BRANCH CIRCUITS REQUIRED	(01	0	.0	.0	.0	0	.0
EDIS	E9	DISCONNECTING MEANS AND BRANCH CIRCUIT	(01	4	1.4	.2	.1	4	1.6
EPNW	E10	POWER SUPPLY	(01	4	1.4	.2	.1	4	1.6
EWOR	E11	WIRING METHODS	(211	179	63.9	8.4	5.1	108	42.0
EUND	E12	UNDER CHASSIS WIRING	(01	0	.0	.0	.0	0	.0
EFPL	E13	SWITCHES AND RECEPTACLE PLATES	(01	0	.0	.0	.0	0	.0
ECON	E14	CONDUCTORS IN OUTLET BOXES	(01	0	.0	.0	.0	0	.0
EPUL	E16	POLARIZATION	(01	0	.0	.0	.0	0	.0
ETER	E17	CONNECTION TO TERMINALS AND SPLICES	(01	0	.0	.0	.0	0	.0
ESML	E18	WALL SWITCHES	(31	3	1.1	.1	.1	2	.8
EFRO	E19	RECEPTACLE OUTLETS	(01	3	1.1	.1	.1	3	1.2
EXUR	E20	LIGHTING FIXTURES	(141	15	5.4	.7	.4	12	4.7
EBFA	E22	OUTDOOR OUTLETS, FIXTURES, AIR-COOLING	(51	12	4.3	.6	.3	12	4.7
EGOR	E23	GROUNDING AND BONDING	(01	5	1.8	.2	.1	5	1.9

FOURTH LEVEL SUMMARY:									
		NO.	2ND	1ST	HOMES	%HOMES	LEVEL		
AFWT	WALL THERMOSTAT	(171	21	11.6	5.6	18	7.0	4
AFCL	CONTROLS	(21	35	19.3	9.4	21	8.2	4
AFAB	BURNER ASSEMBLY	(21	2	1.1	.5	2	.8	4
AFBL	BLOWER ASSEMBLY	(21	2	1.1	.5	2	.8	4
AFBM	BLOWER MOTOR	(21	4	2.2	1.1	2	.8	4
AFGC	FUEL GUN	(01	32	17.7	8.6	20	7.8	4
AFOR	FURNACE DOORS	(1	.6	.3	1	.4	4
AFGR	GAS REGULATOR			1	.6	.3	1	.4	4
AFSC	FUEL SUPPLY CONNECTION			1	.6	.3	1	.4	4
AFTR	FILTER			3	1.7	.8	3	1.2	4
AFEB	ELECTRIC BASEBOARD HEATING UNITS	(11	1	.3	.0	1	.4	3
AFHT	HEATING ELEMENT	(0	.0	.0	0	.0	4
AFST	THERMOSTAT	(01	0	.0	.0	0	.0	4
AFNC	CONTROLS	(01	0	.0	.0	0	.0	4
ARGE	RANGE - GAS/ELECTRIC	(111	72	19.3	2.0	36	14.0	3
APPL	PILLOT	(31	18	25.0	4.8	16	6.2	4
ARCL	CONTROLS	(21	11	15.3	2.9	10	3.9	4
ARBU	BURNER	(201	6	8.3	1.6	5	1.9	4
ARHW	HARDWARE	(01	3	.4	.1	3	1.2	4
ARGL	GAS LEAK	(1	.2	.1	1	.5	4
ARIM	INTERNAL WIRING	(8	4.0	.6	1	.8	4
AHWM	HOT WATER HEATERS	(281	5	1.1	.2	5	2.0	3
AHGS	GAS HOT WATER HEATER	(21	1	1.4	.2	0	3.5	4
AHEL	ELECTRIC HOT WATER HEATER	(171	43	52.4	11.1	2	11.3	4
ACRF	REFRIGERATION	(91	10	2.7	.3	3	3.5	3
ACPC	COMPRESSOR			0	.0	.0	0	.0	4
ACRM	COMPRESSOR MOTOR			0	.0	.0	0	.0	4
ACRR	REFRIGERANT SYSTEM	(01	0	.0	.0	0	.0	4
ACRG	CASKEETING (DOORS)	(01	0	.0	.0	0	.0	4
ACRL	CONTROLS	(01	1	10.0	.3	1	.4	4
ACRN	FAN			0	.0	.0	0	.0	4
ASDE	SMOKE DETECTOR			3	.8	.1	3	1.2	3
AEEY	EXHAUST FAN			25	6.7	.7	14	5.4	3

Appendix E
Typical Graphical Presentation of Data by Computer

Table E-1. Year of manufacture
versus number of units in the data
file.

Year of Mfg.	No of Units
1974.	32
1973.	357
1972.	331
1971.	179
1970.	14
1969.	4
1968.	1
1967.	54

PRELIMINARY

Table E-2. Width versus number of units
in data file.

Width of Unit	No. of Units
12. FFET	366
14. FCEI	84
16. FFET	1
20. FCLT	6
24. FFET	204
UNKNOWN	227

Table E-2 State of manufacture versus number of units
in the data file

State of Mfr.	No. of Units
ALABAMA	34
ALASKA	1
ARIZONA	1
ARKANSAS	2
CALIFORNIA	160
COLORADO	4
FLORIDA	92
GEORGIA	76
IDaho	10
INDIANA	1
KANSAS	1
KENTUCKY	1
LOUISIANA	9
MARYLAND	1
MICHIGAN	1
MINNESOTA	1
MISSISSIPPI	1
MISSOURI	1
NORTH CAROLINA	1
OKLAHOMA	4
OREGON	61
PENNSYLVANIA	2
SOUTH DAKOTA	2
TENNESSEE	1
TEXAS	192
VIRGINIA	6
WASHINGTON	56
WISCONSIN	3
WYOMING	1
UNKNOWN	23

PRELIMINARY

Table E-3. Seal of approval versus problems versus number of units in the data

SEAL OF APPROVAL	PROBLEMS					HOMES				
	TOTAL	1/	C	H	E	TOTAL	2/	C	H	E
1.	2375	1118	756	144	258	589	396	340	126	167
2.	1415	1215	1141	194	365	469	418	377	137	233
3.	447	262	132	29	53	70	65	55	13	31
4.	0	0	0	0	0	0	0	0	0	0
5.	299	174	88	11	26	32	31	22	10	13
6.	14	7	7	2	1	3	3	2	2	0
7.	0	0	0	0	1	0	0	0	0	0
8.	0	0	0	0	0	0	0	0	0	0
9.	4	0	1	0	1	1	0	1	0	1
10.	0	0	0	0	0	0	0	0	0	0
11.	0	0	0	0	0	0	0	0	0	0
12.	0	0	0	0	0	0	0	0	0	0
13.	0	0	0	0	0	0	0	0	0	0
14.	0	0	0	0	0	0	0	0	0	0
15.	17	10	4	0	1	2	2	1	0	1
16.	0	0	0	0	0	0	0	0	0	0
17.	0	0	0	0	0	0	0	0	0	0
18.	32	1	1	2	6	5	5	2	2	3
19.	11	0	4	1	2	2	2	2	1	1
20.	44	10	25	6	4	6	6	5	4	3
21.	282	102	27	15	24	27	26	24	10	19
22.	0	0	0	0	0	0	0	0	0	0
23.	0	0	0	0	0	0	0	0	0	0
24.	0	0	0	0	0	0	0	0	0	0
25.	0	0	0	0	0	0	0	0	0	0
26.	0	0	0	0	0	0	0	0	0	0
27.	0	0	0	0	0	0	0	0	0	0
28.	0	0	0	0	0	0	0	0	0	0
29.	0	0	0	0	0	0	0	0	0	0
30.	0	0	0	0	0	0	0	0	0	0
31.	0	0	0	0	0	0	0	0	0	0
32.	0	0	0	0	0	0	0	0	0	0
33.	0	0	0	0	0	0	0	0	0	0
34.	0	0	0	0	0	0	0	0	0	0
35.	1973	891	644	98	190	369	286	251	77	127
36.	7641	3493	2480	173	905	928	843	733	273	475
37.	0	0	0	0	0	0	0	0	0	0
38.	0	0	0	0	0	0	0	0	0	0
39.	56	25	17	3	6	9	9	7	3	4
40.	0	0	0	0	0	0	0	0	0	0
41.	0	0	0	0	0	0	0	0	0	0
42.	0	0	0	0	0	0	0	0	0	0
43.	0	0	0	0	0	0	0	0	0	0
44.	44	18	17	2	9	5	5	4	1	4
45.	120	56	34	10	18	13	13	10	7	10
46.	9	4	2	0	1	2	2	1	0	1
47.	12	2	0	2	3	1	1	1	1	1
48.	0	0	0	0	0	0	0	0	0	0
49.	0	0	0	0	0	0	0	0	0	0
50.	0	0	0	0	0	0	0	0	0	0
51.	0	0	0	0	0	0	0	0	0	0
52.	0	0	0	0	0	0	0	0	0	0
53.	0	0	0	0	0	0	0	0	0	0

1/ CPH & E denote the number of construction, plumbing, heating and electrical problems respectively.

2/ CPH & E denote the number of mobile homes having construction, plumbing heating and electrical problems respectively.

3/ Numbers indicate a specific seal of approving agency.

AVE. PROBLEMS
per unit

40 1
49 1
48 1
47 1
46 1
45 1
44 1
43 1
42 1
41 1
40 1
39 1
38 1
37 1
36 1
35 1
34 1
33 1
32 1
31 1
30 1
29 1
28 1
27 1
26 1
25 1
24 1
23 1
22 1
21 1
20 1
19 1
18 1
17 1
16 1
15 1
14 1
13 1
12 1
11 1
10 1
9 1
8 1
7 1
6 1
5 1
4 1
3 1
2 1
1 1
0 1

PRELIMINARY

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

10. 20. 30. 40. 50. 60. 70. 80. 90. 100. 110. 120. 130. 140. 150. 160. 170. 180. 190. 200. 210. 220. 230. 240. 250. 260. 270. 280. 290. 300. 310. 320. 330. 340. 350. 360. 370. 380. 390. 400. 410. 420. 430. 440. 450. 460. 470. 480. 490. 500. 510. 520. 530. 540. 550. 560. 570. 580. 590. 600. 610. 620. 630. 640. 650. 660. 670. 680. 690. 700. 710. 720. 730. 740. 750. 760. 770. 780. 790. 800. 810. 820. 830. 840. 850. 860. 870. 880. 890. 900. 910. 920. 930. 940. 950. 960. 970. 980. 990. 1000.

| | | | | |
|---|--|--|---|------------------------------|
| U.S. DEPT. OF COMM.
BIBLIOGRAPHIC DATA
SHEET | | 1. PUBLICATION OR REPORT NO.

NBSIR 75-641 | 2. Gov't Accession
No. | 3. Recipient's Accession No. |
| 4. TITLE AND SUBTITLE

Performance of Mobile Homes
Data Acquisition and Analysis Methodology | | | 5. Publication Date

February 1975 | |
| | | | 6. Performing Organization Code | |
| 7. AUTHOR(S)

James H. Pielert, W.E. Greene, L.F. Skoda, W.G. Street | | | 8. Performing Organ. Report No.

NBSIR 75-641 | |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS

NATIONAL BUREAU OF STANDARDS
DEPARTMENT OF COMMERCE
WASHINGTON, D.C. 20234 | | | 10. Project/Task/Work Unit No.

4608520 | |
| | | | 11. Contract/Grant No. | |
| 12. Sponsoring Organization Name and Complete Address (Street, City, State, ZIP)

Department of Housing and Urban Development
451 7th Street, S. W.
Washington, D. C. | | | 13. Type of Report & Period Covered

Interim | |
| | | | 14. Sponsoring Agency Code | |
| 15. SUPPLEMENTARY NOTES | | | | |
| 16. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here.)

In a study at the National Bureau of Standards (NBS), funded by the Department of Housing and Urban Development (HUD), methods for inspecting mobile homes to identify performance problems, recording the problems and analyzing the problem data were developed. Maintenance work orders for 2881 mobile homes, a part of 12,500 provided by HUD for emergency housing in the aftermath of hurricane Agnes, at Wilkes-Barre, Pennsylvania, were reviewed and computer coded by an inter-disciplinary team of engineers. Also, performance data were obtained from State and other Federal agencies for over 967 privately owned mobile homes. A second task was the field inspection of 257 mobile homes to assist in the determination of the causes and consequences of the problems identified in the data acquisition task. Computer techniques were developed to process the data and print out problem summation tables, graphs to establish trends, compile data on obvious problems and ferret out those problems which may not be obvious. This first report documenting the data acquisition and analysis methodology will be followed by a series of reports which will present results and relate them to current standards, the regulatory and insurance processes. | | | | |
| 17. KEY WORDS (six to twelve entries; alphabetical order; capitalize only the first letter of the first key word unless a proper name; separated by semicolons)

Construction; Hurricane Agnes; Housing; Mobile Homes; Mobile Home Parks; Performance data; Regulatory Process; Standards | | | | |
| 18. AVAILABILITY
<input checked="" type="checkbox"/> Unlimited

<input type="checkbox"/> For Official Distribution. Do Not Release to NTIS

<input type="checkbox"/> Order From Sup. of Doc., U.S. Government Printing Office
Washington, D.C. 20402, SD Cat. No. C13

<input checked="" type="checkbox"/> Order From National Technical Information Service (NTIS)
Springfield, Virginia 22151 | | | 19. SECURITY CLASS
(THIS REPORT)

UNCLASSIFIED | 21. NO. OF PAGES

76 |
| | | | 20. SECURITY CLASS
(THIS PAGE)

UNCLASSIFIED | 22. Price

\$5.00 |