ORIGINAL

U.S. DEPARTMENT OF COMMERCE National Technical Information Service PB-274 170

PTI/APWA Equipment Management Information System, Program Documentation, Fuel Module

Public Technology, Inc, Washington, D C

Prepared for

Department of Housing and Urban Development, Washington, D C Assistant Secretary for Policy Development and Research

1977

PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM

PROGRAM DOCUMENTATION

FUEL MODULE

U.S. Department of Housing and Urban Development Office of Policy Development and Research

PUBLIC TECHNOLOGY, INC., WASHINGTON, D.C. AND SAN JOSE, CA.

DIBLIOCRAPHIC DATA	1. Report No. 2. 0.0 No.	3. Recipient's Accession No.
SHEET	1. Report No110 + 15.5/176 2. 29 NO.	V 1977
. Title and Subtitle		3. Report Date
	ipment Management Information Sys	
Program Docum	mentation - Fuel Module	6.
. Author(s)		8. Performing Organization Rep.
· Performing Organization Public Technology		10. Project/Task/Work Unit No.
Information Syste	· ·	11. Contract/Grant No.
1140 Connecticut	•	
Washington, D.C.	20036	H-2106R
2. Sponsoring Organization	Name and Address	13. Tope of Report & Period
	ising and Urban Development	Covered
Office of Policy	Development and Research	Final
451 7th Street, S	5.W.	. 14.
Washington, D.C.	20410	
5. Supplementary Notes		
•		
** *	one of a covice comparising decumentation	on for the DTT/ADUA Fauinment
This document is	one of a series comprising documentation	
This document is Management Inform	mation System; a system tailored to the	special needs of local govern
This document is Management Inform		special needs of local govern-
This document is Management Informments, developed The program documents	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are	special needs of local govern- rican Public Works Association e six modules in the system)
This document is Management Informments, developed The program document describes the model of	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail	special needs of local govern- rican Public Works Association e six modules in the system) Leach program in the module
This document is Management Informments, developed The program document describes the modificulting a program and a program documents.	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches a	special needs of local govern- rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief
This document is Management Informments, developed The program docum describes the modincluding a program description of the	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and	special needs of local govern- rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief
This document is Management Informments, developed The program document describes the modification including a program document of the modification of the modificati	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and	special needs of local govern- rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief
This document is Management Informments, developed The program docum describes the modincluding a program description of the	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and	special needs of local govern- rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief
This document is Management Informments, developed The program docum describes the modincluding a program description of the	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and	special needs of local govern- rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief
This document is Management Informments, developed The program docum describes the modincluding a program description of the	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and	special needs of local govern rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief
Management Informments, developed The program docum describes the modincluding a program description of the which each program.	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and	special needs of local govern- rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief
This document is Management Informments, developed The program docum describes the modincluding a program description of the which each program. The program documents are the modinal program of the which each program of the which each program of the modinal program of the p	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and am was coded.	special needs of local govern rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief
This document is Management Informments, developed The program document describes the modification of the which each program. The program documents of the modification of the which each program of the which each program of the modification of the which each program of the modification of the which each program of the modification of the modif	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and am was coded.	special needs of local govern rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief
This document is Management Informments, developed The program document describes the modification of the which each program. The program document of the second of the	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and am was coded.	special needs of local govern- rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief
This document is Management Informments, developed The program document describes the modification of the which each program. Information System Local Government Documentation	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and makes coded. The Analysis. 17a. Descriptors The Analysis. 17a. Descriptors	special needs of local govern rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief and the specifications from
This document is Management Informments, developed The program document describes the modification of the which each program. The program document of the second of the	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and makes coded. The Analysis. 17a. Descriptors The Analysis. 17a. Descriptors	special needs of local govern rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief and the specifications from
This document is Management Informments, developed The program document describes the modincluding a program description of the which each program. The program document is the modinal formation of the which each program is the modinal formation of the content of the modinal formation is the modinal formation of the modinal formation is the modinal formation in the modinal formation is the mod	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail cam narrative, definitions of switches are purpose of each program paragraph, and makes coded. The Analysis. 17a. Descriptors The Analysis. 17a. Descriptors	special needs of local govern rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief and the specifications from
This document is Management Informments, developed The program document describes the modincluding a program description of the which each program. The program document is the modinal formation of the which each program is the modinal formation of the content of the modinal formation is the modinal formation of the modinal formation is the modinal formation in the modinal formation is the mod	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail ram narrative, definitions of switches are purpose of each program paragraph, and man was coded. The Analysis. 17c. Descriptors The Analysis. 17c. Descriptors	special needs of local govern rican Public Works Association e six modules in the system) leach program in the module and flags used, a brief and the specifications from
This document is Management Informments, developed The program document describes the modification of the which each program. Information System Local Government Documentation	mation System; a system tailored to the by Public Technology, Inc. and the Amer mentation for the Fuel Module (there are dule job streams, and explains in detail ram narrative, definitions of switches are purpose of each program paragraph, and man was coded. The Analysis. 17c. Descriptors The Analysis. 17c. Descriptors	special needs of local govern rican Public Works Association e six modules in the system) l each program in the module and flags used, a brief and the specifications from

17b. Identifiers/Open-Ended Terms

Equipment Management Information System

17c. COSATI Field/Group 5B

19. Security Class (This Report)
UNCLASSIFIED
20. Security Class (This Page
UNCLASSIFIED 21. No. of Pages 18. Availability Statement 163 Released for distribution by NTIS 22. Price PC 130% INF ACI USCOMM-DC 14952-P72

FORM NTIS-35 (REV. 3-72)

PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM

COMPUTER PROGRAM DOCUMENTATION

FUEL MODULE

U.S. Department of Housing and Urban Development Office of Policy Development and Research Washington, D.C.

Prepared Under Contract #H-2106R

by

Public Technology, Inc. 1140 Connecticut Avenue, N.W. Washington, D.C. 20036

1977

This report was prepared under a Department of Housing and Urban Development contract with Public Technology, Incorporated. The statement and conclusions contained herein are those of the Contractor and do not necessarily reflect the views of the Department. Neither the Department of Housing and Urban Development, nor the U. S. Government, in general, makes any warranty, expressed or implied, or assumes the responsibility for the accuracy or completeness of the information herein.

FUEL MODULE TABLE OF CONTENTS

SECTION	1	INTRODUCTION
	1.1	Module Introductory Narrative
SECTION	2	JOB FLOWS
	2.1	Job Stream Overview
	2.2	Job Streams
	2,2,1	Daily Jobs
	2.2.1.1	Daily Job Flows
	2.2.2	Weekly Jobs
	2.2.2.1	Weekly Job Flows
	2.2.3	Monthly Jobs
	2.2.3.1	Monthly Job Flows
	2.2.4	On-Request Jobs
	2.2.4.1	On-Request Job Flows
SECTION	3	PROGRAM DOCUMENTATION
	3.1	FUEL EDIT EMFPØ1
	3.1.1	Program Narrative
	3.1.2	Program Specifications
	3.1.3	Definitions
	3.1.4	Paragraph Explanations
	3.1.5	Report Layouts
	3.2	PUMP RECONCILIATION EMFPØ2
	3.2.1	Program Narrative
	3.2.2	Program Specifications
	3.2.3	Definitions
	3.2.4	Paragraph Explanations

TABLE OF CONTENTS (CONTINUED)

3.2.5	Report Layouts		
3.3	MONTHLY CONSOLIDATION EMFPØ3		
3.3.1	Program Narrative		
3.3.2	Program Speci	fications	
3.3.3	Definitions		
3.3.4	Paragraph Exp	lanations	
3.3.5	Report Layouts	,	
3.4	RECORD DELE	ETE EMFPØ4	
3.4.1	Program Narra	ative	
3.4.2	Program Speci	fications	
3.4.3	Definitions		
3.4.4	Paragraph Exp	lanations	
3.4.5	Report Layouts	3	
3.5	REPORT GENE	ERATOR EMFPØ5	
3.5.1	Program Narra	ntive	
3.5.2	Program Speci	fications	
3.5.3	Definitions		
3.5.4	Paragraph Exp	lanations	
3.5.5	Report Layouts	3	
APPENDIX A	FILE DESCRIP	TIONS AND RECORD LAYOUTS	
A-2	EMFFØ1	Fuel Ticket Transaction rile	
A-2	EMFFØ2	Fuel Ticket Transaction File	
A-4	EMFFØ3	Fuel Edit Date Control Card	
A-6	EMFFØ4	Fuel Pump Number Card File	
A-8	EMFFØ5	Fuel Cost Card File	
A-10	EMFFØ6	Month-to-Date Fuel File	
A-10	EMFFØ7	Month-to-Date Fuel File	

TABLE OF CONTENTS (CONTINUED)

A-13	EMFFØ8	Fuel Pump Readings File
A-15	EMFFØ9	Fuel Pump Reconciliation Date Control Card
A-10	EMFFØ9	Month-to-Date Fuel File
A-10	EMF11	Month-to-Date Fuel File
A-17	EMFF12	Monthly Consolidation Date Control Card
A-19	EMFF13	Fuel History File
A-21	EMFF14	Consolidated Fuel File
A-23	EMFF15	Delete Program Date Control Card
A-10	EMFF16	Monta-to-Date Fuel File
A-10	EMFF17	Month-to-Date Fuel File
A-25	EMFF18	Vehicle/Pump Select Control Card
A-27	EMFF19	Vehicle Select Control Cards
A-29	EMFF2Ø	Pump Select Control Cards
A-10	EMFF21	Month-to-Date Fuel File
APPENDIX B	SAMPLE FOR	MS
B-2	EMFDØ1	Fuel Ticket
В-3	EM FDØ2	Fuel Pump Reading Report
B-4	EMFDØ3	"Fuel Transactions by Equipment Number" – Report Request Form
B-5	EMFDØ4	"Fuel Transactions by Pump Number" Report Request Form

SECTION 1

INTRODUCTION

INTRODUCTION

This program documentation is one volume of the technical program documentation of the PTI/APWA Equipment Management System. There are five volumes in all. Additionally the system is supported by Testing Instructions, an Implementation Handbook, Forms Completion Instructions, User's Guide, and Chief Executive's Report.

This program documentation is intended to help in maintaining the programs on the local government computer system. Before making the computer programs operational, the data processing staff should consult the Implementation Handbook and Computer Program Testing Instructions for relevant information.

Contact PTI if questions arise which are not addressed in this program documentation

SECTION 1.1

MODULE INTRODUCTION NARRATIVE

INTRODUCTO'V NARLATIVE

FUEL MODULE

The fuel module is the entry point to the system for information on the quantity and cost of fuel, oil, and miscellaneous commodities dispensed to equipment. This data is used to provide reports on the operating costs of equipment. The more important use of this information is in providing other modules with cost and consumption characteristics for equipment.

Historical data is collected from the fuel module for preparing trends and cumulative fuel figures. Fuel data is combined with repair data to determine the total cost of maintaining a piece of equipment. For preventive maintenance scheduling purposes, mileage reported in the fuel module is used to indicate to the preventive maintenance module the amount of usage since a piece of equipment's last PM.

The fuel module obtains its data from several sources. Individual fuel transactions are entered from fuel tickets, fuel sheets, or automated dispensing devices (the mode of data capture is a local option). Cumulative fuel dispensed from each fue pump is submitted to the system weekly. (Each pump is assigned a unique number for identification purposes). The price of each type of fuel and the various commodities dispensed at the pumps, (e.g., oil, hydraulic fluid, transmission fluid, etc.) is adjusted as necessary on a form sent from the equipment manager to data processing. Using this pump information the fuel module produces a weekly fuel pump - fuel ticket reconciliation report to help account for all fuel dispensed. A detailed report is produced on demand showing all fuel dispensed to any particular piece of equipment for any given period of time. All fuel transactions against any given pump for any period of time is also available.

The fuel module maintains two years of monthly fuel information for each piece of equipment including: cantity and cost of fuel and miscellaneous commodities; organization to which assigned when receiving these commodities; monthly mileage; and type of fuel. Many jurisdictions find this information of considerable value in preparing intra-jurisdiction fuel allocation programs, and in analyzing fuel consumption and costs.

SECTION 2

JOB FLOWS

SECTION 2.1

JOB STREAM OVERVIEW

COMPONENT JOB STREAMS

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM

COMPONENT:	${f FUEL}$	
comi on and.		

JOB STREAM IDENTIFICATION	RUN FREQUENCY
Fuel Edit and Merge (EMFJØ1)	Daily
Fuel Pump Reconciliation (EMFJØ2)	Weekly
Monthly Consolidation and Delete (EMFJØ3)	Monthly
Detailed Fuel Transactions by Equipment No. (EMFJ\$4)	On Request
Detailed Fuel Transactions by Pump No. (EMFJØ5)	On Request

SECTION 2.2.1

DAILY JOBS

JOB STREAM PROGRAMS AND FILES


SYSTEM NAM	E: <u>PTI/</u>	APWA I	EQUIPMENT	MANAGEMENT	INFORMATION	SYSTEM
COMPONENT	NAME:	Fue	el .			
JOB NAME :	Fuel	Edit ar	d Merge (EN	лгјøі)		, , , , , , , , , , , , , , , , , , ,
RUN FREQUE	NCY:	Dail	v			

JOB STREAM PROCRAMS	COMPILED SIZE	FILES ACCESSED BY THIS PROGEAM
Sort (EMFU0I)	55K	EMFF01 EMFF02
Edit (EMFP0I)	46K	EMFF01 EMFF02 EMFF03 EMFF04 EMFF05 EMFF06
Sort (EMFU02)	55K	EMFF06 EMFF07

SECTION 2.2.1.1

DAILY JOB FLOWS

			JON FLOM	PAGE	1 of /
7	MODULE NAME	Fuel		JOB FLOW NUMBER_	EMFJØ1
	JOB FLOW NAME	Fuel Edit	and Merge	FREOUENCY	Dailv



NARRATIVE

- 1) Fuel tickets are input.
- 2 All tickets are keypunched and verified.
- 3 Card input deck is sent to data processing.
- 4 Card to disk sort of all input transactions.
- Sorted ticket file is input to fuel edit program.
- (5A) Equipment Master File is input.
- 6 Date card is input.
- (7) Fuel cost cards are input.
- 8 Pump number cards are input.
- 9 Fuel edit program is run and checks as many error conditions as is feasible producing the following:
- An edit/error listing which is used for corrections
- (11) And a valid fuel ticket file which is input to the tape/disk sort.
- The weekly/mtd fuel file is the other file input to the sort. This file can be one of three EMFF07 EMFF11 or EMFF17.
- (13) Sort program is run and produces
- (14) A merged fuel file.
 - *** mtd = month to date ***

SECTION 2.2.2

WEEKLY JOBS

JOB STREAM PROGRAMS AND FILES

SYSTEM NAME:	PTI/APWA	EQUIPMENT	MANAGEMENT	INFORMATION	SYSTEM
COMPONENT NA	ME:	Fuel			
JOB NAME:F	uel Pump R	econciliation ((EMFJØ2)		
RUN EREQUENC	V. We	eklv			

JOB STREAM PROGRAMS	COMPILED SIZE	FILES ACCESSED BY THIS PROGRAM
Pump Reconcilation (EMFPØ2)	46K	EMFFØ8 EMFFØ9 EMFFIØ EMFFØ4 EMFFØ5 EMFFØ7

SECTION 2.2.2.1

WEEKLY JOB FLOWS

PTI/APMA EQUIPMENT MANAGEMENT INFORMATION SYSTEM

	JOP FLOW	PAGE / of /
MODULE NAME	Fuel	JOB FLOW NUMBER EMFJØ2
JOB FLOW NAME	Fuel Pump Reconciliation	FREOUENCY Weekly
JOR F	TUH.	NARRATIVE
INPUT		1 Pump reconciliation form
	EMFF #7 WEEKLY 116 CHARS FUEL BLOCKED 18	(2) Forms are keypunched and verified.
KEYFUNCH	File/	3 Input cards are sent to data processing.
VERIFY	DATE CARD	(4) Date card is input.
3 VEMPF 08	EMEPO 2 5 EME = 84 PUMP RECCUCIORNIC PUMP PUM	5 Pump number cards are input.
CAROS	PROCEDUM NUMBER (NUMBER)	6 Fuel cost cards are input.
8 FEMER NO	(9) VENEFIC CARDS	Program reconciles all files and produces the following:
Pump Recordiation	FIFE Recogliled	8 The pump reconciliation report
Report	\ /	And a fuel file with the transaction code changed to indicate whether the data has been reconciled.
		·
† 1		
		*** mtd = month to date***
İ		

SECTION 2.2.3

MONTHLY JOBS

<u>FUEL</u>

JOB STREAM PROGRAMS AND FILES

SYSTEM NAME:	PTI/I	APWA E	QUIPMENT	MANAGEMENT	INFORMATION	SYSTEM
COMPONENT NA	AME:	Fu	el			
JOB NAMEM	Ionthly	Consoli	dation and I	Delete (EMFJØS)		
RUN FREQUENC	Y:	Monthly	7			

JOB STREAM PROGRAMS	COMPILED SIZE	FILES ACCESSED BY THIS PROGRAM
Sort (FMFU@3)	55K	EMFFIØ EMFFII
Consolidation (EMFP03)	46K	EMFF11 EMFF12 EMFF13 EMFF14
Delete (EMFPø4)	22К	EMFF15 EMFF16 EMFF16

SECTION 2.2.3.1

MONTHLY JOB FLOWS

TIVE TO LOCALITY THE TRANSPORTER	1.5 ORMETOR STATEM
JOP ELON	PAGE / of /
MODULE NAME Fuel	JOB FLOW NUMBER EMFJ03
JOB FLOW NAME Monthly Consolidation and	Delete FREQUENCY Monthly
TOB FIOU	MARRATIVE
EMFILE RECORDINED DISCHED DISCHED IN CHAIS RECORDINED DISCHED DISCHED IN CHAIS SCETT 3 41-47 EMFILE SCRILD (10 shars) FILE (11 shars) FILE (11 shars) ACKSCAJDATACK FILE (11 shars) ACKSCAJDATACK FILE (11 shars) ACKSCAJDATACK FILE (12 shars) ACKSCAJDATACK FILE (13 shars) ACKSCAJDATACK FILE (14 shars) ACKSCAJDATACK FILE (15 shars)	1 Reconciled fuel file is input 2 Tape to disk sort of input 3 Sorted fuel file is input to monthly consolidation program 4 Date card is input. 5 Fuel history file is input. 6 Monthly consolidation program is and produces the following 7 An updated fuel history file 8 A consolidated fuel file that will be used by the monthly master update program 9 And a control total report.
DATE ONRY FUEL PROCRAM FINERRY FINE	1 Reconciled fuel file is again input, this time to the fuel delete progra 10 Date card is input. 11 Fuel delete program is run and produces the following: 12 A control total report 13 And a fuel file with all reconciled transactions deleted.

SECTION 2.2.4

ON REQUEST JOBS

JOB STREAM PROGRAMS AND FILES

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM
COMPONENT NAME: Fuel
JOB NAME: Detailed Fuel Transactions by Equipment (EMFJ#4)
RUN FREQUENCY: On Request

JOB STREAM PROGRAMS	COMPILED SIZE (specify unit of measure)	FILES ACCESSED BY THIS PROGRAM
Sort (EMFU04)	55K	EMFFIØ EMFFI7
Report Generator (EMFPØ5)	32K	EMFF17 EMFF18 EMFF19 EMGFØ3

JOB STREAM PROGRAMS AND FILES

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM				
COMPONENT NAME: Fuel				
JOB NAME: Detailed Fuel Transactions by Pump (EMFJ05)				
RUN FREQUENCY: On Request				

JOB STREAM PROGRAMS	COMPILED SIZE (specify unit of measure)	FILES ACCESSED BY THIS PROGRAM
Sort (EMFUØ5)	55K	EMFF1Ø EMFF21
Report Generator (EMFP05)	32K	EMFF20 EMFF21 EMFF18 EMGFØ3

SECTION 2.2.4.1

ON REQUEST JOB FLOWS

PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM

	JOP FLOW	PAGE / of /
MODULE NAME Fuel		JOB FLOW NUMBER EMFJØ4
JOB FLOW NAME Detailed	Fuel Transaction	s by Fauin FREQUENCY On Request
JOB FLOW		NARRATIVE
EMFDØ3 INPUT FORM	EMFFID FLIEL) Ille Chare	1 Equipment select form is input.
2 Visitorial	EMFUGY	2 Form is sent to be keypunched and verified.
VENTEN EMEE 19	THPE SIR. CENS TO 10 1-6 DISK 3 103107 SORT 3 41-47	3 Input cards are sent to data processing as input to detail report program.
1 RPUT CHEDS	Scated 114 chars. MIN FULL Etcokal 18	4 Mtd fuel file is input to sort
EMFF18 V		(5) Tape to disk sort of all input
CHED DETAIL	mep\$ 59	6 Sorted mtd file is input to report program.
B EMOF #3	-	7 Control card is input.
- CECULI SALLICE	= R \$5	8 Organization table tape is input.
sychars Fue n Trans blooded Equip to		The detail report program is run and it produces
		The detail listing of fuel transactions by equipment number.
	• •	
And the state of t		*** mtd = month to date ***

SECTION 3

PROGRAM DOCUMENTATION

SECTION 3.1.

FUEL EDIT

EMFP01

3.1.1

PROGRAM NARRATIVE

FUEL EDIT

PROGRAM NARRATIVE - FUEL EDIT

The purpose of this program is to edit all fuel input transactions.

The fuel data is recorded at the pumps as dispensed. These transactions are then key punched and placed on tape via a card to disk sort utility.

The sorted fuel transactions together with a series of card files are then entered into the edit program.

The fuel edit reads the data from the card files and after substantiating its correctness, uses this data to initialize internal tables.

Once this has been completed, it then reads individual fuel transaction records.

Each record in turn is verified for accuracy and matched against the equipment inventory master file for additional verification. Any errors detected are identified on the edit error listing.

If no critical errors are detected on a transaction, a record is written to a file of edited transactions.

SECTION 3.1.2

PROGRAM SPECIFICATIONS

FUEL EDIT

FUEL EDIT

PROGRAM SPECIFICATIONS

I. PURPOSE

The purpose of this program is to read the sorted fuel transactions, validate them against the Inventory Master File and several card files, and produce an error listing and the MTD fuel file containing valid transactions.

II. INPUTS

- 1. Fuel Transaction File (EMFFØ2)
- 2. Inventory Master File (EMFF04)
- 3. Period Ending Date Card (EMFFØ3)
- 4. Fuel Cost Cards (EMFF05)
- 5. Pump Number Cards (EMFF \$4)

III. OUTPUTS

- 1. Month-to-Date Fuel File (EMFFØ6)
- 2. Fuel Transaction Error Listing (EMFF01)
- IV. The Period Ending Date Card, Pump Number Cards and Fuel Cost Cards are read, edited, and processed as follows:
 - A. Date Card Edit-

```
Pos. 1 - 6 must be "EMFPØ1
```

Pos. 7 must be blank

Pos. 8 - 9 "01" - "12"

Pos. 10 "'/"

Pos. 11 - 12 "01" - "31"

Pos. 13 "/"

Pos. 14 -15 "75" - "80"

Pos. 16-18 must be blank

(Pos. 8 - 80 can also be "NONE" followed by all blanks)

B. Pump Number Card Edit -

Position 1 must be "A-E:

Position 2 must be blank

Position 3-5 must be numeric

Position 6-78 must be blank

Position 79-80 must be "PN"

Maximum of 100 pump number cards allowed. There cannot be any duplicate pump number (Pos. 3-5)

C. Fuel Cost Card Edit -

Position 1 must be "A" - "I"

Position 2 must be blank

Position 3 must be numeric

Position 4 must be numeric

Position 5-6 must be numeric

Position 8-78 no edit

Position 79 - 80 must be "FC"

There cannot be any duplicate fuel type codes (Position 1)

Maximum of 15 cost cards allowed. If any of the above conditions are not met, print appropriate error message on both printer and console according to type of card in error as illustrated on report layout, and abort job.

Build two tables in core with data from the pump number cards and fuel cost cards as follows:

1. Pump number table:

Position 1 - Fuel Type

Position 2-4 - Pump Number

Repeated up to 100 times, depending on number of cards

2. Fuel Cost Table:

Position 1 - Fuel Type

Position 2-4 - Fuel Cost (remove decimal)

After both tables are built, check to make sure every fuel type code in the Pump Number Table is represented in the Fuel Cost Table (Position 1 of both records). If not, print message as shown on printer layout chart on both printer and console and abort job.

Next, read the sorted fuel transactions and the Inventory Master File. Sequence check both of these files to ensure they are in correct sequence as shown on the systems flow chart. If not in correct sequence, print appropriate message shown on printer layout chart on both printer and console and abort job.

Edit each input transaction record as follows:

- Pump Number must be in pump number table. Error Message "Invalid Pump Number Transaction Rejected".
- 2. Ticket Number- must be all numeric. Error Message "Invalid Ticket Number Transaction Rejected".
- 3. Date-Month between \$\mathscr{g}\$1 and 12; Day between \$\mathscr{g}\$1 and 31; Year between 75 and 8\$\mathscr{g}\$. Error Message "Invalid Date Transaction Rejected".
- 4. Vehicle Meter Reading must all be numeric. Error Message "Invalid Vehicle Meter Reading Transaction Rejected".
- Fuel must be all numeric or all blank. If blank, set to zeros for later computation. Error Message - "Invalid Fuel - Transaction Rejected".
- 6. Oil Edit and process same as Fuel.
- 7. Transmission Fluid Edit and process same as Fuel.
- 8. Anti-Freeze Edit and process same as Fuel. Error Message "Invalid Anti-Freeze Transaction Rejected".
- 9. Hydraulic Fluid Edit and process same as fuel.
- 10. Mileage Over-Ride Code must be "M" or blank.
- II. There must be a non-blank numeric entry in at least one of the fuel, oil, transmission fluid, anti-freeze, or Hydraulic fluid fields.
 Error Message "No Commodity Dispensed Transaction Rejected".

- 12. Vehicle Number on Fuel Transaction must match with Vehicle Number on Inventory Master File Record, unless the Transaction Equipment Number is '999999' (non-vehicle), in which case . . . accept the transaction. If there is no message: "Invalid Vehicle Number Transaction Rejected".

 Note: There can be one or more fuel transactions with the same vehicle (equipment) number. See Systems Flow Chart for exact sequence of files. There are four possible types of records on the master file for a given equipment number. Use status code "blank" (active vehicle), "1" (vehicle removed from fleet), "2" (vehicle reassigned), and "3" (vehicle deactivated). Use status codes "blank", "1", and "3" are mutually exclusive (only one record per equipment number on master file). The only other allowable combination is Use Code blank followed by intermediate number of Use Code "2" records with the same equipment number.
- 13. If there is a match on equipment number, and Use Code is "1" reject transaction with message: "Vehicle Removed from Fleet Transaction Rejected".
- 14. If there is a match on equipment number and Use Code is "3", accept transaction with message: "Non-active Vehicle Transaction Accepted".
- 15. If there is a match on equipment numbers and Use Code is blank, accept transaction and do not print message.
- 16. Ignore all Master File records with Use Code of "2".
- 17. Compare the Vehicle Meter Reading on the transaction with Current Meter Reading on the Master File (M/F). If Transaction Meter Reading is lower, reject transaction with message: "Trans Mileage XXXXXX.X Master Mileage XXXXXXX.X-Trans Rejected". The first set of X's is mileage from transaction record, the second set is mileage from master record, exception to this is if Meter Failure Flag in M/F is on equal

to "l"), in which case accept the transaction, but print same message as above but change "rejected to "accepted".

- Each group of Fuel Transaction Records for a given equipment number are in ascending order by meter reading. The increase in meter reading between each record in the group cannot be greater than 999. If greater, reject the one transaction which does not meet this test with nessage: "Excessive Mileage Transaction Rejected"... and then continue making this test with the next set in the group. The only exception to this is if the mileage Over-Ride Code on the transaction record contains an "M"...in which case, accept the record but print message: "Excessive Mileage Transaction Accepted".
- 19. If the amount of fuel dispensed exceeds fuel tank capacity by more than 10% reject transaction with message: "Excessive Fuel Dispensed Transaction Rejected". If fuel dispensed is between 100 and 110% of capacity accept transaction with message: "Fuel Dispensed between 100 and 110% of Capacity Transaction Acceptable".
- Compare fuel type dispensed (from Pump Number Table) with fuel type on Master Record for the vehicle. If they do not match, accept transaction, but print message: "Fuel not correct type for this vehicle Transaction Acceptable". For every card image line printed on Error Report, print asterisks under the field(s) involved, corresponding card column(s) and error message(s). Edit every field of transaction and print as many error message lines (with asterisks and column numbers on same line as message) as necessary. Asterisks and column numbers of the starting and ending position of field in error are required for every edit listed above except numbers (l1), (l3), (l4), (l5), (l6), and (20). These require only a message. Accumulate during processing and print a end of report control totals as shown on the attached report layout.

If the Fuel Transaction survives all the previously mentioned edits, a MTD Fuel Record is to be created as follows:

- 1. Vehicle Number (Equipment Number) from Fuel Transaction.
- 2. APWA Code From M/F, if non-vehicular (Equipment Number on Fuel Transaction is 999999), set APWA Code to blanks.
- 3. Vehicle Meter Reading from Fuel Transaction.
- 4. Fuel (gals.) from Fuel Transaction.
- 5. Fuel Cost calculated by finding the Fuel Type distributed by the pump from the Pump Number Table, then finding the fuel cost per gallon for that type of fuel in the Fuel Cost Table and multipling that cost by the fuel gallons dispensed in the fuel transaction.

Use the following table to convert Fuel Type Code in the Pump Number Table to a ruel type:

Fuel Type Code	Fuel Type
A	Regular
В	Low-Lead
С	Hi-Test
D	Diesel
E	Kemsene

- 6. Fuel Type from Pump Number Conversion Table
- 7. Oil (Quarts) from Fuel Transaction
- 8. Oil Cost Fuel type code is "F". Find cost per quart from Fuel Cost Table. Multiply that cost by number of quarts dispensed on the fuel transaction to determine the oil cost.
- 9. Hydraulic Fluid (Quarts) from Fuel Transaction
- 10. Transmission Fluid (Quarts) from Fuel Transaction
- 11. Anti-Freeze (Quarts) from Fuel Transaction

- 12. Misc. Cost Determine cost of Hydraulic Fluid, cost of Transmission fluid and cost of Anti-Freeze. These values are calculated the same as oil cost, except for different fuel type codes shown in the above table. Miscellaneous cost is the sum of these three costs.
- 13. User Organization from M/F if non-vehicular transaction (Equip. No. = 999999) set to spaces
- 14. Fund Number from M/F
- 15. Pump Number from Fuel Transaction
- 16. Date from Fuel Transaction
- 17. Vehicle Meter Reading Last Month from M/F (Meter reading current month field on M/F). If non-vehicle, set to zeros.
- 18. Transaction Flag set to "g"

If any commodities are zeros (set to zeros from spaces during edits) - the cost of that commodity will be zero.

SECTION 3.1.3

DEFINITIONS

FUEL EDIT

PROGRAM DEFINITIONS

SELECTED SWITCHES, COUNTERS, AND DATA ELEMENTS USED BY EMFPØI

Switches, Counters, Data Elements	Use
L'NE-CTR	Use to count the number of lines printed
	on a page to determine when the bottom
	has been reached.
PAGE-CTR	The accumulater for the page number.
PUMP-TBL-SUB	Subscript used when attempting to find a
	record in the pump table.
FUEL-CST-SUB	Subscript used when attemtping to find a
	record in the fuel cost table.
TOTAL-CTRS	These are the accumulators which are
	printed on last page of report.
CARD-INPUT-AREA	The read-in area for the card reader.
MASTER-IN-AREA	This is the read-in area for the master
	file.
MTD-FUEL-RECORD-OUT	The area in which the output record is
	built.
FUEL-COST-TABLE	The area in which the various fuel cost
	factors are stored. There is room for 15
	items in this table.
PUMP-NO-TBL	Area in which the pump number data is
	stored. There is woom for 100 items in
	this table.
FUEL-DISPERSEMENT-IN	This is the area in which the input trans-
	actions are read.

Switches, Counters, Data Elements	Use
TEMP-SW	This is a 1-character field used to store the
	value of the TRM-ERR-SW when an error is
	printed in subroutine 535-PRINT-ERR if the
	transaction is acceptable so as to reset what-
	ever condition was applicable at the time of
	printing.
ERR-DETI	This area receives the card image which will
	print if an error is detected.
ERR-DET2	This area will contain the error message at
	time of print.
CUR-MAST-SEQ	This field is used to place the current equip-
	ment number for sequence checking.
PRV-MAST-SEQ	This area contains the equipment number of
	the previous master for sequence checking.
PUMP-CONV or PUMP-NO-9	This field is used to store the input number
	during table look-up.
TRN-ERR-SW	This switch is off when its value is 0, on
	when its value is l. Any time an error is
	detected in any edit routine, this switch is
	set on. It is used by the main line of pro-
	gram to determine whether an input record

EOJ-SW

is needed.

This switch is off when its value equals 0

and on when equal to 1. It is set on when an end file condition is determined in the input transaction record. This is tested

	,
Switches, Counters, Data Elements	Use
	in the main-line routine to determine when
	the job should be closed.
CARD-ERR-SW	This switch is off when its value equals 0 and
	on when it indicates to the program that the
	card image line has been printed. It is used
	by paragraph 535-PRINT-ERR to print the
	card image only on the first line of error.
FUEL-COST-WORK	This field is used by the program to place the
	fuel cost from the input card into one field so
	it can properly be placed in its table.
CURR-TRAN-SEQ	This field is used to store information from
	the current transaction record for sequence
	checking.
PREV-TRAN-SEQ	This field is used to store information from
	the previous transaction record for sequence
	checking.
PUMP-THPE-CONV	These two fields are used so that the pump
or PUMP-TYPE S9	type, defined as "X" in input, can be used
	for calculation by redefining it as "S9".
EOF-MAST	This switch is off when its value equals 0,
	on when equal to 1. It is set on when an end
	file condition is detected on the master file.
	This is tested in the routine to determine
	whether there is a no-match routine of the
	master file against the transaction file.
PAGE-END	This field contains the number of lines in a

page and is installation-oriented. It is checked against an accumulation of the

number of lines in field called LINE-CTR.

OK-SW

This switch is set to 0 (off) if the transaction in paragraph 540-TEST-NO-DISP is acceptable. It is set to 1 if this transaction is rejected and is used to adjust the condition of the program after printing this error line.

SECTION 3.1.4

PARAGRAPH EXPLANATIONS

FUEL EDIT

PARAGRAPH EXPLANATIONS

Program Concept Detail Information

The following is a conceptualized idea of how the edit program functions. It is not intended to be a detailed document, but rather a reference to be used with the program specifications, the actual program listing, and the input forms.

Paragraph Numbers	Functions
100 through 110	Open files, read the preload records, load
	tables, and head the first page.
200	The main line of the program.
300	Perform routines at end of job.
500	Reads the date card, edits it, and uses this
	information in initialization.
510	Edits and loads the pump and fuel cost tables.
535	Performs all the various edits on the input
	transaction record.
540	Reads the master record and performs all the
	edits utilizing this master record.
545	Builds and writes the output tape record.
900	Opens the files.
905	Reads the transaction records.
910	Reads input from the card reader.
915	Writes the page heading and provides the
	program with write lines of various type
	spacing.
920	Closes the various files and ends the run.
925	Reads the inventory master file.
930	Writes the output record.

SECTION 3.1.5

REPORT LAYOUTS

FUEL EDIT

rom copy.	
1	
Reproduced hest availab	
L	

- - -	PETED BUDDY: XXX, ET,	6666	EYZ	CS PRENT MAII	CATY OF HILLHARDER CATY OF HILLHARDER SYSTEM	CAMPTEN	SYSTEM	SYSTEM	: •		Pase no: 2227
n' 10 m m		· .	***	FUEL TRA	** FUEL TRANSACTION ERROR LISTING ***	ROR LESTE	*** 57	,	: '	REPURT N	JATEN: ENFIRE
~ **	** CONMIDETY RATES -*		: .	· : : :		:					
·	REGULHR 1.0-LEAD	FUEL (#1GALLON)	DIESEL	KEROSENE	* *	OIL ANT	* MISCELLANE ANTE FREEZE	* MISCELLANEOUS(\$/QUART) > NITE FREEZE HYDRAULC FLUED	-) - FLUSD	TRAES FLUES	9
2" "5	29.99	19.99	\$9.99	77.99	\$9.99	66	\$6,99	\$9.48	<u>~</u>	49.99	
; ;	** FUEL TRANSACTION ER ORS **	** 50	. –								•
· · ·	SARD TARRES	Duste 3	z-,	CORB COL:	ERRIR MESSAGE	 30	:	::			: :
· · ·	123456181012,845678101817.	54181512345678	12345678701234567877								
一米 3 4	* Cond ding. A.	Lange A. Colisions	***	XX			ړ ک 	Evar mesans			
i i i	•				:				:		
1 m	THURLED PENTOD ENDING DATE	9	- JAB ABORTED .			• • • • • • • • • • • • • • • • • • • •	. :	: :			
* *:	A THURSTED FUEL COST CARDS - COST	56		2							
* · · · · · · · · · · · · · · · · · · ·	TENDENTORY WASTER DOT I	11.	١,	JOB ABORTED #	:		:	: :	: .		
# # # ** **	HINE THAN 112 LEMP NIT	76% CARBS # CARBS #						:		:	
	PUNT HUMPEN FUEL TYPE)	DOFS WIT MATCH	T MATCH FUEL TYPE THBL	•	JOE ABORTED 'T						
PK :	RFF: PT T- TALS:			 			· .	: :			
¥- ::	YOTAL FIEL TRAISACT, TAY ITA	beceer he			:		: .	· : :			
7	THE PUMP HILLPER CERTS IN	\$25333 K		.:	: :	:	: .		: :		
	TOTAL FUEL COST CHADS IN	233357		. :			: :			:	
ا ا ن او اسر	TOTAL MASTER FILE RECORDS IN	PE 22 32 29	: .		:::			:-:	:	· .	
, v	TOTAL CORRECT THAN SACTIONS OU	25 out 232229			: :	. :	:	: :			
F :0 .	TOTAL TRANSACTION ERROR CARD	ARD: 222229		: . :.:	:	· .	:				
سترة	TOTAL THANSACTION EARCAS	545349		: .	: :	• :		. :	:		
• • •				:		:					
5. 5								 · .	-		
		· :		: :	:		· ·	: .	:		
3.5		:_		•							
· «							. :	:			

3. 2

FUEL PUMP RECONCILIATIONS

EMFPØ2

SECTION 3.2.1

PROGRAM NARRATIVE

PUMP RECONCILIATION

PUMP NARRATIVE - PUMP RECONCILIATION

The purpose of this program is to verify that the weekly pump readings balance against fuel ticket transactions.

To accomplish this, the program reads a series of inputs from the card reader and tape. One of the items read from the card reader is a file of pump numbers with starting and ending readings. The file read from tape are the fuel transactions for a week which have been edited in the Fuel-Edit program (EMFPØI) and sorted into pump number sequence.

The output of the program produces a report and a tape. The printer report shows the results of the comparison by pump number and various totals. The tape produced is an image of the input record with changes made to the transaction code.

SECTION 3.2.2

PROGRAM SPECIFICATIONS

PUMP RECONCILIATION

PUMP RECONCILIATION

PROGRAM SPECIFICATIONS

I. Purpose

The purpose of this program is to edit the pump reading cards and if there are no errors, produce the pump reconciliation report, which compares fuel pump readings with fuel tickets, by both pump number and fuel type.

II. Inputs

- 1. Month-to-Date Fuel File
- 2. Pump Reading Cards
- 3. Period Ending Date Card
- 4. Pump Number Cards
- 5. Fuel Cost Cards

III. Outputs

- 1. Month-to-Date Fuel File
- 2. Pump Reconciliation Report

IV. Processing

The Period Ending Date Card, Pump Number Cards, and Fuel Cost Cards are read, edited and processed as follows:

A. Date Card Edit -

Position 1-6 must be "EMFPØ2"

Position 7 must be blank

Position 8-9 must be "\$1-12"

Position 10 must be "/"

Position 11-12 must be "Ø1-31"

Position 13 must be "/"

Position 14-15 must be "75-86"

Position 16-80 must be blank

Position 8-80 can also be "NONE" followed by all blanks.

B. Pump Number Card Edit -

Position I must be "A-E"

Position 2 must be blank

Position ?-5 must be numeric

Position 6-78 must be blank

Position 79-80 must be "PN"

Maximum of 100 pump number cards allowed.

There cannot be any duplicate pump numbers (position 3-5).

C. Fuel Cost Card Edit -

Position 1 must be "A-I"

Position 2 must be blank

Position 3 must be numeric

Position 4 must be numeric

Position 5-6 must be numeric

Position 7 must be blank

Position 8-78 do not edit

Position 79-80 must be "FC"

There cannot be any duplicate fuel type codes (position l).

Maximum of 15 cost cards allowed.

If any of the above conditions are not met, print appropriate error message on both printer and console according to type card in error as illustrated on report layout, and abort job.

Build two tables in core with data from the pump number cards and fuel cost card as follows:

1. Pump number table:

Position 1 - Fuel Type

Position 2-4 - Pump Number

Repeated up to 100 times, depending on number of cards.

2. Fuel Cost Table:

Position 1 - Fuel Type

Position 2-6 - Fuel Cost (remove decimal)

Repeated up to 15 times depending on number of cards.

After both tables are built, check to make sure every fuel type code in the Pump Number Table is represented in the Fuel Cost Table (Position 1 of both records). If not, print message as shown on printer layout chart on both printer and console, and abort job.

Read the Pump Reading Cards. They will not be in any particular sequence. Edit cach card as it is read as follows:

- 1. Pump Number must be in pump number table.
- 2. Filler field 2) must be blank.
- Pump Reading on must be numeric and must have decimal in correct position.
- 4. Filler (field 4) must be blank.
- 5. Date on MM must be between Ø1-12.

Date on - DD must be between \$1-31.

Date on - YY must be between 75-80.

- 6. Filler (field 6) must be blank.
- 7. Pump Reading Off must be numeric and must have decimal in correct position. Must be greater than Pump Reading On unless there is an "X" in Pump Reading Bypass Flag field.
- 8. Filler (field 8) must be blank.
- 9. Date Off Same edit date on. Also, must be greater than date on.

- 10. Filler (field 10) must be blank.
- 11. Pump Reading Bypass Flag must be blank or "x".
- 12. Filler (field 12) must be blank.
- 13. No duplicate pump numbers 'only one card per pump number)

If there are any errors, print card image, asterisks under column(s) in error, column number (s), and appropriate error message. Edit every card and every field on each card. If there are one or more errors in the above edit, print program totals and normally end job.

As cards are read, build internal table in following format:

Pump Number

x(3)

Pump Reading on

9(6)V9

Date on

YYMMDD

Read the MTD Fuel File. Check file sequence and if sequence is incorrect, print appropriate message shown on printer layout chart on both printer and console, and abort job.

MTD Fuel File is in pump number sequence. There will be an indeterminate number of fuel records per pump number. There will be a transaction flag, "1", "2" and "3" on the file. Process only "\$\phi\$" and "2" records, since these have not been previously reconciled. From each MTD Fuel record, accumulate Fuel gallons by pump number and Fuel Type and grand totals for pump number section of the report. On MTD Fuel file pump number breaks, print a line of the report after matching fuel file pump number against pump reading pump number stored internally. On the report, get pump number, pump reading on, pump reading off, pump reading period from matching pump reading card data. Gallons dispensed = (Pump Reading Off-Pump Reading On). Gallons reported on Fuel Tickets and Fuel Type come from MTD Fuel File. Gallons Difference = (Gallons Reported on Fuel Tickets - Gallons Dispensed). Accumulate grand total for gallons dispensed.

If there is no match on pump number, print what data there is available according to the following rules:

- A. Fuel File data but no Pump Reading data Print Pump Number Fuel from fuel tickets, difference, and fuel type and "(NONE REPORTED)" under Pamp Reading on/Pump Reading off fields.
- B. Pump Reading Data but no Fuel File data print all fields except Fuel from fuel tickets. Print "(NONE REPORTED)" under this field.
- C. Neither Fuel File or Pump Reading Data Obtain and print pump number and fuel type from Pump Number Table and "(NONE REPORTED)" in both fields as in A and B above.

Note: Report must be in pump number sequence and there must be an entry for all pumps in the pump number table. For every MTD Fuel File record processed (Trans. flag of \emptyset or 2), which matches an entry in the pump reading table, change the trans. flag on that MTD fuel type as shown on report layout.

Use the following terminology for fuel type on both sections of the report. (Section by pump number and section by fuel type):

GAS - REGULAR

GAS - LOW LEAD

GAS - HIGH TEST

DIESEL

KEROSENE

Report by fuel type calculation formulas are as follows:

- a. Percent Difference = Quantity Difference x 100

 Quantity Dispensed
- b. Cost of Difference = Quantity Difference x Cost per Unit (from fuel cost cards)

On report by fuel type, print fuel type in the order shown on page 3.2.2-6. Print program totals, which should be self explanatory, except that: MTD Fuel Records Reconciled = Trans. code "9" changed to "1" and trans. code "2" changed to "3". MTD Fuel Records Prev. Reconciled - trans. code "1" not changed and trans. code "3" not changed.

MTD Fuel Records Unreconciled - trans. code " \emptyset " not changed and trans. code "2" not changed.

SECTION 3.2.3

DEFINITIONS

PUMP RECONCILIATION

PROGRAM DEFINITIONS

SELECTED SWITCHES, COUNTERS AND DATA ELEMENTS USED BY EMFPØ2

Switches, Counters, Data Elements	Use
ERROR-READ	Switch which is set on indicates an error
	is detected in reading a pump-read card.
	It is used to determine if a forced end of
	program is required after reading the last
	pump-read card.
PUMP-DZ-TABLE	A subscript used in the subroutine to check
	if the pump number in the fuel transaction
	file is in the pump table.
LINE-CTR-MAX	The value against which the field LINE-CTR
	is checked to determine if at the bottom of
	a page.
READ-ERR-SW	Set if an error is detected in reading an
	individual pump-read card to eliminate
	printing the card image on each error line
	printed for this card.
LINE-CTR	Accumulator which contains the count of the
	lines printed on this page. See LINE-CTR-
	MAX.
PAGE-CTR	Accumulator for printing the page number on
	the first heading line.
PUMP-SUB	Subscript used in loading the pump table.
TOTAL-INF	Field used to calculate and print the dis-
	pensed amount.
HOLD-MTD	Contains a "l" or "0" and set in routine which
	determines if the input fuel transaction pump number is in the pump table.

Switches, Counters, Data Elements	Use
TOTAL-INFL	Accumulator to print the total dispensed
	in the total line of the detail report.
CARD-INPUT-AREA	Area to which the input cards are read.
COST-TABLE	Table of 15 items to core data from the
	cost cards.
PUMP-NUMBER-TABLE	Table of 101 items to store data from the
	pump-number cards.
PUMP-READING-TABLE	Table of 100 items to store data from the
	pump-read cards.
FUET-TABE-LOT-LYRFE	Table of 9 items into which are accumulated
	the various fields for the second last page
	of the report.
R-OF- Λ	Field used to eliminate the period from the
	read fields input cards where the data is
	punched with a decimal point.
PREV-PUMP-NO	Stores the pump number of the fuel trans-
	action record for sequence checking.
FUEL-TYPE-S9	Subscript used to load the cost table and
	check fuel types.
MATCH-SUB	Subscript used in conjunction with the pump
	number table.
C9V99	Field used to eliminate the period from the
	cost fields of the input cards where the data
	is punched with a decimal point.
MTD-FUEL-RECORD-IN	Work area for the input fuel transaction
	record.

Area to store the system date.

DATE-WORK2

Switches, Counters, Data Elements	U'se
COUNTERS-ALEA	Various accumulators for the last page
	of the report.
EOF-MTD-SW	Set on when the end of file condition is
	found on the input fuel transaction file.
YMD-1-WORK2	Area to reconstitute the date into
,	YY/MM/DD.
READ-SUB	Subscript to find a section in the pump-
	read table.

SECTION 3.2.4

PARAGRAPH EXPLANATIONS

PUMP RECONCILIATION

PARAGRAPH EXPLANATIONS

Program Concept

The following is a conceptualized idea of how the pump reconciliation program works. It is not intended to be a detailed document, but rather a reference to be used with the program specifications, the actual program listing, and the input forms.

Paragraph Numbers	Function
100	Clears the tables
105	Reads and processes the period ending card
	and writes the first heading line. It then
	reads and edits the pump number cards and
	places them in the Pump Number Table. The
	cost cards are then read, edited and placed in
	the cost table. Finally, the pump-read cards
	are read, edited and placed in their tables.
110	Verifies that the fud types in the pump-read
	cards have a corresponding fuel type in the
	cost table.
200	Performed only once after reading the last
	pump-read card. If an error is detected in
	the pump-read cards it goes to end of pro-
	gram after printing the last page or else it
	finishes the page heading on the first page
	and reads the first fuel tran action record.
205	This is the start of the main-line routine.
	The program determines what to do at end
	of job or end of pump table or both.

Paragraph Numbers	runction
210 and 220	The program tries to
	in the fuel table and se
	flag accordingly and w
	record. It accumulate
	reads another record.
	break it goes back to p
	is a control break, it

900-Open-Files

900-Find-Read Pump through 900-Find Exit

Daragraph Numbers

900-EOJ Through 900-Close-Files

920

925

The program tries to find the pump number in the fuel table and sets up the transaction flag accordingly and writes an output fuel record. It accumulates the gallons and reads another record. If there is no control break it goes back to paragraph 205. If there is a control break, it sets up the print lines and returns to paragraph 205.

Opens the various input and output files.

This is used to check if the pump number in the input fuel transaction record is in the pump file. It sets the HOLD-MTD field with "I" if found or "0" if missing.

The end of program processing.


Reads and sequence checks the fuel transaction file.

Writes the output fuel transaction record.

SECTION 3.2.5

REPORT LAYOUTS

PUMP RECONCILIATION



Reproduced from best available copy.

3.2.5-1

EMFRAZ- PUMP RECONCILIATION

SA FE	u	477777	יין ייני ביד בידי הריד דוריך בודר בידיקר! אורי ביד בידי הריד דוריך בודיך בידיקר!	!]
22 7.55 255 6. EVENT	SIFFYERE	1:1:1:		01224567890133456749013
2		J. V.	3	3.45.6
		4		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
7. 4.6.1.8.2 XEPORT	CKETS	f		
	₹ H · 5			100
10 10 143 6.7 6.9	F. 15.			0.780
0.5	\$ 5			
	17.7. S			23456 2800123456789
\$ 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			\$ \$ \$
27.57	TO A S	<u> </u>	
ω 🗘				2 3 4 5 6 7 8 9
	37 .			8,601
2-8-8-				345678
	RCENT FENERAL			123
6	F. F.			08/9
	2 CE			01121345
- A - 1 - 1	SUMME		>	67.8990
	K. H.			
	70 S			000
#:CE/A	1 1 1 E		> = = = = = = = = = = = = = = = = = = =	3.4.5.6.7.8.9
6				0012
	7.0			040
	DECKENT OF THE PROPERTY OF THE		3	76.
37.5	J		2 1.C.C.	L i_i i.t.o
22.23.25	REPORTSING UNET		2 2 2 C	22.5
5.7.7.	REPORTS UNET	\$		2000
7 E & COD B DE DE CONTROL XXX E-1 XXX XXX XXX XXX XXX XXX XXX XXX XXX XXX			TO READER THE STATE TO THE STATE THAT STATE	So AXX END OF REPORT FINENDS AND
E C C	7 8	11. CAS-LOW L'AB. 11. GAS-HICH, TEST. 11. TESEL	REPOSENSE TANSENS TITLES TANSENS TITLES TOTAL COST CANS TOTAL COST CANS TOTAL REACHER TOTA	A STATE OF THE STA
A TEALOR E	OMNODING TANE	6 GAS- HECA!	TOTAL CONTROL OF THE POPULAR P	STORE STORE
A PERSON	2 3	3 3 2	KOSKA WAREN KANDA	A STATE OF THE STA
				AXX ENDOF NE
			Contraction of the contraction o	\$ 1
			7 200	ne se
O	• • • •	• • • • • •		3723
	-:::::::			The state of the s
,			2.0.5.0	

SECTION 3.3 MONTHLY FUEL CONSOLIDATION EMFP03

SECTION 3.3.1

PROGRAM NARRATIVE

MONTHLY CONSOLIDATION

PROGRAM NARRATIVE - MONTHLY CONSOLIDATION

The purpose of this program is to take the information from detail fuel transactions for a month, accumulate them, and add them to output tapes, namely:

- Fuel history tape containing fuel consumption by vehicle for the last 24 months.
- 2. Monthly consolidated fuel tape containing fuel data for one vehicle (on one record) for the month, which is to be used as input for monthly update program (EMGPØ6).

When the program reads the date card, it checks column 16 for a blank or a "l". If it is a "l", it indicates to the program that there is no history input tape. This facility is utilized for the first pass-through of this program.

SECTION 3.3.2

PROGRAM SPECIFICATIONS

MONTHLY CONSOLIDATION

Program No: EMIFPØ3

MONTHLY CONSOLIDATION

1. PURPOSE

The purpose of this program is to match MTD Fuel File records with Fuel History File Records to update the Fuel History File. Fuel History records may also be added or deleted. The Fuel History File contains historical fuel data for a 2-year period. The Monthly Consolidated Fuel File is also created.

II. INPUTS

- 1. Month-to-date Fuel File
- 2. Fuel History File
- 3. Period Ending Date Card

III OUTPUTS

- 1. Updated Fuel History File
- 2. Monthly Consolidated Fuel File
- 3. Program Control Totals

IV PROCESSING

The period ending date card is read, edited, and processed as follows:

Date Card Edit

Position 1-6 must be "EMFPØ3"

Position 7 must be blank

Position 8-9 must be "Ø1-12"

Position 10 must be "/"

Position II-12 must be "\$1-31"

Position 13 must be "/"

Position 14 must be "75-80"

Position 16-80 must be blank

NOTE: The first time the program is run, there will be no History File input, only the MTD Fuel File. Therefore, allow for a "l" in Col. 17 of the date card to indicate to the program not to open, read or close the input History File.

After a History File has been created, this coding may be removed from the program (if desired). When this option is used, code the program so that every set of MTD Fuel records for a given Fund number will produce a History File output record. Option - position 8-80 can also be "NONE" followed by all blanks. Date Card must be present. If Date Card edit fails, print message on both printer and console (see format on printer layout chart) and abort job.

Read the MTD Fuel File and Fuel History File, sequence check both files according to file sequence shown on Systems flowchart. If either file is out of sequence, print message on both printer and console (see format on printer layout chart) and about job. Process only "Ø" and "l" trans flag records on MTD fuel file, as "2" and "3" records were consolidated in previous month's runs.

Match records from these two files by Equipment Number, Organization, and Fund Number. For a given equipment number there can be multiple records with different organizations and different fund numbers. The MTD Fuel File will have one or more records for a given fund number, in ascending order by vehicle meter reading. The history file will have only one record for a unique combination of equipment number, organization, and fund number. This combination will hereafter be referred to as the "key".

As MTD Fuel records are being read, accumulate fuel gallons, fuel cost, oil quarts, oil cost and miscellaneous cost by fund number.

There are three possible outcomes and procedures to follow as the MTD Fuel File and Fuel History File read and matched on the key. These are:

- A. The two files match on the key update history record and create Consolidated Fuel Record.
- B.. MTD Fuel record(s) but no matching History record create new history record. Sets 2-24 on History record should be set to all blanks. All data on set 1 plus equipment number, APWA code, Organization and Fund come from MTD Fuel File. Create Consolidated Fuel Record.

C. History record but no MTD Fuel record(s) - write History record to updated History file unless all 24 data sets contain zeros. This means there has been no activity on this vehicle/organization/fund for 2 years and the record must be deleted. Do not create Consolidated Fuel Record.

For Fuel History records processed as in A and C above, move each set of accumulators one set to the right. This will cause the oldest set to "fall-off" the record after 24 months. For Fuel History Records processed as in C above, move zeros to set 1 of the Fuel History output record. For Fuel History Records processed as in A and B above, compute the following for set 1 (leftmost set) of the fuel history output record:

- Month/Year Move Month/Year from date card.
 If "NONE" option, use system date month and year.
- 2. Monthly Files Find MTD Fuel Record with highest vehicle meter reading. From this, subtract vehicle meter reading last month, found on the same record. Move result to Monthly Files field of History file.
- 3. Fuel (gallons) Total fuel gallons of group of all MTD fuel records which matched on key.
- 4. Fuel Cost Total Fuel cost of group of all MTD fuel records which matched on 'ey.
- 5. Fuel Type Move from highest mileage MTD fuel file record.
- 6. Quarts Oil Total oil quarts from same group of records as 3 above.
- 7. Oil Cost Total oil cost from same group of records as 3 above.
- 8. Miscellaneous Cost Total miscellaneous cost from same group of records as 3 above.

Create one monthly consolidated fuel file record for each key group of MTD Fuel records, as in A and B above, as follows:

- 1. Equipment Number from highest mileage MTD Fuel Record.
- 2. Organization from highest mileage MTD Fuel Record.
- 3. Miles drive in month same value as computed for history record above.
- 4. Month end mileage reading from vehicle meter reading field from highest mileage MTD Fuel Record.
- 5. Fuel (gallons) same value as computed for history record above.
- 6. Fuel Cost same value as computed for history record above.
- 7. Quarts Oil same value as computed forhistory record above.
- 8. Oil Cost same value as computed for history record above.
- 9. Miscellaneous cost same value as computed for history record above.

SECTION 3.3.3

DEFINITIONS

MONTHLY CONSCIDATION

PROGRAM DEFINITIONS

SELECTED SWITCHES, COUNTERS AND DATA ELEMENTS USED BY EMFP #3

CARD-IN	The various fields of the date input card
TOTAL-COUNTERS	Var'ous fields accumulate the counts for the
	printout
MTD-FUEL-RECORD-IN	Contains the various fields into which the fuel
	transaction records are read
FUEL-HISTORY-RECORD-IN	Contains the various fields into which the history
	records are read
SUMMARY-FIELDS	Contains various accumulators to summarize
	the necessary data for an equipment number of
	the detail read on the fuel transaction file.
FUEL-HISTORY-RECORD-OUT	Same as FUEL-HISTORY-RECORD-IN except
	the monthly data have been moved one month to
	the right and current month's data has been
	added to it.
HIST-SEQ	Fields required to sequence check the history
	file
HOLD-HIST-SEQ	The sequence fields of the previous history
	record
CURR-MTD-FUEL-IN-SEQ	Various fields to sequence check the fuel trans-
	action file and determine whether a control
	break exists
PERV-MTD-FUEL-IN-SEQ	Contains the various fields of the previous trans-
	action record at control break

EOF-HIST-SW

This switch indicates whether an end of file has been detected on the history file. The switch is 0 when off and 1 when on.

EOF-MTD-FUEL-IN-SW

This switch indicates whether an end of file has been detected on the fuel transaction record. The switch is \emptyset when off and 1 when on.

HIST-0-SUB and HIST-1-SUB

These subscripts are used to move the monthly history information one field to the right.

MTD-FUEL-IN-PREV-STORE

These fields store the necessary data from the previous fuel transaction record so the proper information can be placed in a new history or consolidated output record upon detection of a control break.

HIST-BUILD-AREA

These fields are used to store the history information which is later transferred to the proper field to write the history output record.

CONSOLIDATED-MO-FUEL-REC-OUT The area in which the output consolidated fuel record is written.

SECTION 3. 3. 4

PARAGRAPH EXPLANATIONS

MONTHLY CONSOLIDATIONS

PARAGRAPH EXPLANATIONS

Program Concept

The following is a conceptualized idea of how the monthly consolidation program works. It is not intended to be a detailed document, but rather a reference to be used with the program specifications, the actual program listing, and the input forms.

Paragraph Numbers	Functions
100	Open various files.
101	Read and process the date card to determine
	whether this covers a date, no date and whether
	there is a history input file.
102	The initial read of both files.
210	Sequence checks the transaction fuel record,
	determine whether there has been an equipment
	break, and if not, adds this fuel record to the
	various accumulators.
225	Determines the type of processing when a fuel
5 1	break has been detected.
250	Writes a history record only from the input
	history record. This is done if there are no
	matching fuel transactions for a history input
	record.
300	Writes an updated history record and a consol-
	idated history record. This is done if there
	are matching fuel transaction records for a
	history input record.

350	Write a new history record and a consolidated
	record. This is done if there are new trans-
	action records with no history record.
400	Fill the various fields required for a history
	record in a hold area.
420	Fill various fields required for a consolidated
	record and write it.
901	Read and process a history record.
905	Read and process a fuel transaction record.
910	Actually write a history record.
920	Actually write a consolidated record.
940	Print the report on the line printer.
950	Print page heading.
960	Abort routine.
990	Close files and stop run.

SECTION 3.3,5

REPORT LAYOUTS

MONTHLY CONSOLIDATIONS



187 881						1111111	Hitii	17
12 35 (2) 35 (2) 35 (2) 35 (2)								23450749
11 233482789 PKESTAN ASS								43.07.8.00.123.43.6.7.8.00.123.43.6.7.8.00.123.43.6.7.8.00.123.43.6.7.8.00.1
133456769								23456/890
9								12345567190
8 1234567890 VSIEM								12345,67890
CONTROL T								234567890
CLEDATEON C								234567890
5 7 7 8 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			11.0 ± 0.71					2345678
2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			808770 * TOB APONT					23456789012345
123.427.00	955255 555255	22229	Ch Top A					2345678901
1 8		47ED.	, mm. 7					345678901
257': 5.77 E9,	RECORDS IN	RECORDS OF	Grob Good AT FILE 1101 NY FILE 110					EPORT FRE
A Transport of the Tran	FUEL HISTORY RECORDS INDED TO FUEL HISTORY RECORDS ANDED TO FUEL HISTORY RECORDS DELETT	FUEL HESTORY RECORDS UNDATE POEL HESTORY RECORDS OUT	19 THINKED PERTOD FORDER: DAR. 10 * HITS FOEL FILE KIOT IN CONS. 11 * FUEL HISTORY FILE NOT IN					19 ATT END OF REPORT EPIRED 55
22 - 1 S. P. P. P. S.	FUE TO FUE	FUEL HESTORY RECORDS UTSATE TO BEL HESTORY RECORDS OUT TO COURSE THE FUEL NOT SAN OF		25 25 27 28 29	5 6 6 7 6 8	70 00 00 00 00 00 00 00 00 00 00 00 00 0	0 4 0 0 0	150 A A
D 3 2 2								
5			经	5-1				

3. 3. 5−l

SECTION 3.4

RECORD DELETE

EMFPØ4

SECTION 3.4.1

PROGRAM NARRATIVE

RECORD DELETE

PROGRAM NARRATIVE - RECORD DELETE

The purpose of this program is remove those fuel transactions from the MTD fuel file which have been reconciled with the pump reconcilation program. The output tape of this run therefore contains only unreconciled records which will be treated as new items next month by entering them into the sort prior to program EMFPØ2, Pump Reconciliation.

SECTION 3.4.2

PROGRAM SPECIFICATIONS

RECORD DELETE

Program No: EMFP04

MONTHLY DELETE

PROGRAM SPECIFICATIONS

1. PURPOSE

The purpose of this program is to delete all records from the MTD fuel which have been previously reconciled against pump readings.

II. INPUTS

- 1. MTD Fuel File
- 2. Period Ending Date Card

III. OUTPUTS

- I. MTD Fuel File
- 2. Control Totals

IV. PROCESSING

The period ending date card is read and edited using the identical procedure as in program no. EMFPØS (Monthly Consolidation). This date card should always be identical in format and content as the date card used for the monthly consolidation, (except for a different program identifier), since EMFPØ3 and EMFPØ4 should be executed in the same job stream. Read the MTD Fuel File. Delete all records with a "I" or "3" in transaction flag field these records have been reconciled by the Pump Reconciliation Program). Write records with a "2" in transaction flag field to the MTD Fuel Output File but do not change the transaction flag. Write records with Ø transaction flag to MTD output file but change transaction flag to "2". Accumulate control totals and print per attached report format at end of job.

SECTION 3.4.3

DEFINITIONS

RECORD DELETE

PROGRAM DEFINITIONS

Use

SELECTED SWITCHES, COUNTERS AND DATA ELEMENTS USED BY EMFPØ4

Switches, Counters, Data Elements

MTD-FUEL-RECORD-IN	The area into which an MTD Fuel Trans-
	action record is read.
DATE-CARD	The area into which the period-ending date
	card is read.
COUNT-IN*	The various accumulators which print on
	the output printer.
COUNT-DELETED	Number of records deleted
LINE-COUNT	Accumulator to count the number of lines
	on the printed page.
LINE-MAX	A constant containing the number of lines
	(installation oriented) on a page.
LINE-VALUE	A calculated amount to print the signoff on
	the bottom of the page of the printout. It
	equals the LINE-MAX less LINE-COUNT.
SYSTEM-DATE	The area used to store the date obtained
	from the operating system.
MONTH-CONVERSION-TABLE	A table used to convert the numeric date
	to 3 position alpha for the page heading

lines.

SECTION 3.4.4

PARAGRAPH EXPLANATIONS

RECORD DELETE

EMFPØ4

Processing

PARAGRAPH EXPLANATIONS

Program Concept

Paragraph Numbers

The following is a conceptualized idea of how the delete program works. It is not intended to be a detailed document, but rather a reference to be used with the program specifications, the actual program listing, and the input forms.

100	Gets the system date and opens the files.
200 to 250	Gets the period-ending control card, edits
	it and initialized the necessary areas re-
	quiring this date.
300 to 310	Main line processing routines which get the
	tape file and write it out if it is not marked
•	for delete.
810	Reads the period-ending control card.
820	Reads the MTD Fuel Transaction Record.
840	Writes the MTD Fuel Transaction Record.
850	Writes the bad date indication on the printer.
900	Does the end of file processing by printing
	the report.
910	Opens the files.
950	Closes he files and stops the run.

SECTION 3.4.5

REPORT LAYOUTS

RECORD DELETE

FOR DATE: NXX R.J. 1177

FOR DATE: NXX R.J. 11 III 11111 11111 ---------------....Ŧ.... Aborteba Tot. RECORDS DELETED SOLOSY. Ŝ RECORDS OUT 322329 -----DATE ----THURLED PERIOD ENDING 1 172 FUEL -* V Les process OL UE

SECTION 3.5
REPORT GENERATOR
EMFPØ5

SECTION 3.5.1

PROGRAM NARRATIVE

REPORT GENERATOR

EMFPØ5

PROGRAM NARRATIVE - REPORT GENERATOR

This program is a basic report generator for the fuel module and will produce two different reports upon request. To obtain the wanted report, the program requires an input card which specifies the output type.

The program will produce individual reports from fuel records by vehicle or pump number for:

- 1. All Vehicles or pumps on the input fuel tape, or selected vehicles or pumps.
- 2. Records up to and including those of the date specified on the input card.
- 3. Records between a starting and ending date as specified on input card.
- 4. Combinations of the above.

If the program is to provide a selected vehicle or pump report, it also requires a set of input cards specifying the selected vehicles or pumps required.

The input fuel records must be presorted:

- 1. Meter reading within date within vehicle number.
- 2. Ticket number within date within pump number.

The program does a fairly extensive edit of the input control card and vehicle or pump select cards to assure that the proper report is selected by the program.

SECTION 3.5.2

PROGRAM SPECIFICATIONS

REPORT GENERATOR

Program No: EMFPØ5

DETAIL FUEL TRANSACTIONS

PROGRAM SPECIFICATIONS

1. PURPOSE

The purpose of this prog am is to produce two reports from the MTD fuel file giving detail information about fuel disbursement. Reports are in vehicle number and pump number sequence and program must be executed twice to get both reports (once for each report). Options to select particular pumps, vehicles, and dates, are provided by means of control cards.

II. INPUTS

- 1. MTD Fuel File
- 2. Organization/APWA Code Table
- 3. Vehicle Number or Pump Number select cards
- 4. Date Control Card

III. OUTPUTS

1. Fuel Transactions by Equipment Number Report or Fuel Transactions by Pump Number Report.

IV. SPECIAL NOTE

Note from the system flowchart that this program must be executed once to produce one report. The only difference in the two runs, which should be set up as two separate jobs, is a different sort and different select cards (either by pump number or vehicle number).

V. PROCESSING

The Control Card, Select Cards, and Organization/APWA table are read in that order, edited and processed as follows:

A. Control Card Edit -

Field Number 1 must be "EMFPØ5" Field Number 2 must be "blank" Field Number 3 must be "V" or "P"

Field Number 4 must be "blank"

Field Number 5 can have 3 possibilities as follows:

a. MM/DD/YY followed by blanks

MM must be "ØI-I2"

/ must be "/"

DD must be "Ø1-31"

/ must be "'/"

YY must be "75-80"

The entire remainder of the card must be blank.

- b. MM/DD/YY-MM/DD/YY edit each date the same as "a." above. Edit for the "-". The entire remainder of the card must be either all blank or all blank except a "S" in field 7.
- c. "NONE' followed by all blanks.

Field 6 must be blank.

Field 7 must be blank o: "S". If Date options "a." or "c." above are in effect, field 7 must be blank. If option "b." above, it may be either "S" or blank.

Field 8 must be blank.

If control card does not pass edit, print message as shown on printer layout chart and abort job.

- B. Vehicle Select Card Edit none
- C. Pump Select Card edit none

Store control card. If control card has option A, use date for "period ending" on report. If option B, use for "reporting period" on report. If option C, use neither on report.

If vehicle/pump select field on control card is "V", select cards are for vehicles; if "P" for pumps. Store vehicle or pump numbers internally in atable.

Use the following table to determine fuel type:

Fuel type code in MTD fuel file	Fuel type
Α	REGULAR
В	LOW LEAD
С	HIGH TEST
D	DIESEL
E	KEROSENE

If there is no select card equipment or pump number match on a MTD Fuel File vehicle number or pump number, print the following one double spaced line on the report: either **EQUIPMENT NUMBER NOT FOUND** or **PUMP NUMBER NOT FOUND *.

Accumulate vehicle totals or pump totals as required. At end of job print program totals.

The following applies to the Equipment Number Report only:

Meter Reading comes from MTD fuel file.

Miles/hours traveled equals Vehicle Meter Reading of current record names Vehicle Meter Reading of previous record, except for the first record for a given vehicle, in which case Miles/Hours Traveled equals Vehicle Meter Reading minus Vehicle Meter Reading - last month. Determine if the vehicle has a mile or hour meter by a "M" (for mile) or ("H) (for hour) in the meter unit field. If it is an "X" in this field all meter, miles/hours, and miles/hours per gallon fields should be blank on the report. On break in equipment number, calculate miles per gallon (hours per gallon) by dividing total gallons fuel into total miles/hours traveled.

When computing MPG/HPG and Miles/Hours traveled on this report, note the following points:

a. If Vehicle Meter Reading - Last Month is blank or zero, do not calculate the first miles/hourstraveled line. Put spaces in this space on report.

- b. If difference between current record and previous record meter reading - last month exceeds 190 miles or 10 hours (or is zero or negative) do not calculate the miles/hours traveled line. Put spaces in this area on report.
- c. If either or both A and B above occur for a vehicle, do not calculate MPG/HPG and put space in MPG/HPG field.
- d. If either or both A and B above occur for a vehicle, put space in total miles/hours traveled for that vehicle on report.
- e. If there is not valid miles/hours traveled data for <u>any</u> line for a given vehicle, MPG/HPG cannot be calculated, so put space in total miles/hours traveled for that vehicle on report.

SECTION 3.5.3 PROGRAM DEFINITIONS REPORT GENERATOR

PROGRAM DEFINITIONS

SECLECTED SWITCHES, COUNTERS AND DATA ELEMENTS USED BY EMFPØ5

Switches, Counters, Data Elements	Use
TABLE-1-INDEX thru	Various subscripts used in program for table
TABLE-4-I'\DEX	look-up and final line print.
LINE-INDEX	Used by the detail line routine for vehicles
L NES-PRINTED-PAGE	The count of number of lines printed on page
	is accumulated. It is to be used to check if
	the bottom of page is reached.
L!NES-PER-PAGE	This constant is used to check with the field
	listed above since it contains the maximum
	lines allowed in a page. This field is used
	to check bottom of page before a not-found
	line is printed.
PAGE-MAX-LESS-6	This is used to check the bottom of page when
	starting to print the detail line required for
	a vehicle report.
PAGE-NO-COUNTER .	The accumulator for the page number.
A-SET-NUMBER-OF	This field contains a numeric amount and is
	used by the write-after-advancing statement.
ERROR-IN-METER-READ-SW	This switch is set if the meter readings are
	set to zero or spaces to eliminate the calcu-
	lation of miles per hour on the total line.
TYPE-OF-PROCESS-SWITCH	This switch is set when reading in the or-
	iginal control card and is used by the pro-
	gram to determine whether all dates, one
	date or two are to be used in the program.

ALL-SW

٢

This switch is initialized at the time the control card is read and notifies the program to process all or only select vehicles.

READ-DATA-SW

This switch is set off after process of a control break and is set on if any detail is read thereafter. It is used by the program for checking out whether there was detail for an item in the vehicle/pump table.

FIRST-METER

In processing vehicles, the meter reading for the first detail record of an equipment number is stored here.

PREVIOUS-METER

In processing vehicles, the meter reading for the previously read detail record of an equipment number is stored.

LOW-NO

Contains the lowest number in the unsorted organization table during any pass through it by internal sort.

LOW-YEAR

Contains the system year less one.

HIGH-YEAR

Contains the system date plus one.

TRAVELED

This field contains the calculated traveled amount between this MTD fuel record and the previous one read.

TOTAL-TRAVELED thru
TOTAL-MISC-COST

These are the accumulators for the total line.

GRAND-TOTAL-FUEL-GAL thru GRAND-TOTAL-MISC-COST

These are the totals that print at the end of the report.

STORED-VEHICLE-NUMBER

This field contains the vehicle number of the previously read MTD record and is used to determine if a vehicle total line has to be printed.

PRES-FIELD-4-SEQ-TEST

This field is used to formulate the data necessary to sequence check the input read from the MTD fuel file.

PREV-FIELD-4-SEQ-TEST

This file is directly the same as one above except it contains data from the previous record.

START-DATE

This field contains data from input control card if it contains the date or the first date if it contains two dates.

END-DATE

This field contains the second date if

TEST-DATE

the input control card has two dates.

This field contains the reconstituted

date from the input MTD fuel record

file.

EXPANDED DATE

This is the date used in printing head-

ing line one.

CONTROL-CARD-AREA

This is the area into which the control

card is read.

SELECT-CARD-AREA

This is the area into which the select

card data is read

APWA-AREA

This is the area in which the table tape

is read.

MTD-FUEL-RECORD-IN

This is the area into which the MTD

fuel transaction is read.

ALPHA-MONTHS

This is the table required to convert

the numeric month into its corres

ponding alpha designation.

TABLE-A

This is a multi-use area. It will contain the following:

- The vehicle or pump numbers as read from the select card input in unsorted order, or
- The organization code and name table, or
- The various changes of the heading lines to print pumps instead of vehicles.

SORTED-VEHICLE-TABLE

This is the area which will contain the vehicle or pump numbers which have been internally sorted into proper sequence.

FIELD-TYPE-TABLE

This table contains the valid field types and is used in editing this field on the transaction input vecord.

FUEL-TYPE-MESSAGE

These fields are used to convert fuel type codes to their corresponding description.

DETAIL-LINE-TABLE

This is an area which is used to store the three lines of constant information when processing vehicles.

LAST-LINE-STATEMENTS

This is a table used to print the designations for the totals as printed on last page of the report.

LAST-LINE-TOTALS

These are the various accumulators which will be printed on last page of the report.

SECTION 3.5.4

PARAGRAPH EXPLANATIONS

REPORT GENERATOR

PARAGRAPH PYPLANATIONS

Program Concept

The following is a conceptualized idea of how the detail fuel trans. program works. It is not intended to be a detailed document, but rather a reference to be used with the program specifications, actual program listing, and the input forms.

Paragraph Numbers	Function
00	Set up various dates required by program.
03	Read and test the first control card and initialize the program if it specifies "NONE".
03	If one date is specified, test this date, initialize and test this program for it.
04	If two dates are specified, test these dates and initialize the program for them.
05	A subroutine used to actually edit the dates in the control cards.
08	Read the first select card of all initialized programs to read all vehicle/pumps else initialize the indexes to load the pump or vehicle tables.
09 & 10	Force end of file condition on the card reader if the select card was for "ALL". If this is not the last card in the card reader, an appropriate message will be printed and all additional cards will be bypassed.

Paragraph Numbers	Function
11 - 14	Reads necessary select cards and loads the table. Edits are performed that the table does not exceed 100 items or an "ALL" card has not been found.
16 - 19	Sort the above table in sequence.
21	Clear the organization code table area, close card reader and open table tape. Read first table tape record and initialize the index to load organization code table.
22 - 27	Load organizational code table checking that no more that 75 items are entered in table. An additional check is made that the organizational code numbers loaded in table are in sequence.
28	Ends initialized routines by closing table tape, performing page heading, clearing print line, opening MTD file, setting index for vehicle/pump number table to 1 and clearing selected switches.
32	Routine which obtains the first MTD fuel record and subsequent records in case the output is for selected vehicles/pumps.
33 - 36	If it is a select report, this routine checks the input record against select table and selects the proper type of processing for the record read.

Paragraph Numbers	Function					
37	The complete process routine if the report					
	calls for all vehicles/pumps.					
38	Subroutine to read the MTD fuel tape.					
41 - 43	Sets up detail line if report is for vehicles.					
44 - 46	Sets up and prints total line if process is					
	for vehicles.					
47	Stores various fields if the processing is for					
	vehicles and sets up information on first					
	detail line.					
48	Finds organization code in organization table.					
50 - 56	Sets up and prints a detail line.					
60 - 64	Processing of pump detail and total lines.					
71 - 76	Error routines.					
81 - 83	End of job routine.					
91	Page heading routine.					

SECTION 3.5.5

REPORT GENERATOR

From	copy	
١.	-	
1-	Reproduced	availan
1	pro	pest
1	ă	ف

	F-1000-4-1616-1-1916-1-	والمراجع المح	17647 5775	<u> </u>	<u>, , , , , , , , , , , , , , , , , , , </u>	1 , - F - C	i grantini kan	1 : 7 : 31	i ni
THE TOTAL COLUMN TO THE TO	164 16 72	# 1777	2	 		 		11111	36
THE TOTAL COLUMN TO THE TO	2 3 5	2	72.						2
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3	2,17			i - i i			133
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		***	5						2
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	25 SE		5						T-T- \$
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	2 2		- 2	<u> </u>				1-1-1-	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Co.	6 -	ni i						132
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	0.5	£2;	27.52					-	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	-23-1	0-	**		1.1.1.1	111111		11:31	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		W	3	11::::	<u> -1-1-1-1-</u>				1 2
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	0.5		47						1 3 /
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	- L L	Ž		1			7. 7. 7. 7.	17.7.7	1 - 1 -
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	5 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8	7:54	#.12						282
19. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	ViniBu	٥- :-	o .		######				123
			27.2						6
13373 0573 0573 2073 0573 0573 0573 0573 0573 0573 0573 0	A STATE OF THE STA	.6							1 3
13373 0573 0573 2073 0573 0573 0573 0573 0573 0573 0573 0	A PACE		6						
137 1 27 27 27 27 27 27 27 27 27 27 27 27 27	N E	. K	22.1	7					1,8
137 1 27 27 27 27 27 27 27 27 27 27 27 27 27	315 S	* ()	MPG.	1 2 1					
137 1 27 27 27 27 27 27 27 27 27 27 27 27 27		<u> </u>		8					
137 1 27 27 27 27 27 27 27 27 27 27 27 27 27	AMS	\$	* 7	12				11:::::::	9,7
137 1 27 27 27 27 27 27 27 27 27 27 27 27 27	2 7 7		10	<u> </u>					
137 1 27 27 27 27 27 27 27 27 27 27 27 27 27	HUE A		3	1 2					5
######################################	* F.		EHE	55					ŝ
THE STATE OF THE S				7.8					
THE STATE OF THE S		; <u>x</u>		K.S					2
THE STATE OF THE S	E 5	×		7				6-	\$
THE STATE OF THE S	2.5	: <u>*</u> ::;		E *-		22 22 22	23.5		
CONTRACTORY CANXXX C	7	ž.		EST THE		22.2	7.55	5	1 3 2
TROTHER AND THE STATE OF THE ST	2.	×		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			3	**	3
GIUE OI UE OI	יי נחוח כ	٠: :		₹H ₹		2 2 3	3 4 5	2	200
GIUE GIUE ALUERICE STATE AL	XXX XXXX XXXX	***		2011 ONIBE		2 3 3	2 × 2	3	75.0
GIUE SEECHE SEEC	The second	XX XX		13 F	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200 K	XX XX	2	語
GOLUE STORY ST		<u> </u>		7770		7 7	# 12 X	<u> </u>	U 0
	DE VE	£ 33		120 m	1. 8	世代	ZER Z	7	13.5
	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7.25 7.25 7.25 7.25		75 7	્રિક	夏里	MOH.	361	1 2 2
OI OE OF THE STATE	11-1	- (\$ = =	22222	2 8 8 8 8 8	22222	5 6 6 6 6	A A A 4 4 4	3 2 2 3	\$ 12 5
		3				1			1,63
OT TO THE PROPERTY OF THE PROP	32.7.4	1- 17			+++++	7.2	1 13		de.
		3					<u> </u>	\$ 2	
			• • • • •	11111	• • • • •	4.0			22. 3
In Bearing the grant of the gra	0	32							7 -
	1.335	- 3 3	lygy land is the			7 " ? " 22			C. K.

3. 5. 5-1

REENOL 3329 REEN ELESSON	F. S.		22 = 99					:			Ţ		:							-						789012
PAGE NO. 3329 NIEGO: E. 7335 EL . * 7555	200 E	دب				-									<u>.</u>		-			. -						0123456
345673 COM	2 9		20.000					1_										- 1						Ţ		011234567890123456789012345678901234567890133456789012
	\$222.99	}										-			1		1									3678901
60012345c	يحتي	:: {::	9.943.23		: -	1	-	-i - 		1		-		- 1	1		1-		: :					. -		8901234
4	7. 29 (1)		223239														1-1	- -								01234567
\$ 5.3	x xx/c//		CTAL #												Ē									-	-	345.6789
	≈×	<u>ر</u> ب	F. 1.			- : -																				6789012
ASSECTION OF THE CONTROL OF FULL WALLE CONTROL OF TWO PUNITY TOWNS ASSECTION OF THE PUNITY PU	TANTER TSON						:::	-1																		8 9 0, 1 2 3 4 5 6, 7 8 9
5~ 0 12 1	ORFAYI					₹ Q⊒.								- 1				1								01234567
7. Er. IMENT						J23 (45)			-1								111	- 1								01.2345 7890
	Hoy			7.5		JENCE -											-	- I-								1068795
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	•			1	TE 5.E.							-1.													890123
0123456	CANAL DEL		1	do year	MERTED	W. ZEALD					1	-		-	1					0000	1777					901234367890123456789
9797	> \ \			4.1	305	Purit K	. ** qv.				-1-		perter.	, ,	127331	7,32.7	לבנבנב	٥ د د د د د د	יייייייייייייייייייייייייייייייייייייי	01	¥ .				74. 3 TH	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		· /3	100 mm	100	No.T. IN	Not For		1	11		-	15 15 A D	<u> </u>	A 1.7 50.	LECTED	GWIC	77.75		20. 9.99			1		OUT EVIE	5678901
TO PUM.					1:3	VEL FILL	NUNPER	:	i	-		147	المرورية	; ;	237.67	PYNPS SI	2010175 6		2	XXX	Y VV Y				CFREP	8901234
TOTAL ENDING THE STREET OF THE	XXX	11			* = J. J. A.	10 + MID FUEL FALE NOT IN TURR A	22 THE PUNE NUMBER NOT FRIND FIR	23. 4	25.	77	-	30 - 8 - 5 - 16 - 162	71.77 67.7	33	18.5.75	21 MINDER PUNPS SELECTED 2722	A. T. A.	Section of Many Poly Section 19	Ustra St.	12 X X X X X 29 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Y 1 1 1	245			- S TO CAT REPOST EMFRAL FAN	31 11 234567890123456789012345678
	~ *	* · · ·	1.	2, 2, 7,	81.		22	2, 2,	75,	2,5	78,	/ 30	15.	()	7		, to 1					45			4	- 6
THE STANDED												,	2	1	1	rish as				77.77		.			1	₹
				• • •	•	•	•			•		\	12	11.	-	ه ۱ د ک	· (; ,	• • • • • • • • • • • • • • • • • • • •	• 1	でなった …	77		•		12 - 1200	2 26

3.5.5-2

APPENDIX A

FILE DESCRIPTIONS AND RECORD LAYOUTS

SYSTEM NAME;	PTI/APWA	EQUIPMENT	MANAGEMENT	INFORMATION	SYSTEM
COMPONENT NAI	ME: Fuel		·	•	

FILE NAME: Fuel Tickets (EMFF01, EMFF02)

VOLUME DEVICE: Card Reader

FILE ORGANIZATION: Sequential

FILE NUMBER OF VOLUME (FIRST, SECOND, ETC.): N/A

RECORD FORMAT: Fixed Length

RECORD LENGTH: 80

RECORDS PER BLOCK: 1

FILE RETENTION:

a. TEMPORARY

b. PERMANENT X

RETENTION PERIOD: 6

6 Weeks

RECORD RELATIVE KEY POSITION: N/A

KEY LENGTH: N/A

PHYSICAL BLOCKSIZE: 80 Characters

MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: One Card Per Fuel Transaction

CREATING PROGRAM: N/A

REFERENCING PROGRAM(S):

PROGRAM

EMFU01

ACCESS METHOD

Sequential

Page 1 of 1

TITLE NAME:	Fuel Ticket Transactions	RECORD LENGTH:	80
TITLE NUMBER:	EMFFØ1.EMMFØ2	BLOCKING FACTOR:	20

Field Number	Field Name	Position	Length	Picture or Rc marks
1	Pump Number	1-3	3	X(3)
2	Ticket Number	4-9	6	9(6)
3	Date	10-15	6	MMDDYY
4	Vehicle Number	16-21	6	X(6)
5	Vehicle Meter Reading	22-28 .	7	S9(6)V9
6	Fuel(Gallons)	29-31	3	S99V9
7	Oil (Quarts)	32-33	2	S9V9
8	Trans. Fluid	34-35	2	S9V9
9	Antifreeze	36-37	2	S9V9
10	hydraulic Fluid	38-39	2	S9V9
11	Mileage Over-ride Code	40	1	"M" OR Blank
12	Filler	41-80	4ø	Blank

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM
COMPONENT NAME: Fuel
FILE NAME: Control Card (EMFF03)
VOLUME DEVICE: Card Reader
FILE ORGANIZATION: Sequential
FILE NUMBER OF VOLUME (FIRST SECOND, ETC): N/A
RECORD FORMAT: Fixed Length
RECORD LENGTH: 80
RECORDS PER BLOCK: 1
FILE RETENTION:
a. TEMPORARY
b. PERMANENT X RETENTION PERIOD: Then Change I
RECORD RELATIVE KEY POSITION: N/A
KEY LENGTH: N/A
PHYSICAL ELOCKSIZE: 80
MAX'MUM NUMBER OF LOGICAL RECORDS ON FILE: 1
CREATING PROGRAM: N/A
REFERENCING PROGRAM(S):
PROGRAM ACCESS METHOD
EMFP01 Sequential

Page	1	of 1
rage		OI.

FILE NAME: Fue	el Edit Date Card	RECORD LENGTII: _	8ø
			•
EITE MIMBER.	EMFFØ3	BLOCKING FACTOR:	1

	1	1	- Applies do
Data Element Name	Columns	Length	Picture or Remarks
Identifier	1-6	6	"FMFPØ1"
Filler	7	11	Blank
Period Ending Date	8-15	8	MM/DD/YY or "NONE" followed by blanks
Filler	16-8Ø	65	Blank
	ı		
			·
		- Andrews	
	Identifier Filler Period Ending Date Filler	Identifier 1-6 Filler 7 Period Ending Date 8-15 Filler 16-8Ø	Identifier 1-6 6 Filler 7 11 Period Ending Date 8-15 8 Filler 16-8Ø 65

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM
COMPONENT NAME: Fuel
FILE NAME: Pump Number Cards (EMFF04)
VOLUME DEVICE: Card Reader
FILE ORGANIZATION: Sequential
FILE NUMBER OF VOLUME (FIRST SECOND, ETC): N/A
RECORD FORMAT: Fixed Length
RECORD LENGTH: 80
RECORDS PER BLOCK: 1
FILE RETENTION:
a. TEMPORARY
b. PERMANENT X RETENTION PERIOD: Number Chang
RECORD RELATIVE KEY POSITION: N/A
KEY LENGTH: N/A
PHYSICAL BLOCKSIZE: 80
MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: One Card Per Pump
CREATING PROGRAM: N/A
REFERENCING PROGRAM(S):
PROGRAM ACCESS METHOD
EMFP01 Sequential
EMFP02 Sequential

PTI/APWA EQUIPMENT MANAGEMENT SYSTEM Page 1 of 1

FILE NAME:	Pump Number Cards	RECORD LENGTH: 80
FILE NUMBER:	EMFFØ4	BLOCKING FACTOR: 1

Field Number	Data Element Name	Columns	Length	Picture or Remarks
1	Fuel Type	1	1	"A-E"
2	Filler	2	1	blank
3	Pump Number	3-5	3	9(3)
4	Filler	6-78	73	blank
5	Table Identifier	79-8ø	2	"PN"
			,	
400				
			7.0	

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM
COMPONENT NAME: Fuel
FILE NAME: Fuel Cost Cards (EMFF05)
VOLUME DEVICE: Card Reader
FILE ORGANIZATION: Sequential
FILE NUMBER OF VOLUME (FIRST SECOND, ETC): N/A
RECORD FORMAT: Fixed Length
RECORD LENGTH: 80
RECORDS PER BLOCK: 1
FILE RETENTION:
a. TEMPORARY Until a Fuel or Commodity
b. PERMANENT X RETENTION PERIOD Cost Changes
RECORD RELATIVE KEY POSITION: N/A
KEY LENGTH: N/A
PHYSICAL BLOCKSIZE: 80
MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: One Card for Each Different Fuel or Commodity
CREATING PROGRAM: N/A
REFERENCING PROGRAM(S):
PROGRAM ACCESS METHOD
EMFP01 Sequential Sequential

Page 1 of 1

TITLE NAME: _ Fuel Cost Cards	RECORD LENGTH:	8Ø
TITLE NUMBER: EMFFØ5	BLOCKING FACTOR:	1

Data Element Name	Columns	Length	Picture or Remarks
Fuel Type	1	1	"A-I"
Filler	2	1	blank
Fuel Cost (\$ per gallon or quar	t) 3-6	4	9. 99
Filler	7	1	blank
Fuel Identifier	8-27	20	Descriptive fuel name left justified
Filler	28-78	51	blank
Table Identifier	79–8ø	2	"FC"
	- "		
			·
	Fuel Type Filler Fuel Cost (\$ per gallon or quar Filler Fuel Identifier Filler Table Identifier	Fuel Type 1 Filler 2 Fuel Cost (\$ per gallon or quart) 3-6 Filler 7 Fuel Identifier 8-27 Filler 28-78 Table Identifier 79-8Ø	Fuel Type 1 1 Filler 2 1 Fuel Cost (\$ per gallon or quart) 3-6 4 Filler 7 1 Fuel Identifier 8-27 26 Filler 28-78 51 Table Identifier 79-8\$\beta\$ 2

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM

COMPONENT NAME: Fuel

FILE NAME: MTD Fuel (EMFF06, EMFF07, EMFF10, EMFF11, EMFF16, EMFF17, EMFF21)

VOLUME DEVICE: Tape/Disk

FILE ORGANIZATION: Sequential

FILE NUMBER OF VOLUME (FIRST, SECOND, ETC.): N/A

RECORD FORMAT: Fixed Length

RECORD LENGTH: 116

RECORDS PER BLOCK: 10

FILE RETENTION:

a. TEMPORARY EMFF\$6, EMFF11, EMFF17, EMFF21

b. PERMANENT EMFFØ7, EMFF1Ø, RETENTION PERIOD: EMFFØ7 - 3 Weeks
EMFF16 - 6 Weeks
EMFF16 - 6 Weeks

RECORD RELATIVE KEY POSITION: N/A

KEY LENGTH: N/A

PHYSICAL BLOCKSIZE: 1160

MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: One Record Per Fuel Transaction CREATING PROGRAM: EMFP ϕ 1, EMFU ϕ 2, EMFU ϕ 3, EMFP ϕ 2, EMFU ϕ 4, EMFP ϕ 4, EMFU ϕ 5 REFERENCING PROGRAM(S):

$\underline{ ext{PROGRAM}}$		ACCESS METHOD
EMFUO2	EMFPØ3	Sequential for All
EMFUO3 EMFPO2	ЕМГРФ4 ЕМГИФ5	
EMFUO4	EMFPØ5	

RECORD LAYOUT

FILE NAME:	Month-to-Date	Fuel

RECORD LENGTH: 116

FILE NUMBER: EMFFØ6, EMFFØ7, EMFFIØ, EMFF11, EMFF16, EMFF17, EMFF21 BLOCKING FACTOR: 10

Field Number	Field Name	Position	Length	Picture or Remarks
1	Vehicle Number	1-6	6	X(6)
2	Chassis Model Year	7-8	2	99
3	Chassis Mfr. Code	9-12	4	X(4)
4	Vehicle Description	13-32	20	X(20)
5	APWA Code	33-40	8	X(8)
6	Vehicle Meter Reading	41-47	7	S 9 (6) V9
7	Fuel (gallons)	48-50	3	S99V9
8	Fuel Cost	51-55	5	S999V99
9	Fuel Type	56	1	"A-E"
10	Oil (quarts)	57-58	2	S9V9
11	Oil Cost	59-63	5	S999V9 9
12	Hydraulic Fluid (qts)	64-65	2	S9V9
13	Trans. Fluid (qts)	65-66	2	S9V9
14	Antifreeze (qts)	68-69	2	S9V9
15	Miscellaneous Cost	70-74	. 5	S999V99
16	Organization	75-80	6	X(6)
17	Fund No.	81-92	12	X(12)
18	Pump Number	93-95	3	X(3)
19	Ticket Number	96-101	6	9(6)
20	Date	102-10	6	YYMMDD
21	Vehicle Meter Reading-Last Month	108-114	7	S9(6)V9

Page 2 of 2

FILE NAME: Month-to-Date Fuel		RECORD LENGTH: 116				
	BER: EMFFØ6, EMFFØ7, EMFF1Ø MFF11, EMFF16 EMFF17, EMFF21			FACTOR: 10		
Field Number	Field Name	Position	Length	Picture or Remarks		
22	Meter Unit	115	1	"H", "M" OR "X"		
23	Transaction Flag	116	1	"ø" OR "1", "2", "3"		
;						
	·					
		A-12				

SYSTEM NAME: PTI/APWA EQUIPMENT MANACEMENT INFORMATION SYSTEM
COMPONENT NAME. Fuel
FILE NAME: Pump Reading Cards (EMFFØ8)
VOLUME DEVICE: Card Reader
FILE ORGANIZATION: Sequential ,
FILE NUMBER OF VOLUME (FIRST, SECOND, ETC.): N/A
RECORD FORMAT: Fixed Length
RECORD LENGTH: 80
RECORDS PER BLOCK: 1
FILE RETENTION:
a. TEMPORARY
b. PERMANENT X RETENTION PERIOD: 6 Weeks
RECORD RELATIVE KEY POSITION: N/A
KEY LENGTH: N/A
PHYSICAL BLOCKSIZE: 80
MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: One Card per Pump Reading
CREATING PROGRAM: N/A
REFERENCING PROGRAM(S):
PROGRAM ACCESS METHOD EMFP02 Sequential

Page	1	of	1

FILE NAME: Pump Reading Cards	RECORD LENGTH: 80
FILE NUMBER: EMFF08	BLOCKING FACTOR: 1

Field Number	Data Element Name	Columns	7	Picture or
1	Pump Number	1-3	Length 3	Remarks X (3)
. 2	Filler	4		
3	Pump Reading On	5-12	8	blank
4	Filler	13	1 1	999999.9 blank
5	Date On	14-19	6	MMDDYY
6	Filler	20	1	blank
7	Pump Reading Off	21-28	8	999999,9
. 8	Filler	29	1	blank
9	Date Off	30-35	6	MMDDYY
10	Filler	36	1	blank
11	Pump Reading Bypass Flag	37	1	blank or "X"
!2	Filler	38-8Ø	43	blank
			<u></u>	
	4			
		A-14		

SYSTEM NAME: PTI/APWA EQUIPMENT MANGE	MENT INFORMATION SYSTEM
COMPONENT NAME: Fuel	
FILE NAME: Control Card (EMFFØ9)	
VOLUME DEVICE: Card Reader	
FILE ORGANIZATION: Sequential	
FILE NUMBER OF VOLUME (FIRST SECOND, ET	C): N/A
RECORD FORMAT: Fixed Length	
RECORD LENGTH: 80	
RECORDS PER BLOCK:	
FILE RETENTION:	
a. TEMPORARY	T (II V or C)
b. PERMANENT X	Until Next Run RETENTION PERIOD: Then Change Date
RECORD RELATIVE KEY POSITION: N/A	
KEY LENGTH: N/A	
PHYSICAL BLOCKSIZE: 80	
MAXIMUM NUMBER OF LOGICAL RECORDS ON I	FILE: 1
CREATING PROGRAM: N/A	
REFERENCING PROGRAM(S):	
PROGRAM	ACCESS METHOD
EMFP02	Sequential

Page	_1_	of	_ 1
Page	_1_	οſ	_1_

	FILE NAME: Pump Reconciliation	Date Card	RECORD LI	ENGTH: 80
	FILE NUMBER: EMFF09		BLOCKING FACTOR: 1	
Field Number	Data Element Name	Columns	Length	Picture or Remarks
	Identifier	1-6	6	"EMFP02"
	Filler	7	1	blank
3	Period Ending Date	8-15	8	MM/DD/YY or "NONE" followed by blanks
4	Filler	16-80	65	blank
	•			
		A-16		
1				

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SY	SYSTEM
---	--------

COMPONENT NAME: Fuel

FILE NAME: Control Card (EMFF12)

VOLUME DEVICE: Card Dealer

FILE ORGANIZATION: Sequential

FILE NUMBER OF VOLUME (FIRST, SECOND, ETC.): N/A

RECORD FORMAT: Fixed Length

RECORD LENGTH: 80

RECORDS PEP BLOCK: 1

FILE RETENTION:

a. TEMPORARY

Until Next Run Then
b. PERMANENT X RETENTION PERIOD Change Date

RECORD RELATIVE KEY POSITION: N/A

KEY LENGTH: N/A

PHYSICAL BLOCKSIZE: 80

MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: 1

CREATING PROGRAM: N/A

REFERENCING PROGRAM(S):

PROGRAM

ACCESS METHOD

EMFP03

Sequential

Page	1	of	7
Lugo	- 1	~	1

TITLE NAME:	Monthly Consolidation Date Card	RECORD LENGTH:	80
TITLE NUMBER	· FMME19	BLOCKING FACTOR	,

Field		Columns	Length	Picture or Remarks
Number	Data Element Name			
1	Identifier	1-6	6	"EMFPØ3"
2	Filler	7	1	blank
3	Period Ending Date	8-15	8	or "none" followed by all blanks MM/DD/YY
4	Filler	16-8Ø	65	blank
			-	
		:		

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM
COMPONENT NAME: Fuel
FILE NAME: Fuel History (EMFF13)
VOLUME DEVICE: Tape
FILE ORGANIZATION: Sequential
FILE NUMBER OF VOLUME (FIRST SECOND, ETC): N/A
RECORD FORMAT: Fixed Length
RECORD LENGTH: 896
RECORDS PER BLOCK: 10
FILE RETENTION:
a. TEMPORARY
b. PERMANENT X RETENTION PERIOD: 2 months
RECORD RELATIVE KEY POSITION: N/A
KEY LENGTH: N/A
PHYSICAL BLOCKSIZE: 8960
MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: One Record per Vehicle with Uniquea
CREATING PROGRAM: EMFP03 Organization and Fund Number
REFERENCING PROGRAM(S):
PROGRAM ACCESS METHOD
EMFP03 Sequential

PTI/APWA EQUIPMENT MANAGEMENT SYSTEM Page 1 of 1

FILE NAME:	Fuel History	RECORD LENGTH:	896
FILE NUMBER:	EMFF13	BLOCKING FACTOR:	10

Field Number	Field Name	Position	Length	Picture or Remarks
1	Equipment Number	1-6	6	X(6)
2	APWA Code	7-14	8	X(8)
3	Organization	15-2¢	6	X(6)
4	Fund Number	21-32	12	X(12)
5	Month/Year	33-36	4	MMYY
6	Monthly Miles	37-43	7	S9(6)V9
7	Fuel (Gallons)	44-48	5	S9(4)V9
8	Fuel Cost	49-54	6	S9(4)V99
9	Fuel Type 🕻 *	55	1	"A-E"
10	Oil (Quarts)	56-58	3	S99V9
11	Oil Cost	59-63	5	S999V99
12	Misc. Cost	64-68	5	S999V99
13	"Sets" 2-24	69-896	828	same as fields 5–12
	*"Set" repeated 24 times (leftmo	st set 11-youngest, ri	shtmost set 2	4-oldest).
	THE PARTIES AND RECOGNIZED THE PROPERTY OF THE PROPERTY OF THE PARTIES AND THE	A-20		

C .				
SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM				
COMPONENT NAME: Fuel				
FILE NAME: Consolidated Fuel (EMFF14)				
VOLUME DEVICE: Tape				
FILE ORGANIZATION: Sequential				
FILE NUMBER OF VOLUME (FIRST, SECOND, ETC.): N/A				
RECORD FORMAT: Fixed Length				
RECORD LENGTH: 90				
RECORDS PER BLOCK: 10				
FILE RETENTION:				
a. TEMPORARY				
b. PERMANENT X RETENTION PERIOD: 2 Months				
RECORD RELATIVE KEY POSITION: N/A				
KEY LENGTH: N/A				
PHYSICAL BLOCKSIZE: 900				
MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: One Record per Vehicle With				
CREATING PROGRAM: EMFP03				
REFERENCING PROGRAM(S):				
PROGRAM ACCESS METHOD				
EMGP06 Sequential ,				

Page <u>1</u> of <u>1</u>

FILE NAME: Monthly Consolidated Fuel File	RECORD LENGTH:	9ø
FILE NUMBER: EMFF14	BLOCKING FACTOR:	10

Field Number	Data Element Name	Columns	Length	Picture or Remarks
11	Equipment Number	1-6	6	X(6)
2	Organization	7-12	6	X(6)
3	Miles Driven in Month	13-18	6	S9(5)V9
4	Month End Mileage Reading	19-25	7	S9(6)V9
5	Gallons Fuel	26-30	5	S9(4)V9
6	Fuel Cost	31-36	6	59(4)V99
7	Quarts Oil	37-39	3	S99V9
8	Oil Cost	40-44	5	S999V99
9	Misc. Cost	45-49	5	S999V99
1ø	Filler	5ø-9ø	41	Blank
				77

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM

COMPONENT NAME: Fuel	
FILE NAME: Control Card (EMFF15)	
VOLUME DEVICE. Card Reader	
FILE ORGANIZATION: Sequential	
FILE NUMBER OF VOLUME(FIRST, SECOND, ETC.): N/A	
RECORD FORMAT: Fixed Length	•
RECORD LENGTH: 80	
RECORDS PER BLOCK: 1	

a. TEMPORARY

Until Next Run Then RETENTION PERIOD: Change Date

RECORD RELATIVE KEY POSITION: N/A

KEY LENGTH: N/A

FILE RETENTION:

PHYSICAL BLOCKSIZE: 80

b. PERMANENT

MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: 1

CREATING PROGRAM: N/A

REFERENCING PROGRAM(S):

PROGRA M

ACCESS METHOD

EMFP04

Sequential

Page <u>1</u> of <u>1</u>

FILE NAME: Delete Program Date Card	RECORD LENGTH:	80
FILE NUMBER: EMFF15	BLOCKING FACTOR:	1

Field Number	Data Element Name	Columns	Length	Picture or Remarks
1	Identifier	1-6	6	"EMFPØ4"
2	Filler	7	1	blank
3	Period Ending Date	8-15	8	MM/DD/YY or 'NONe followed by all blanks
4	Filler	16-8Ø	65	blank
			.,	
	P		-	

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM
COMPONENT NAME: Fuel
FILE NAME: Control Card (EMFF18)
VOLUME DEVICE: Card Reader
FILE ORGANIZATION: Sequential
FILE NUMBER OF VOLUME(FIRST, SECOND, ETC.): N/A
RECORD FORMAT: Fixed Length
RECORD LENGTH: 80
RECORDS PER BLOCK: 1
FILE RETENTION:
a. 'IEMPORARY Until Next Run Ther
b. PERMANENT X RETENTION PERIOD: Change Date
RECORD RELATIVE KEY POSITION: N/A
KEY LENGTH: N/A
PHYSICAL BLOCKSIZE: 80
MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: 1

PROGRAM

ACCESS METHOD

EMFP05

CREATING PROGRAM: N/A

REFERENCING PROGRAM(S):

Sequential

Page	1	of	1
- ~6~			

Vehicle/Pump Select FILE NAME: Control Card	RECORD LENGTH: 8Ø
FILE NUMBER: EMFF18	BLOCKING FACTOR: 1

Field Number	Data Element Name	Columns	Length	Picture or Remarks
1	Identifier	1-6	6	"EMFPØ5"
2	Filler	7	1	blank
3	Vehicle/Pump Select	8	1	"V" or "P"
4	Filler	99	1	blank
5	Date - There are 3 options in this field:	1 ø -26	17	
	A. Period Ending Date			MM/DD/YY followed by blank
	B. From/To Dates			MM/DD/YY-MM/DD/YY
	C. No date			"NONE" followed by blanks
6	Filler	27	1	blank
7	Date Select	28	1	"S" or blank
8	Filler	29-80	52	blanks
				,
				and the state of t
				•
		A-26		

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM COMPONENT NAME: Fuel
COMI ONDICE MANIE, 1 doi:
FILE NAME: Select Card(s) (EMFF19)
VOLUME DEVICE: Card Reader
FILE ORGANIZATION: Sequential
FILE NUMBER OF VOLUME(FIRST, SECOND, ETC.): N/A
RECORD FORMAT: Fixed Length
RECORD LENGTH: 80
RECORDS PER BLOCK: 1
FILE RETENTION:
a. TEMPORARY Until Report Validit
b. PERMANENT X RETENTION PERIOD: is Confirmed
RECORD RELATIVE KEY POSITION: N/A
KEY LENGTH: N/A
PHYSICAL BLOCKSIZE: 80
MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: 10
CREATING PROGRAM: N/A
REFERENCING PROGRAM(S):
PROGRAM ACCESS METHOD

Sequential

EMFP05

Page	1	of	3	
Lugo		$o_{\mathbf{I}}$	_	

FILE NAME: Select Cards (Vehicle Format)	RECORD LENGTH:	8Ø
FILE NUMBER: EMFF19	BLOCKING FACTOR:	1

Field Number	Data Element Name	Columns	Length	Picture or Remarks
1	Vehicle Number (or ALL option)	1-6	6	X(6)or "ALL" followed by all blanks on rest of card
2	Filler	7	1	blank or comma
3	Vehicle Number	8-13	6	X(6)
4	Filler	14	1	blank or comma
5	Vehicle Number	15-20	6	X(6)
6	Filler	21	1	blank or comma
. 7	Vehicle Number	22-27	6	X(6)
8	Filler	28	1	blank or comma
9	Vehicle Number	29-34	66	X(6)
10	Fillor	35	1	blank or comma
11	Vehicle Number	36-41	6	X(6)
12	Filler	42	1	blank or comma
13	Vehicle Number	43-48	6	X(6)
14	Filler	49	11	blank or comma
15	Vehicle Number	5ø - 55	6	X(6)
16	Filler	56	11	blank or comma
17	Vehicle Number	57-62	6	X(6)
18	Filler	63	11	blank or comma
19	Vehicle Number	64-69	66	X(6)
20	Filler	70	1	blank or comma
21	Vehicle Number	71-76	6	X(6)
. 22	Filler	77-80	4	blank
		A-28		

FILE DESCRIPTION FORM				
SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM				
COMPONENT NAME: Fuel				
FILE NAME: Select Card(s) (EMFF26)				
VOLUME LEVICE: Card Reader				
FILE ORGANIZATION: Sequential				
FILE NUMBER Or VOLUME (FIRST, SECOND, ETC.): N/A				
RECORD FORMAT: Fixed Length				
RECORD LENGTH: 80				
RECORDS PER BLOCK: 1				
FILE RETENTION:				
a. TEMPORARY				
b. PERMANENT X RETENTION PERIOD. Confirmed				
RECORD RELATIVE KEY POSITION: N/A				
KEY LENGTH: N/A				
PHYSICAL BLOCKSIZE: 80				
MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: 5				
CREATING PROGRAM: N/A				
,				
REFERENCING PROGRAM(S):				
PROGRAM ACCESS METHOD				

Sequential

EMFP05

FILE NAME: Select Cards (Pump Format)	RECORD LENGTH:	8ø
FILE NUMBER: EMFF20	BIOCKING FACTOR.	1

Field Number	Data Element Name	Columns	Length	Picture or
1	Pump Number	1-3	3	Remarks X(3) or "ALL" followed by all blanks on rest of card
2	Filler '	4	1	blank or comma
3	Pump Number	5-7	3	X,3)
4	Filler	8	1	blank or comma
5	Pump Number	9-11	3	X(3)
6	Filler	12	1	blank or comma
7	Pump Number	13-15	3	X(3)
8	Filler	16	1	blank or comma
9	Pump Number	17-19	3	X(3)
10	Filler	20	1	blank or comma
. 11	Pump Number	21-23	3	X(3)
12	Filler	24	1	blanl: or comma
13	Pump Number	25-27	3	X(3)
14	Filler	28	1	blank or comma
15	Pump Number	29-31	3	X(3)
16	Filler	32	1	blank or comma
17	Pump Number	33-35	3	X(3)
18	Filler	36	1	blank or comma
19	Pump Number	27-39	3	X(3)
20	Filler	40	1	blank or comma
21	Pump Number	41-43	3	X(3)
22	Filler	44	1	·blank or comma
23	Pump Number	45-47	3	X(3)
24	Filler	43	1	blank or comma
		A-30		

FILE NAME: ! Select Card (Pump Format)	RECORD LENGTH: 80
FILE NUMBER: EMFF20	BLOCKING FACTOR: 1

Field Number	Data Element Name	Columns	Length	Picture or Remarks
25	Pump Number	49-51	3	X(3)
26	Filler	52	1	blank or comma
27	Pump Number	53-55	3	X(3)
28	Filler	56	1	blank or comma
29	Pump Number	57-59	3	X(3)
30	Filler	6ø	1	blank or comma
31	Pumb Number	61-63	3	X(3)
32	Filler	64	1	blank or comma
33	Pump Number	65-67	3	X(3)
34	Filler	68	1	blank or comma
35	Pump Number	69-71	3	X(3)
36	Filler	72	1	blank or comma
37	Pump Number	73-75	3	X(3)
38	Filler	76	1	blank or comma
39	Pump Number	77-79	3	X(3)
40	Filler	8ø	11	blank
	_		1	
				;

CILE	NAME:	Equipment	Inventory	Master	RECORD	LENGTH:	75	ø	C
TTE	NAME	Equipment	Thventory	Master	RECORD	LENGTH:_	7	į)

FILE NUMBER:	EMIFØ4	*	BLOCKING	FACTOR:	4

FIELD NO.	DATA ELEMENT NAME	POSITIONS	LENGTH	PICTURE OR REMARKS
1	Equipment Number	1-6	6	X(6)
2	APWA Code	7-14	8	Refer to APWA Manual
3	Organization Code	15-2Ø	6	X(6)
4	Use Status Code	21	1	"blank, 1, 2, 3"
5	Date Received	22-27	6	MADDYY
6	Estimated Life	28-30	3	S999V
7	Estimated Life Code	31	1	"1-3"
8	Salvage Value	32-36	5	S99999V
9	Purchase Order Amount	37-44	8	S9(6)V99
1,6	Unit Depreciation Amount	45-5Ø	6	5999V999
11	PM Interval-Months	51-52	2	\$99V
12	PM Interval-Meter Units	53-57	5	S9 (5) V
13	PM Sequence	58-65	8	X(8)
14	PM Pointer	66	1	"1-8"
15	Assigned PM Location	67-70	4	X(4)
16	Meter Unit	71	1 -	"H", "M" or "X"
17	Bill Accident Repairs	72	1	"Y" or "N"
18	Billing Basis .	73	1	"R" or "D"
19	Insurance Schedule	74-76	3	X(3)
20	Normal Duty Hours Per Month	77-79	3	\$999V
1	Seasonal Usage	80	1	х
22	Flat Rate	81-86	6	\$9999V99
23	Flat Rate Unit Code	87	1	"M", "D" or "C"
-				

A-33

FILE	NAME:	Equipment	Inventory	Master	RECORD	LENGTH:	7.00
------	-------	-----------	-----------	--------	--------	---------	------

•					
FILE	NUMBER:	EMIFØ4	BLOCKING FACTOR:	4	

			·	
FIELD NO.	DATA ELFAENT NAME	POSITIONS	LENGTH	PICTURE OR REMARKS
24	Basic Use Rate	88-93	6	s 999 v 999
25	Use Rate B	94-99	6	S999V999
26	Use Rate B Units	1øø-1ø4	5	S9(5)V
27	Use Rate C	1Ø5-11Ø	6	\$999V999
28	Use Rate C Units	111-115	5	S9(5)V
29	Old Equipment Number	116-121	6	X(6)
3ø	Date Released	122-127	6	MMDDYY
31	Old Property Control Number	128-135	8	X(8)
32	GVWR-Pounds	136-141	6	S9(6)V
33	Improvement Added-Current Month	142-148	7	S99999V99
34	Improvement Added-Life to Date	149-156	8	S999999v99
3 5	Fuel Tank Capacity	157-159	3	S999V
36	Fuel Type	1.6ø	1	х
37	Description	161-18Ø	2ø	X(2ø)
38	Fund Number	181-192	12	X(12)
3 9	Inspection Frequency-Months	193-194	2	S99V
4ø	Assigned Service Location	195-198	4	X(4)
41	Highway Code	199	1	"1-3"
42	Chassis Mfr. Code	2ØØ-2Ø3	4	X(4)
43	Chassis Model Number	2Ø4-21Ø	7	X(7)
14	Chassis Serial Number	211-23Ø .	2Ø	x(2¢)
45	Chassis Model/Year	231-232	2	last two digits of year

FILE NAME: Equipment Inventory Master RECORD	LENGTH:	7ØØ
--	---------	-----

FILE NUMBER: EMIFØ4 BLOCKING FACTOR: 4

	and the same of th			
FIELD NO.	DATA ELEMENT NAME	POSITIONS	LENGTH	PICTURE OR REMARKS
46	Title Number	233-241	9	X(9)
47	Property Control Number	242-249	8	X(8) /
48	Purchase Order Number	25Ø-257	8	X(8)
49	License Tag Number	258-266	9	X(9)
5ø	Domicile Code	267-27Ø	4	X(4)
51	Body Lir. Code	271-274	4	X(4)
52	Body Model Number	275-282	8	X(8)
53	Body Serial Number	283-3Ø2	2ø	X(2Ø)
54	Body Model Year	3ø3-3ø4	2	last two digits of year
55	Current Meter Reading	3Ø5-3 11	7	S999999V9
56	Meter Reading Last Month	312-318	7	s9 99999v9
57	Meter Failure Flag	319	1	"Ø" or "1"
58	Meter Reading at Failure	32Ø-326	7	\$999999V9
59	Meter Units Operated Current Month	327-332	6	S99999V9
6ø	Meter Units Operated Last Month	333-33 8	6	S99999V9
61	Meter Units Operated-Life to Date	339-345	7	s999999v9'
62	Date Last Status Change	346-351	6	MMDDYY .
63	Downtime Hours-CM	352-355	4	\$999v 9
64	Downtime Hours-LTD	356-361	6	S99999V9
65	Insurance Cost-CM	362-366	5	S999V99
56	Insurance Cost-YTD	367-372	6	\$ 9999V99
67	Insurance Cost-LTD	373-379	7	\$9 9 999V99
		i		

FILE NAME: Equipment Inventory Master RECORD LENGTH: 790 FILE NUMBER: EMIFØ4 BLOCKING FACTOR: 4 FIELD PICTURE OR NO. DATA ELEMENT NAME REMARKS POSITIONS LENGTH 68 Current Book Value $38\emptyset - 387$ S999999V99 69 Depreciation-CM 388-393 6 S9(4)V99 7ø Depreciation-YTD 7 391-4ØØ S9(5)V99 71 Depreciation-LTD 4**Ø1**-4**Ø**8 S9(6)V99 72 Fuel Consumption (Gal.)-CM 409 - 4135 S9999V9 73 Fuel Consumption (Gal.)-YTD 414-419° 6 S9(5)V9 74 Fuel Consumption (Gal.)-LTD 7 S9(6)V9 420 - 42675 Fuel Cost - CM 427-432 S9999V99 16 Fuel Cost - YTD 433-44Ø 8 S9(6)V99 77 Fuel Cost - LTD 441-448 8 S9(6)V99 78 Oil Consumption (Qts.)-CM S99V9 449-451 79 Oil Comption (Qts.)-YTD 452-455 S999V9 80 Oil Consumption (Qts.)-LTD 5 S9999V9 456-46Ø Oil Cost - CM 5 S999V99 461-465 82 Oil Cost - YTD 466 - 472S9(5)V99 83 Oil Cost - LTD 473 - 4797 S9(5)V99 84 Misc. Cost - CM 5 S999V99 480 - 48485 Misc. Cost - YTD 485-491 7 S9(5)V99 86 Misc. Cost - LTD 7 S9(5)V99 492-498 Number Repair Orders - CM S99V 499-5ØØ Number Repair Orders - LTD S999V 3 5Ø1-5Ø3 89 Number Road Calls - CM 2 S99V 5%4 - 5%59ø Number Road Calls - LTD 5Ø6-5Ø8 3 S999V

r'ILE	NAME:	Equipment	Inventory	Master	
-------	-------	-----------	-----------	--------	--

RECORD LENGTH: 700

FILE NUMBER: EMIFØ4

BLOCKING FACTOR: 4

	FIELD NO.	DATA ELEMENT NAME			PICTURE OR REMARKS
			POSITIONS	LENGTH	
	91	Scheduled Labor Hours - CM	5Ø9-513	5	S9(4)V9
	92	Scheduled Labor Hours - LTD	514-519	6	S9(5)V9
	93	Total Labor Hours - CM	52Ø-524	5	S9(4)V9
	94	Total Labor Hours - LTD	525-53Ø	6	S9(5)V9
	95	Labor Cost - CM	531-537	7	S9(5)V99
	96	Labor Cost - LTD	538-545	8	S9(6)V99
	97	Parts Cost - CM	546-552	7	S9(5)V99
`	98	Parts Cost - LTD	553-56Ø	8	S9(6)V99
: ر	.9	Commercial Cost - CM	561-567	7	59(5)V99
	100	Commercial Cost - LTD	568-575	8	S9(6)V99
	101	Accident Cost - CM	576-583	8	S9(6)V99
	102	Accident Cost - LTD	584-591	. 8	S9(6)V99
	1¢3	Warranty Cost - CM	592-599	8	S9(6)V99
	194	Warranty Cost - LTD	6øø-6ø7·	8	\$9(6)V99
	1Ø5	Billed Amount - CM	6Ø8-6 1 4	7	S9 (5) V99
	1¢6	Billed Amount - YTD	615-621	7	S9(5)V99
	107	Billed Amount - LTD	622-629.	8	S9(6)V99
	1ø8	Miles or Hours per Gallon	63Ø-635	6	\$999V999
	1ø9	Date Last PM	636-641	6	WMDDYY
	11ø	Meter Last PM	647-648	7	S9(6)V9
	211	Type of Last PM	649	1	"A,B, or C".
	.12	Date Last State Inspection	65Ø-655	6	ммррхх
	113	Total Repair Cost - YTD	656-663	8	S9(6) V99
	114	Filler	664-7øø	37	x (37)

A-37

SYSTEM NAME: PTI/APWA EQUIPMENT MANAGEMENT INFORMATION SYSTEM

COMPONENT NAME: Fuel

FILE NAME: Organization/APWA Table (EMGFØ3)

VOLUME DEVICE: Tape

FILE ORGANIZATION: Sequential

FILE NUMBER OF VOLUME (FIRST, SECOND, ETC.): N/A

RECORD FORMAT: Fixed Length

RECORD LENGTH: 80

RECORDS PER BLOCK: 20

FILE RETENTION:

a. TEMPORARY

b. PERMANENT X

Until Updated With Change

RETENTION PERIOD: to Org. Code, APWA code, or facility code

RECORD RELATIVE KEY POSITION: N/A

KEY LENGTH: N/A

PHYSICAL BLOCKSIZE: 1600 characters

MAXIMUM NUMBER OF LOGICAL RECORDS ON FILE: 225

CREATING PROGRAM: Card-to-tape Utility

REFERENCING PROGRAM(S):

PROGRAM

ACCESS METHOD

EMFP05


Sequential

APPENDIX B

SAMPLE FORMS

P'II/A PWA Equipment Management System

FUEL TRANSACTION FORM



EMFDØ2

LE UIPMENT FDORT		BEGINNING DATE: 14 19	ENDING DATE: 3β 35	PLACE "X" IN BOX IF PUMP READING FAULTY, OTHERWISE LEAVE BLANK, IF FAULTY, EXPLAIN BELOW.
CITY OF SAMPLEVILLE BUREAU OF MUNICIPAL EQUIPMENT		5 12	21 28	PLACE "X" IN B 37 OTHERWISE LEA BELOW.
	FUMP NO. :	BEGINNING FUMP READING:	ENDING PUMP READING:	PUMP READING BY-PASS:

CITY OF MILWAUKEE

Form No. EMF.

Report Request Form For Requesting: "FUEL TRANSACTIONS BY EQUIPMENT NUMBER"

	Date: / / mo. day yr.					
То	request this report, fill in the information below:					
1.	Check this box if most current data for this reporting period is requested.					
2.	If most current data is not requested (as indicated above), specify the dates (below) for which data is requested:					
	From: / / To: / / mo. day yr. mo. day yr.					
3.	3. Do you wish all vehicles to appear on the report or only selected vehicles (check appropriate box).					
All Vehicles Selected Vehicles						
If you checked the selected vehicles box, submit a list of vehicle equipment numbers in the space provided below (Maximum of 100 vehicles).						
ı						

numbers ii	the space provided below (Maximum of 100 venicles).	
11111		
	B-4	

CITY OF MULWAUKEE Report Request Form For Requesting: "FUEL TRANSACTIONS BY PUMP NUMBER"

Form No. EMFD04

					Date	///
:	To :	request this repo	ort, fill in the info	ormation below:		mo. day yr.
	1.	Check this b	ox if most currer	nt data for this r	eporting period i	is requested.
	2.		data is not reque h data is request		ed above), specify	y the dates
		From: / mo. da	ny yr.	To: /	y yr.	•
	3.	Do you wish all pumps (check ap	fuel pump number opropriate box).	rs to appear on	the report or onl	y selected
		All Pumps	Selected Pun	nps		
			he selected pump wided below (Max			numbers

Ž,

A.

4