



Vicinity Map 1



Vicinity Map 2



Zoning Map (Note: R-3SHD District not indicated)

ATION REFERENCE MARKS

DESCRIPTION OF LOCATION

A C&GS disk, stamped Houma No. 1, set in the top of a concrete post projecting 1 foot. The mark is 24 feet west of the centerline of Morgan Street and 1 1/2 feet south of the south edge of a concrete sidewalk.

A 1/4-inch copper plug in the top of a concrete post that is flush with the sidewalk and appears to be part of the sidewalk. The mark is 22 feet west of the centerline of Goode Street, 4 feet southeast of a fire hydrant, and 2 inches east of a concrete curb along the west side of the sidewalk.

A C&GS disk, stamped U221, set in the top of the south end of a concrete walkway on the west side of a concrete drawbridge over Terrebonne Bayou, projecting 1 foot above the level of the highway. The mark is 186 feet north of the centerline of the intersection of US Highway 90 and State Highway 24, and 1 foot east of the south edge of a steel railing on the bridge.

A LA Geod. Survey disk, stamped C4612, set flush with the floor of a drawbridge over the Intracoastal Canal. The disk is 50 feet east of the west end of the concrete floor of the bridge and 6 inches south of the south edge of a walkway across the bridge.

A C&GS disk, stamped S221, set in the top of the south end of the east concrete walkway at the drawbridge over Terrebonne Bayou, about 1 foot above the level of the bridge. The mark is 105 feet north of the center of the intersection of State Highway 24 and 57, and 13 feet east of the centerline of State Highway 57.

A C&GS disk, stamped T221, set in the top of the west side of a concrete foundation for a catch basin at the GEMOCO Tool Company, projecting 6 inches above State Highway 24. The mark is 24 feet north of the centerline of the Highway, and 24 feet east of the southeast corner of a metal building.

A C&GS disk, stamped L166, set level with the top of Grand Caillou Road. In the top of the northwest end of the southwest concrete headwall of a culvert midway between Swan Avenue and Jane Avenue. The mark is 24 feet northwest of the east corner of the Houma Machine and Marine Supply Company building, and 22 feet southwest of the centerline of Grand Caillou Road.

A C&GS disk, stamped V221, set about level with State Highway 681 in the top of the southwest end of the northwest concrete headwall of a triple-channelled culvert. The mark is 27 feet northeast of the centerline of Jackie Lane, and 20 feet northwest of the centerline of the highway.

A C&GS disk, stamped Z221, set about 1 foot above the level of US Highway 90, in the top of the north end of the east concrete headwall of a box culvert bearing concrete rails. The mark is 55 feet southwest of the southwest corner of a Chevrolet garage and 29 feet east of the centerline of the highway.

SITE

FEMA Flood Insurance Rate



Flood hazard areas identified on the Flood Insurance Rate Map are identified as a Special Flood Hazard Area (SFHA). SFHA are defined as the area that will be inundated by the flood event having a 1-percent chance of being equaled or exceeded in any given year. The 1-percent annual chance flood is also referred to as the base flood or 100-year flood. SFHAs are labeled as Zone A, Zone AO, Zone AH, Zones A1-A30, Zone AE, Zone A99, Zone AR, Zone AR/AE, Zone AR/AO, Zone AR/A1-A30, Zone AR/A, Zone V, Zone VE, and Zones V1-V30. Moderate flood hazard areas, labeled Zone B or Zone X (shaded) are also shown on the FIRM, and are the areas between the limits of the base flood and the 0.2-percent-annual-chance (or 500-year) flood. The areas of minimal flood hazard, which are the areas outside the SFHA and higher than the elevation of the 0.2-percent-annual-chance flood, are labeled Zone C or Zone X (unshaded).