

Equipment Specifications for Infirmaries for Dormitory Projects



M. 17

no. 17

P 816

: 33618

728.1

SPECIFICATIONS FOR INFIRMARY EQUIPMENT

Intention: The intention of this specification is to provide the equipment both movable and fixed, to furnish and equip the buildings for the infirmary of the 250-400-650-1000-1500 and 2100 units of the war dormitories. The only differences in these units are the quantities of equipment that will be required. For quantities consult the plans of the various size units which show in detail where these articles will be required.

The materials furnished shall be the best of their several kind and substitutions equal to those articles specifically indicated, may be made by the equipment contractor upon obtaining written consent from the proper authority to do so. For details of construction of tables and other furniture, except beds, see and be governed by general specification of furnishings for morale equipment.

Chairs: Furnish as follows Chair XC with saddle seat as indicated in general furniture specification. Waiting room 8, in each Doctor's office 2, in each Examining room 1, in each Isolation room 1, in each double bed room 2, in each single bed room 1, each pantry 1, each Bath 1 (finished in white enamel), Nurse's corridor 3, in Nurse's station at counter 1.

Pictures: Furnish in each isolation and each bed room two framed pictures. Allow \$2.00 for each including hanging hook and wire.

Tables: In each waiting room furnish one wood table 32"x50"x30" high.
10/8/42

Bed Side Tables: In each bed room next to each bed furnish one wood table 21" x 17" with adjustable arm, one drawer, lower compartment, casters, and towel bar on right side (not back). This shall be similar to Hill-Rom Co. #751 S.A.

Beds: As indicated on plans furnish hospital beds 36" wide with noiseless casters and wood of metal head and foot pieces like Federal Standard Specifications AA-B-201 omitting towel bar and irrigator attachment.

Mattresses: For each bed furnish one mattress 36" x78" with inner springs according to Federal Standard Specifications V-M-96A.

Waste Baskets: For each bed room and in each utility room, each nurse's station, each examining room and each doctor's office, furnish one receptacle for waste paper of fibre 14" x 12" x 16" according to Federal Standard Specifications LLL-191A.

Desks: Furnish in each Doctor's office one wood double pedestal desk 34"x60" Federal Standard Specifications AA-D-201.

Filing Cabinets: Furnish in each Doctor's office one 3 sectional wood filing cabinet for letters, one sectional unit for cards together with top and base according to Federal Standard Specifications AA-F-801.

Floor Lamps: In each Examining Room or unit, furnish one floor lamp with goose neck and adjustable height similar to A.S. Aloe Co. catalogue No. 75P6368 or equal.

Desk Lamp: In each Doctor's office and in each Nurse's station furnish one desk lamp each, according to Procurement Division Specifications No. 231 Type 4.

Conveyor: Furnish in each Utility room and each Isolation utility room one soiled linen conveyor, Veterans Administration Specifications No. 73a, except with laundry bag of awning duck to fit with grommets and draw string. Also supply each conveyor with two extra bags.

Sanitary Cans: Furnish in each Utility room, each Pantry and each Examining room, one sanitary white enamel waste can, 12 quart capacity, according to Federal Standard Specifications RR-C-121.

Mopping Outfit: In each Janitor's closet furnish a mopping outfit with two tanks and wringers according to Federal Standard Specifications RR-M-571, Type 2, Class B, Style 2.

Stools: In each Examining room, one revolving white enamel stool adjustable from 19 to 25" similar to A.S. Aloe Co. Catalogue #75P9194.

Refrigerator: In each pantry furnish one 8 cu. ft. electric refrigerator according to Federal Standard Specifications AA-R-211.

Toaster: In each pantry furnish one electric, 2 slice, toaster automatic control according to Navy Department Specifications #64T4A, Type A.

Hot Plate: In each pantry, furnish one heavy duty commercial short order hot plate similar to type THB of Edwin L. Wiegand Company, consisting of two heating elements, one at nominal rating of 1000 watts and the other of 650 watts, each heating element having a heat control with (3-heat operation, 115 volts). Heating elements shall have resistance wire embedded in closely packed insulation material. Equip with five feet of extra heavy, two-conductor cord with plug. Compliance with Underwriters Laboratory, Inc.

Examining Table: In each examining room furnish one operating table of tubular steel, white enamel finish, three sectional top, provided with arm rests and heel stirrups according to U. S. Army Specifications #10-2452.

Irrigator Stand: In each examining room furnish one irrigator stand, single hanger, of white enamel finish, similar to A. S. Aloe Co. catalogue #75P6377.

Pad: Furnish one examination pad for each table according to U. S. Army Specification 10-2606.

Tables: In each examination room furnish one white enamel finish, instrument table according to Veterans Administration Specifications H380, and one instrument table, Mayo type also according to Veterans Administration Specifications H51C, except that tray shall be of white enamel.

Food Truck: Furnish one Prometheus Electric food truck #1050 or equal with heater, compact server similar to No. 1028 A. S. Aloe catalogue. G. I. body modified in lower portion to house 20 cold trays, each tray 14" x 18".

Instrument Sterilizer: Furnish for each examining room one porcelain enamelled iron sterilizer similar to Aloe E1066. Size 15 7/8" long by 11 1/2" wide by 6 1/2" deep.

Hot Plate: Furnish one double burner electric hot plate to boil water for each instrument sterilizer specified above. Hot plate to be furnished is same as for pantry.

Paper Towel Racks: Furnish and install one paper towel rack in the following rooms: Utility room, patients toilet, patient's bed room, isolation utility room examining room, public toilet, nurse's station, and pantry.

Soap Dispensers: Liquid soap dispensers according to Federal Standard Specification #FF-D-396A shall be furnished as follows: One in each of the patients toilets. One in each of the bed-rooms, one in each of the isolation bedrooms. One in each examining room. One in each Nurse's station and one in each lavatory in waiting room.

Bath Grip: In each bath room furnish one 8" x 1 1/2", properly anchored, glass or composition hand grip above middle of tub.

Curtains: Provide on proper pins to rod furnished by others and 8 ounce duck shower curtain hemmed top and bottom, with grommets for pins. Curtain shall have 25% fullness.

SCHEDULE OF QUANTITIES REQUIRED

SUPPLEMENTARY UNIT

ITEM	250	400	650	1000	1500	2100
Chairs	10	12	25	29	36	43
Bedside Table	4	6	8	12	18	24
Table	--	--	1	1	1	1
Beds	4	6	8	12	18	24
Waste Basket	4	5	10	12	18	22
Desk	--	--	1	1	1	1
Filing Cabinet	--	--	1	1	1	1
Floor Lamp	1	1	1	1	2	2
Desk Lamp	1	1	2	2	2	3
Conveyer	1	1	2	2	2	2
Bath Grip	1	1	1	1	1	1
Mattress	4	6	8	12	18	24
Pictures	4	6	10	14	22	28
Sanitary Cans	2	2	4	4	5	6
Mop Outfit	1	1	1	1	1	1
Revolving Stool	--	--	1	1	2	2
Refrigerator	1	1	1	1	1	1
Toaster	1	1	1	1	1	1
Hot Plate	1	1	1	1	1	1
Examination Table	--	--	1	1	2	2
Irrigation Stand	--	--	1	1	2	2

- 2 -

ITEM	250	400	650	1000	1500	2100
Pad	--	--	1	1	2	2
Instrument Table	--	--	1	1	2	2
Mayo Instru. Table	--	--	1	1	2	2
Shower Curtain	1	1	1	1	1	1
Wire Soap Recp't	1	1	1	11	1	1
Food Truck	1	1	11	11	1	1
Instrument Tray	1	1	1	1	2	2
Hot Plate (Sterilizer)	0	0	1	1	2	2
Paper Towel Racks	6	7	12	14	20	25
Soap Dispensers	4	5	9	11	16	20

SPECIFICATIONS FOR WHITE GOODS EQUIPMENT FOR BEDS
IN INFIRMARIES NO. 250, NO. 400, NO. 650, NO. 1000.
NO. 1500 AND NO. 2100

For quantities required see list at end of this specification.

All white goods equipment furnished hereunder shall be new, first quality materials of standard brands equal in all instances to those specifically mentioned. They shall have the makers marks on each package and each bidder shall specify the manufacturer's goods used in his bid.

Pillows. These shall be 21" x 27" of featherproof, blue white striped 8 ounce ticking cover. They shall bear the inspection label of the state in which they are made. They shall be filled with all goose feathers, or 50% goose and 50% duck feathers fully sterilized and deodorized, three pounds of feathers to each pillow.

Pads. For each mattress supply a pad of "Ripruf" duck sheet 36" x 72" double coated and extra heavy. Equal to that furnished by Hospital Equipment Corporation.

Sheets. Cannon or equal extra heavy and bleached and hemmed. Thread count 144 to the square inch. Size 63" x 108" packed in bundles of one dozen each.

Pillow Case. Cannon or equal. Similar to sheets specified above. Size 42" x 36" properly hemmed and sewed.

Blankets. These shall be single solid color as selected, closely woven with 75% combed wool, 25% combed cotton, double napped. Bound on edges with fine mercerized cotton satin 2" on each face. Size 66" x 84", weight at least 4 pounds.

Turkish Towels. Cannon or equal, absorbent and double treaded. Size 24" x 46", all white.

Face Towels. Cannon or equal. Closely woven. Size 18" x 36", white.

Face Cloths. Cannon or equal. Similar to Turkish towels. Size 12" x 12".

Bath Mats. Cannon or equal. Strongly woven. Size 22" x 36", white.

Quantities

<u>Infirmary</u>	<u>Pillows</u>	<u>Pads</u>	<u>Sheets</u>	<u>Pillow Cases</u>	<u>Blankets</u>	<u>Turkish Towels</u>
No. 250	2/3 doz.	2/3 doz.	2 doz.	2 doz.	1 doz.	2 doz.
No. 400	1 1/3 doz.	1 1/3 doz.	4 doz.	4 doz.	2 doz.	4 doz.
No. 650	1 1/2 doz.	1 1/2 doz.	5 doz.	5 doz.	2 1/2 doz.	5 doz.
No. 1000	2 doz.	2 doz.	6 doz.	6 doz.	3 doz.	6 doz.

<u>Infirmary</u>	<u>Pillows</u>	<u>Pads</u>	<u>Sheets</u>	<u>Pillow Cases</u>	<u>Blankets</u>	<u>Turkish Towels</u>
No. 1500	3 doz.	3 doz.	9 doz.	9 doz.	4 1/2 doz.	9 doz.
No. 2100	4 doz.	4 doz.	12 doz.	12 doz.	6 doz.	12 doz.
		<u>Face Towels</u>	<u>Face Cloths</u>	<u>Bath Mats</u>		
No. 250		2 doz.	2 doz.	1/3 doz.		
No. 400		4 doz.	4 doz.	2/3 doz.		
No. 650		5 doz.	5 doz.	3/4 doz.		
No. 1000		6 doz.	6 doz.	1 doz.		
No. 1500		9 doz.	9 doz.	1 1/2 doz.		
No. 2100		12 doz.	12 doz.	2 doz.		

SUPPLY LIST FOR INFIRMARIES

(Group 1 - Medical and Surgical Equipment)			250	400	650	1000	1500	2100
Item			Bed Capacity					
<u>No.</u>	<u>Type</u>	<u>Unit</u>	<u>4</u>	<u>6</u>	<u>8</u>	<u>12</u>	<u>18</u>	<u>24</u>
01	Applicator, wood - U.S. Army Specif. 10-2374A	Carton	No. 1	1	2	4	6	6
02	Battery flashlight - Federal Standard Specif. W-B-101 to fit Item 10	each	No. 3	3	6	9	12	12
03	Bottle, hot water, rubber - Federal Standard Specif. E-ZZ-B-596A	each	No. 1	1	2	3	4	5
04	Brush, hand - U.S. Army Specif. 30-65	each	No. 1	1	2	3	4	6
05	Clock, pendulum and spring type Federal Standard Specification GG-C-451, Amendment 1, Type II, Class 4, (Specify oak or mahogany finish)	each	No. 0	0	1	1	1	1
0	Clock, synchronous motor - Federal Standard Specification GG-C-466, Type II, Grade A, Class I, (this may be substituted for item 05)	each	No. 0	0	1	1	1	1
06	Crutch, wood - U.S. Army Specif. 10-2235A	pair	No. 0	0	1	1	1	1
07	Depressor, Tongue, wood - Federal Standard Specif. GG-C-226	carton	No. 1	1	2	4	4	4

<u>No.</u>	<u>Unit</u>		<u>4</u>	<u>6</u>	<u>8</u>	<u>12</u>	<u>18</u>	<u>24</u>	
08	Dispenser, paper sheet, table (specify if for wood or metal table) Type hospital equipment corp. catalog #1380 or equal	each	No.	0	0	1	1	1	1
09	Dropper, medicine, Federal Standard Specification DD-D-691	Dozen	No.	$\frac{1}{2}$	$\frac{1}{2}$	1	1	2	2
10	Flashlight, electric, hand (without batteries) Federal Standard Specif. E-W-R-421A, Type 1, Style 2	each	No.	1	1	2	3	4	4
11	Forceps, dressing - U.S. Army Specif. 10-2241b, $5\frac{1}{2}$ "	each	No.	0	0	1	2	2	2
12	Forceps, hemostatic, Rankin Kelly- U.S. Army Specif. 10-2239R, Type IV	each	No.	0	0	1	2	2	2
13	Forceps, sponge - U.S. Army Specif. 10-2240A, Type XXI	each	No.	0	0	1	2	2	2
14	Glass, medicine - Federal Standard Specif. DD-G616	dozen	No.	$\frac{1}{2}$	$\frac{1}{2}$	1	2	2	2
15	Glove, rubber, surgeons' - Federal Standard Specif. ZZ-G-421A Size 7	pair	No.	0	0	1	2	2	2
16	Glove, rubber, surgeons' - Federal Standard Specif. ZZ-G-421A Size 8	pair	No.	0	0	1	2	2	2
17	Ice Bag, rubber - Federal Standard Specif. E-ZZ-I-121	each	No.	1	1	2	2	3	4
18	Knife, operating, hand - U.S. Army Specif. 10-2934A, #3	each	No.	0	0	1	1	1	1

<u>No.</u>	<u>Unit</u>		<u>4</u>	<u>6</u>	<u>8</u>	<u>12</u>	<u>18</u>	<u>24</u>	
19	Knife, operating, detachable blade - U.S. Army Specif. 10-2935, #10	pkg.	No.	0	0	1	1	1	1
20	Lamp, alcohol, with wick- U.S. Army Specif. 10-2816, Type 1	each	No.	1	1	1	2	2	2
21	Needle, surgical - U.S. Army Specif. 383-D, half curved, cutting edge, Type IX, Class B, sizes 22, 24, 26, 28, 30, 20 (2 each)	dozen	No.	0	0	1	1	1	1
22	Needle, syringe - Federal Standard Specif. GG-H-196, 23 Gauge 3-4" long	dozen	No.	$\frac{1}{2}$	$\frac{1}{2}$	1	1	1	2
23	Plaster, adhesive, surgical - 12" x 10 yds, cut. Dispensing cut: 4- $\frac{1}{2}$ "; 2-2" and 1-3" - Federal Standard Specif. U-P-401	roll	No.	1	1	1	2	2	2
24	Razor, safety, double edge, and 24 blades, Class B-U. U.S. Army Specif. 22-194	each	No.	0	0	1	1	1	2
25	Sheet, paper refills for Item 8 - Type Hospital Equipment Corp. catalog 1381 or equal	roll	No.	0	0	1	1	1	2
26	Scissors, surgical - U.S. Army Specif. 10-2130A, Type VII, Scissors, one point sharp, dressing 5 $\frac{1}{2}$ "	pair	No.	1	1	2	3	3	3
27	Splint, basswood, - U.S. Army Specif. 10-2157A, length 18", Size I	each	No.	1	1	2	2	3	3

<u>No.</u>	<u>Unit</u>		<u>4</u>	<u>6</u>	<u>8</u>	<u>12</u>	<u>18</u>	<u>24</u>
28	Suture, silk, dermal, medium - U.S. Army Specif. 184A - 40 in. long	each	No. 0	0	2	2	4	4
29	Syringe, Luer - Federal Standard Specif. GG-S-921a. 2CC	each	No. 2	2	4	4	4	6
30	Syringe, Luer - Federal Standard Specif. GG-S0921A, 10CC	each	No. 1	1	2	2	4	4
31	Thermometer, clinical, mouth - Federal Standard Specif. GG-T-311, Class C	each	No. 3	4	6	12	18	24
32	Tip. Crutch, to fit crutches - Federal Standard Specif. ZZ-T-351, Size 18-3/4" x 1-3/4"	pair	No. 0	0	1	1	1	2
33	Tubing, rubber, special - U.S. Army Specif. 20-105	yard	No. 1	1	1	2	2	2
34	Tube, Stomach - Federal Standard Specif. ZZ-T-791	each	No. 0	0	1	1	1	1
<u>Group 2 - Gauze and Cotton Supplies</u>								
01	Bandages, gauze, 1" x 10 yds. - Federal Standard Specif. DDD-B-61, (12 in box)	Box	No. 1	1	2	2	3	4
02	Bandages, Gauze, 2 1/2" x 10 yds. - Federal Standard Specif. DDD-D-61, (12 in box)	Box	No. 1	1	2	2	3	4
03	Cotton, absorbent, Federal Standard Specif. JJJ-C-561 Grade A 1 lb. rolls	roll	No. 1	1	2	2	3	4

<u>No.</u>	<u>Unit</u>		<u>4</u>	<u>6</u>	<u>8</u>	<u>12</u>	<u>18</u>	<u>24</u>	
04	Gauze, surgical, 24 x 20 mesh, 100 yds. roll cut 9 x 9" - Type Bauer and Black or equal.	Bolt	No.	1/4	1/4	1/2	1	1	1
05	Combination roll of absorbent cotton, non-absorbent cotton and gauze, 8" wide x 20 yds. long, type Bauer and Black or equal.	Roll	No.	3	3	3	4	6	6
06	Sponges, surgical - U. S. Army Spec. 10-2991, Type III, size I (100 per pkgs, in carton)	Carton	No.	1	1	1	1	1	1
<u>Group 3 - Enamelware</u>									
01	Basin, sponge, white enamel, size 5-3/16 x 2-1/4", type A.S. Aloe Co. catalog 75 E 1036 or equal	Each	No.	1	1	2	2	2	2
02	Basin, pus - type A. S. Aloe catalog 75 E 1190 or equal.	Each	No.	4	6	8	12	18	24
03	Basin, wash, white enamel, 12" diameter type A. S. Aloe catalog 75 E 1096 or equal.	Each	No.	4	6	8	12	18	24
04	Bed pans, white enamel, type A. S. Aloe catalog 75 E 1023 or equal.	Each	No.	4	6	8	12	18	24
05	Bell, call - U. S. Army Specif. 10-2533	Each	No.	4	6	8	12	18	24

Group 3 - (cont'd)

<u>No.</u>	<u>Unit</u>		<u>4</u>	<u>6</u>	<u>8</u>	<u>12</u>	<u>18</u>	<u>24</u>
06	Cup, white enamel, custard - type A. S. Aloe catalog 75 E 1039 or equal (6 ounce)	Each	No. 2	2	2	2	4	4
07	Cup with handle, type A.S. Aloe catalog 75 E 1198 or equal (ounce)	Each	No. 4	6	8	12	18	24
08	Funnel, white enamel, 5" diameter type A. S. Aloe catalog 75 E 1309 or equal (16 ounce)	Each	No. 1	1	1	1	1	1
09	Funnel, white enamel, 4" diameter type A. S. Aloe catalog 75 E 1306 or equal (8 ounce)	Each	No. 2	2	2	2	2	2
10	Graduate, 500 CC, enamelware - type A. S. Aloe catalog 75E1348 or equal.	Each	No. 1	1	1	1	1	1
11	Irrigator, white enamel, with handle - type A.S. Aloe catalog 75 E 1102 or equal	Each	No. 1	1	1	1	1	1
12	Jars, for dressing - type A. S. Aloe catalog 75 E 1288 or equal	Each	No. 3	3	3	3	3	6
13	Pitcher, enamelware, 2-1/8 qts.- type A. S. Aloe catalog 75 E 1219 or equal	Each	No. 1	1	1	1	1	1
14	Soap dishes, without drain, white enamel for thermometer tray - type A.S. Aloe catalog 75 E 1120 or equal	Each	No. 3	3	3	3	3	6

Group 3 - (cont'd)

<u>No.</u>	<u>Unit</u>	<u>No.</u>	<u>4</u>	<u>6</u>	<u>8</u>	<u>12</u>	<u>18</u>	<u>24</u>
15	Trays, white enamel, with lid, size 8-7/8" x 5" x 2" - type A.S. Aloe catalog 75 E 1123 or equal	Each	No. 1	1	1	1	2	2
16	Trays, white enamel, without lid, size 8-7/8" x 5" x 2" - A. S. Aloe catalog 75 E 1132 or equal	Each	No. 1	1	1	1	2	2
17	Trays, white enamel, size 12-3/16" x 7-3/4" x 2-1/16" (hypodermic) type A. S. Aloe catalog 75 E 1135 or equal	Each	No. 1	1	1	1	1	1
18	Trays, white enamel, size 13-3/4" x 9-1/2" x 1-3/4" (temperatures) type A.S. Aloe catalog 75 E 117 or equal	Each	No. 1	1	1	1	1	1
19	Trays, white enamel, size 19-3/8" x 13" x 2-3/8" (dressing) - type A. S. Aloe catalog 75E 1165 or equal	Each	No. 1	1	1	1	1	2
20	Tumblers, white enamel, type A.S. Aloe catalog 75 E 1108 or equal	Each	No. 1	1	1	1	1	2
21	Urinals, male, white enamel, type A. S. Aloe catalog 75 E 1069 or equal (to be ordered only if male patients are to be admitted)	Each	No. 4	6	8	12	18	24

Group No. 4 - Linens and Bedding

No.	Unit		4	6	8	12	18	24
01	Bedpan covers, Type Will Ross Catalogue F-400 or equal	Each	No. 4	6	8	10	12	18
02	Covers, hot water bottle - Type Will Ross Catalog F-104 or equal	Each	No. 2	2	4	6	8	10
03	Gowns, operating, medium, Federal Standard Specif. DDD-F-601	Each	No. 2	2	6	6	8	8

Group No. 5 - Housekeeping Supplies

01	Bags, paper Kraft - Federal Standard Specif. UU-B-36 Grocers 5 lbs.	100	No. 1	1	2	2	4	4
02	Bags, paper Kraft, - Federal Standard Specif. UU-B-36 Grocers 2 lbs.	100	No. 1	1	2	2	4	4
03	Brush, bed pan - U.S. Army Specif. 30-67	Each	No. 1	1	2	2	2	2
04	Matches, safety - Federal Standard Specif. EE-M-101b	Pkg.	No. 1	1	2	2	3	3
05	Pins, common, No. 3 - Type A.S. Aloc catalog 74S3718 or equal	Lb.	No. $\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{2}$	1	1	1
06	Pins, Safety, No. 2 $\frac{1}{2}$ - U.S. Army FR-P-416	100	No. 1	1	2	2	3	3

Group No. 6 - Pantry Supplies

None



3624

Group 7 - Pharmaceuticals -

Note: All pharmaceuticals to conform to U.S. Army Specification
4-1051A

<u>No.</u>	<u>Item</u>	<u>Unit</u>		<u>4</u>	<u>6</u>	<u>8</u>	<u>12</u>	<u>18</u>	<u>24</u>
01	Acetylsal USP 5 gr.	100	No. Cost	1	1	2	2	3	4
02	Acid, boric USP	lb.	No.	1	1	2	2	2	2
03	Adrenalin	ounce	No.	1/2	1/2	1	1	2	2
04	Alcohol, USP	gallon	No.	1/2	1/2	1	1	1 1/2	1 1/2
05	Ammonia Aromatic Spirits USP	ounce	No.	1	1	2	2	4	4
06	Amylnitrite, USP Min Amp	dozen	No.	1/4	1/4	1/2	1/2	1/2	1
07	Colomine lotion	pints	No.	1/2	1/2	1	1	1	1
08	Iodine tincture USP	ounce	No.	4	4	8	8	8	12
09	Jelly, lubricating	tube	No.	0	0	1	1	1	1
10	Magnesia, milk	pint	No.	1	1	2	2	3	3
11	Mercury Ammoniated Oint USP	lb.	No.	1/2	1/2	1	1	1	1
12	Merthiolate, tincture	pint	No.	1/4	1/4	1/2	1/2	1/2	1
13	Oil, cloves	drams	No.	1	1	2	2	2	2
14	Sodium Bicarbonate, USP	lb.	No.	1	1	2	2	2	2
15	Phenylbarbital, 1/2 grain tablets	100	No.	1	1	2	2	3	3
16	Talc, purified USP	lb.	No.	0	0	1/2	1	1	1
17	Butenin - Picrate Ointment	Pound	No.	1	1	1	1	1	1

EQUIPMENT SPECIFICATIONS FOR INFIRMARY KITCHENS

General: The following list of equipment is for use in pantries converted to serve as kitchens for infirmaries No. 250, 400, 650 and 1000 when other eating facilities are not conveniently accessible or available.

All structural changes, including removal of existing work, and installation of plumbing, piping and electrical work are under another contract. Sinks, shelves, and cupboards are also to be installed by others.

Equipment as called for in this specification shall be delivered in perfect condition and in appropriately protected containers and, where necessary, shall be installed in a workmanlike manner with proper connections to plumbing, gas, or other roughing.

Item No. 1. Range - Coal or Gas, Alternate

(a) Coal Range. In each kitchen where coal is the fuel, provide one coal range. Size of range, approximately 36" x 26" x 30" high - oven size, 14" x 21" x 13" - weight, 440 lbs. Provide and install smoke leader for 8" flue and collar. Provide and install one 20 gauge sheet steel hood with angle iron frame, securely fastened to brick work. Size of hood, 4' x 2' 6".

(b) Gas Range. In each kitchen where gas is the fuel, provide one gas range. Size of range approximately 36" x 26" x 30" high, with oven. Equipment shall include one giant burner with half-moon plate and solid reducing ring. Front and sides shall be insulated. Oven door shall be counterbalanced.

Item No. 2. Refrigerators (a for #250 and 400; b for #650 and 1000)

(a). For units #250 and #400, furnish and install one electric refrigerator, General Electric Model, No. B8-41 or equal. Net capacity of 8.2 cu. ft. Overall size 33" x 28" x 61 3/8" high.

(b). For units #650 and #1000, furnish and install one electric refrigerator, General Electric Model #15 or equal, with compressor. Size of refrigerator 32" deep x 25" wide x 73" high. Net capacity 16.2 cu. ft.

Item No. 3. Furnishings and Utensils

<u>Utensils</u>	<u>250-400</u>	<u>650-1000</u>
Beater, Egg - double 12 1/4"	1	1
Board, Bread	1	1
Boilers, Double, 1 1/2 qt.	1	1
Boilers, Double, 7 qt.	1	1
Bowl, Chopping	1	1
Box, Bread, 19" x 13 1/2"	1	1
Brushes, Vegetable	1	1
Can Openers, Edlund, 14"	1	1
Chopper, Meat, 4 lb.	1	1
Cups, Measuring, 1/2 pt.	1	2
Drainers, Dish	1	2
Forks, 12 1/2"	1	1
Knives, Bread, 10" blade	1	1
Knives, Cook's, 12" blade	1	1
Knives, Paring, 3 1/2" blade	1	1
Knives, Single Chopping	1	1
Masher, Potato	1	1
Measures, One Qt.	1	1
Mops, Dish, 15"	1	2
Pans, Baking, 12" x 18" x 2 1/4"	2	2
Pans, Fry, 12 1/2"	2	3
Pans, Roast	1	1
Pans, Dish, 21 Qt.	1	2
Pans, Sauce, 1 1/2 Qt.	1	1
Pins, Rolling	1	1

Pitchers, White Enameled, 4 Qt., No Covers	2	3
Pots, Cooking, 1 1/2 Qt.	1	1
Pots, Cooking, 2 Qts.	1	1
Pots, Cooking, 4 1/2 Qt.	1	1
Reamer, Orange	1	1
Spoons, Basting, 11 3/8"	1	1
Spoons, Basting, 13"	1	1
Spoons, Wooden, 14"	1	1
Strainers, 8" diameter	1	1
Trays, White Enamel, 12 1/8" x 24 1/2" x 7/8"	2	3
Truck, Food, to measure 3'6" x 2'1" x 2'8" high. Exterior #22 gauge metal, interior #16 gauge metal, with 1" fiber glass insulation between. Shall have 1 1/2" x 1 1/2" x 1/8" angle frame and legs, with 3" steel tired casters. One #16 gauge galvanized undershelf with 2" raised edges, fitted with one 12" x 20" white enameled meat pan with G.I. rolling cover; four 10 1/2" white enameled insets with enameled covers; one wood serving shelf with steel dropped brackets and a 2" diameter push bar handle set in iron brackets. Body and frame to be finished in gray Duco, unless otherwise instructed.	0	1
Waste Cans, 17" x 24"	2	3
<u>Dishes and Flatware</u>		
Bowls, Mixing, one set (6 to a set)	1	1
Bowls, Shallow, Oatmeal 5 3/4"	12	24
Cups & Saucers, Coffee	12	24

Dishes, Dessert, 4 3/4"	12	24
Forks	18	36
Glasses, Drinking, 8 oz.	24	48
Knives	12	24
Pitchers, Cream, 5 oz.	12	24
Pitchers, Glass, 40 oz.	4	8
Plates, Breakfast, 8 1/8"	12	24
Spoons, Serving	4	8
Spoons, Tea	18	36
<u>Linens, Etc.</u>		
Dust Cloths	1/2 doz.	1 doz.
Napkins, Paper, packages	1 gross	2 gross
Pot Holders	1/2 doz.	1 doz.
Towels, Dish	6 doz.	9 doz.
Towels, Hand	2 doz.	4 doz.