

Equipment Specifications For Maternity Convalescence Trailer Units.

728.1
:336.18
P. 16
12.11.1

August 1, 1943

Page 1

Doc.
HK
144
A75
NO 39

EQUIPMENT SPECIFICATIONS FOR
MATERNITY CONVALESCENCE TRAILER UNITS

Intent. It is the intent of this specification that the contractor shall furnish, deliver and install all equipment to be used in Maternity Convalescence Trailer Units except the combination cabinet, oil range and oil stove as shown on FPFA Dwg. TPS-1.3. These items shall be furnished and installed by the trailer manufacturer. The materials furnished shall be the best of their several kind and substitution equal to those articles specifically indicated may be made by the equipment contractor only upon obtaining written consent from the proper authority.

Equipment to be Furnished by Contractor. The following equipment is to be furnished by the contractor for (1) Convalescence Trailer Unit:

Bassinet and Cabinet. Five (5) bassinets and cabinets are required. They shall be American Hospital No. 111 or equal. They shall be constructed of square tubing and shall have a sliding tray size 29 1/2" x 13 7/8". The cabinet below shall have three compartments with door on right hand side of double compartment, and it shall be equipped with two inch casters. It shall have white enamel finish.

Bassinet Mattress. Five (5) bassinet mattresses are required, American Hospital No. 5772 or equal.

Bed Pan. There shall be five (5) white enamel bed pans, size 13 3/4" x 11 1/2" x 3 5/8", American Hospital No. 200 A or equal.

Bedside Cabinet. Five (5) bedside cabinets are required. They shall be made of wood, shall have one drawer, and one compartment with door. They shall be of natural finish, American Hospital No. 5523 or equal.

Bed. Five (5) Thomas Hospital Beds are required. They shall be equipped with a flat spring and removable ends. The head end shall be 48" high; foot end 38" high and shall set on 2" casters. The width of bed shall be 3' - 0"; the spring height, 27" from floor.

Bed Mattress. Five (5) mattresses are required 3' - 0" x 6' - 5". They shall have 9 oz. ticking.

August 1, 1943

Page 2

Bulletin Board. One bulletin board size 2' - 0" x 2' - 0" of soft wood with flush frame is required.

Cabinet Stand. One cabinet stand similar to bedside cabinet is required, but it shall have two shelves in place of drawer and door compartment.

Chairs. Six (6) chairs, type "XC", as specified in Bulletin No. 18, are required.

Costumer. Five (5) wood costumers are required. They shall be upright 6' high, 2" square with 2 pegs on each side. The base shall consist of four spread legs.

Desk. There shall be one desk 20" x 34", single pedestal with three (3) drawers, of natural finish.

Hamper, Linen. There shall be one (1) 18" diameter soiled linen hamper, Veterans Administration Spec. No. 23a. The laundry bag shall be of awning duck with grommets and drawstring. Two extra bags shall be furnished.

Desk Lamp. Six (6) desk lamps are required for use on bedside tables and nurse's desk. They shall have flexible necks, movable reflectors, and turnbutton switches.

They shall be complete with 9'-0" cord and plug. Aloe 75 P 6553 or equal.

Mirror. One wood frame mirror, size 10" x 18", shall be provided. The wood frame shall have white enamel finish. The mirror shall be fastened securely above lavatory. Straus 2084F6 or equal.

Sanitary Can. There shall be seven (7) sanitary white enamel waste receptacles, 12 quart capacity, according to Federal Standard Specification RR-M-571, Type 2, Class B, Style 2.

Scale, Infants. The scale shall have a 36 pound capacity. American Hospital #1154.

Sterilizer - Utensil. There shall be one (1) polished iron pan, bottoms strapped, size 12" x 18" x 9" deep. Straus U 183117 or equal.

Towel Cabinet & Towels. In each trailer one towel cabinet of white enamel finish, Evergreen or equal, shall be provided and installed. One case of 10-5/8" x 13-1/4" paper towels, 25 packages to case, 150 towels to package, shall also be furnished. Evergreen, standard size or equal.

August 1, 1943


Page 3


Equipment to be Furnished by the Manufacturer. The following specification is for the combination cabinet, oil range and oil stove which are to be furnished by the trailer manufacturers:

Combination Cabinet. The combination cabinet shall be the same as designed by FPHA Technical Division and as shown on drawing entitled "Combination Cabinet for Clinic Trailer", dated January 14, 1943, with the exception that the upper section shall be equipped with a suitable, secure lock. It shall have white enamel finish inside and out.

Range. One five (5) burner oil range is required, size 46 $\frac{1}{2}$ " x 24 $\frac{1}{2}$ " x 41 $\frac{1}{2}$ " high. It shall have two one gallon removable fuel reservoirs, both easily reached from front, porcelain enameled lining, built-in heat indicator and non-tilting oven racks. The outside finish shall be white and black porcelain enamel. Perfection (Perfection Stove Company, Cleveland, Ohio) Model R 388 or equal.

Stove. There shall be one (1) portable two burner oil stove with extra duty angle iron frame, size overall 27" x 12 $\frac{1}{2}$ " x 14 $\frac{1}{2}$ " high. Puritan (Perfection Stove Company, Cleveland, Ohio) Model 920 or equal.





EQUIPMENT LAYOUT FOR MATERNITY
 "CONVALESCENCE" TRAILER

FEDERAL PUBLIC HOUSING AUTHORITY
 MANAGEMENT STANDARDS DIVISION
 EQUIPMENT LAYOUT - 1/2" SCALE
 JULY 1943

5000